Journal of Applied Polymer Science

Author Index—Volume 91

Abdel-Goad, M. A.-H.
—; Structural Material from Waste Plastic, 2543
Abd-El-Messieh, S. L. See Nashar, D. E. E., 469, 3410
Agarwal, N. See Sivalingam, G., 1450
Ahmad, S. R. See Khan, F., 1667
Ahmed, S. See Singh, M., 678
Ahn, J. H. See Jung, H. R., 894
Ahn, S.
—; White, J. L.: Wall Effects on Flow of Polymer/Particulate/(Carboxylic acid) in Dies and Rheometers, 651
Ai, X. See Dai, X., 2330
Akhmedov, I. M. See Çelebi, F., 1314
Alb, A. M. See Çatalgil-Giz, H., 1352
Albertsson, A.-C. See Olander, B., 4098
Aldén, M. See Hillgren, A., 1626
Alexandratos, S. D.
—; Smith, S. D.: Intraligand Cooperation in Metal-Ion Binding by Immobilized Ligands: The Effect of Bifunctionality, 463
Alkadasi, N. A. N.
—; Hundiwale, D. G.; Kapadi, U. R.: Effect of Coupling Agent on the Mechanical Properties of Fly Ash–Filled Polybutadiene Rubber, 1322
Allen, S. A. B. See Bai, Y., 3023, 3031; Chiniwalla, P., 1020
Almdal, K. See Chuai, C., 609
Alvarez, V. A.
—; Fraga, A. N.; Vázquez, A.: Effects of the Moisture and Fiber Content on the Mechanical Properties of Biodegradable Polymer–Sisal Fiber Biocomposites, 4007
Alvila, L. See Holopainen, T., 2942
Alyürük, K. See Kara, Ş., 3785
Ambadas, G.
—; Packirisamy, S.; Radhakrishnan, T. S.; Ninan, K. N.: Synthesis, Characterization, and Thermal Properties of Poly(methylvinylsilylene-*co*-styrene), 3774
Aminabhavi, T. M. See Kurkuri, M. D., 4091
Anand, V.
—; Kumar, R.; Choudhary, V.: Methyl Methacrylate/*N*-(*o*-/*m*-/*p*-Chlorophenyl) Itaconimide Copolymers: Microstructure Determination by NMR Spectroscopy, 2016
Anantharaman, M. R. See Saravanan, S., 2529
Andersen, S. I. See von Solms, N., 1476
Anderson, D. P. See Tolle, T. B., 89
Anderson, T. A. See Ramkumar, S. S., 3879
Andersson, T.
—; Stålbom, B.; Wesslén, B.: Degradation of Polyethylene During Extrusion. II. Degradation of Low-Density Polyethylene, Linear Low-Density Polyethylene, and High-Density Polyethylene in Film Extrusion, 1525
Andrews, G. P. See McCarron, P. A., 1576
Angelatos, A. S.
—; Burgar, M. I.; Dunlop, N.; Separovic, F.: NMR Structural Elucidation of Amino Resins, 3504
Ania, F. See Mina, M. F., 205
Anna, Z. See Shishuang, G., 2265
Antoine, M.-L.
—; Simon, C.; Pizzi, A.: UV Spectrophotometric Method for Polyphenolic Tannin Analysis, 2729
Antonsen, H. W. See Furuheim, K. M., 218, 226, 235
Apostolov, A. A. See Chow, W. S., 175
Aprem, A. S.
—; Joseph, K.; Thomas, S.: Studies on Double Networks in Natural Rubber Vulcanizates, 1068
Arai, T.
—; Freddi, G.; Innocenti, R.; Tsukada, M.: Biodegradation of *Bombyx mori* Silk Fibroin Fibers and Films, 2383
Aranguren, M. I. See Mosiewicki, M., 3074
Aras, L. See Çelebi, F., 1314
Ariffin, A. See Leong, Y. W., 3315, 3327
Aróstegui, A.
—; Nazábal, J.: Compatibilization of a Poly(butylene terephthalate)/Poly(ethylene octene) Copolymer Blends with Different Amounts of an Epoxy Resin, 260
Asai, S. See Katada, A., 2928
Asano, T. See Mina, M. F., 205
Asman, G. See Şanli, O., 72
Astruc, M.
—; Collin, V.; Rusch, S.; Navard, P.; Peuvrel-Disdier, E.: Infiltration of Uncured Elastomers into Silica Agglomerates, 3292
Audisio, G. See Canetti, M., 1435
Avadhani, C. V. See Kulkarni, N. G., 3720
Axelson, D. E. See Furuheim, K. M., 218, 226, 235
Azab, M. M.
—; Thermal Behavior of Pentachlorophenyl Methacrylate–Acrylonitrile Copolymers, 296
Aziz, H. A. See Saad, A. L. G., 1590

Babić, D. See Nikolić, L., 387
Backman, A. C.
—; Lindberg, K. A. H.: Interaction Between Wood and Polyvinyl Acetate Glue Studied with Dynamic Mechanical Analysis and Scanning Electron Microscopy, 3009
Baek, S. H. See Kim, B. K., 3966
Baharvand, H.
—; Rabiee, A.: Application of Concentrated Emulsion Polymerization for Preparation of Ion-Exchange Chromatography Columns, 2973
Bahk, J. H. See Kim, S. H., 4064
Bai, H. See Zhou, S., 2072
Bai, Y.
—; Chiniwalla, P.; Elce, E.; Allen, S. A. B.; Kohl, P. A.: Photosensitive Polynorbornene Based Dielectric. II. Sensitivity and Spatial Resolution, 3031
—; Chiniwalla, P.; Elce, E.; Shick, R. A.; Sperk, J.; Allen, S. A. B.; Kohl, P. A.: Photosensitive Polynorbornene Based Dielectric. I. Structure–Property Relationships, 3023
—; See Chiniwalla, P., 1020
Bakar, M. B. A. See Leong, Y. W., 3315
Balamurugan, P. See Rathinasamy, P., 1111, 1124

Journal of Applied Polymer Science

Author Index—Volume 91

Abdel-Goad, M. A.-H.
—; Structural Material from Waste Plastic, 2543
Abd-El-Messieh, S. L. See Nashar, D. E. E., 469, 3410
Agarwal, N. See Sivalingam, G., 1450
Ahmad, S. R. See Khan, F., 1667
Ahmed, S. See Singh, M., 678
Ahn, J. H. See Jung, H. R., 894
Ahn, S.
—; White, J. L.: Wall Effects on Flow of Polymer/Particulate/(Carboxylic acid) in Dies and Rheometers, 651
Ai, X. See Dai, X., 2330
Akhmedov, I. M. See Çelebi, F., 1314
Alb, A. M. See Çatalgil-Giz, H., 1352
Albertsson, A.-C. See Olander, B., 4098
Aldén, M. See Hillgren, A., 1626
Alexandratos, S. D.
—; Smith, S. D.: Intraligand Cooperation in Metal-Ion Binding by Immobilized Ligands: The Effect of Bifunctionality, 463
Alkadasi, N. A. N.
—; Hundiwale, D. G.; Kapadi, U. R.: Effect of Coupling Agent on the Mechanical Properties of Fly Ash–Filled Polybutadiene Rubber, 1322
Allen, S. A. B. See Bai, Y., 3023, 3031; Chiniwalla, P., 1020
Almdal, K. See Chuai, C., 609
Alvarez, V. A.
—; Fraga, A. N.; Vázquez, A.: Effects of the Moisture and Fiber Content on the Mechanical Properties of Biodegradable Polymer–Sisal Fiber Biocomposites, 4007
Alvila, L. See Holopainen, T., 2942
Alyürük, K. See Kara, Ş., 3785
Ambadas, G.
—; Packirisamy, S.; Radhakrishnan, T. S.; Ninan, K. N.: Synthesis, Characterization, and Thermal Properties of Poly(methylvinylsilylene-*co*-styrene), 3774
Aminabhavi, T. M. See Kurkuri, M. D., 4091
Anand, V.
—; Kumar, R.; Choudhary, V.: Methyl Methacrylate/*N*-(*o*-/*m*-/*p*-Chlorophenyl) Itaconimide Copolymers: Microstructure Determination by NMR Spectroscopy, 2016
Anantharaman, M. R. See Saravanan, S., 2529
Andersen, S. I. See von Solms, N., 1476
Anderson, D. P. See Tolle, T. B., 89
Anderson, T. A. See Ramkumar, S. S., 3879
Andersson, T.
—; Stålbom, B.; Wesslén, B.: Degradation of Polyethylene During Extrusion. II. Degradation of Low-Density Polyethylene, Linear Low-Density Polyethylene, and High-Density Polyethylene in Film Extrusion, 1525
Andrews, G. P. See McCarron, P. A., 1576
Angelatos, A. S.
—; Burgar, M. I.; Dunlop, N.; Separovic, F.: NMR Structural Elucidation of Amino Resins, 3504
Ania, F. See Mina, M. F., 205
Anna, Z. See Shishuang, G., 2265
Antoine, M.-L.
—; Simon, C.; Pizzi, A.: UV Spectrophotometric Method for Polyphenolic Tannin Analysis, 2729
Antonsen, H. W. See Furuheim, K. M., 218, 226, 235
Apostolov, A. A. See Chow, W. S., 175
Aprem, A. S.
—; Joseph, K.; Thomas, S.: Studies on Double Networks in Natural Rubber Vulcanizates, 1068
Arai, T.
—; Freddi, G.; Innocenti, R.; Tsukada, M.: Biodegradation of *Bombyx mori* Silk Fibroin Fibers and Films, 2383
Aranguren, M. I. See Mosiewicki, M., 3074
Aras, L. See Çelebi, F., 1314
Ariffin, A. See Leong, Y. W., 3315, 3327
Aróstegui, A.
—; Nazábal, J.: Compatibilization of a Poly(butylene terephthalate)/Poly(ethylene octene) Copolymer Blends with Different Amounts of an Epoxy Resin, 260
Asai, S. See Katada, A., 2928
Asano, T. See Mina, M. F., 205
Asman, G. See Şanli, O., 72
Astruc, M.
—; Collin, V.; Rusch, S.; Navard, P.; Peuvrel-Disdier, E.: Infiltration of Uncured Elastomers into Silica Agglomerates, 3292
Audisio, G. See Canetti, M., 1435
Avadhani, C. V. See Kulkarni, N. G., 3720
Axelson, D. E. See Furuheim, K. M., 218, 226, 235
Azab, M. M.
—; Thermal Behavior of Pentachlorophenyl Methacrylate–Acrylonitrile Copolymers, 296
Aziz, H. A. See Saad, A. L. G., 1590

Babić, D. See Nikolić, L., 387
Backman, A. C.
—; Lindberg, K. A. H.: Interaction Between Wood and Polyvinyl Acetate Glue Studied with Dynamic Mechanical Analysis and Scanning Electron Microscopy, 3009
Baek, S. H. See Kim, B. K., 3966
Baharvand, H.
—; Rabiee, A.: Application of Concentrated Emulsion Polymerization for Preparation of Ion-Exchange Chromatography Columns, 2973
Bahk, J. H. See Kim, S. H., 4064
Bai, H. See Zhou, S., 2072
Bai, Y.
—; Chiniwalla, P.; Elce, E.; Allen, S. A. B.; Kohl, P. A.: Photosensitive Polynorbornene Based Dielectric. II. Sensitivity and Spatial Resolution, 3031
—; Chiniwalla, P.; Elce, E.; Shick, R. A.; Sperk, J.; Allen, S. A. B.; Kohl, P. A.: Photosensitive Polynorbornene Based Dielectric. I. Structure–Property Relationships, 3023
—; See Chiniwalla, P., 1020
Bakar, M. B. A. See Leong, Y. W., 3315
Balamurugan, P. See Rathinasamy, P., 1111, 1124

Balart, R. See López, J., 538
Balsis, S. L. See McDermott, M. K., 1086
Baltá Calleja, F. J. See Mina, M. F., 205
Balu, S. See Rathinasamy, P., 1111, 1124
Banerjee, A. See Datta, C., 339, 958
Banerjee, S. See Pandey, P., 2278
Bao, S. See Liang, G., 3974
Bao, Y.-z.
—; Liao, J.-g.; Huang, Z.-m.; Weng, Z.-x.: Influences of Individual and Composed Poly(vinyl alcohol) Suspending Agents on Particle Morphology of Suspension Poly(vinyl chloride) Resin, 2738
Baouab, M. H. V.
—; Zghida, H.; Gauthier, R.; Gauthier, H.: Cationized Nylon as Adsorbent for Anionic Residual Dyes, 2513
Baranovsky, V. Y. See Doseva, V., 3651
Bárány, T.
—; Földes, E.; Czigány, T.; Karger-Kocsis, J.: Effect of UV Aging on the Tensile and Fracture Mechanical Response of Syndiotactic Polypropylenes of Various Crystallinity, 3462
Barbani, N. See Mano, V., 501
Barcia, O. E. See da C. Cruz, R., 2685
Barrès, C. See Léopoldès, J., 577
Barrière, B. See Gagnard, C., 686
Barsoum, B. N. See Sayyah, S. M., 1937
Basta, A. H. See Nashar, D. E. E., 469, 3410
Baştürkmen, M.
—; Hacaloğlu, J.; Kısakürek, D.: Effect of *N*-Methylimidazole and 3,5-Dimethylpyrazole Ligands on the Polymerization of Di(2,6-dichlorophenolato) Cu(II)/Co(II) Complexes in the Solid State, 3797
Basu, D. See Datta, C., 339, 958
Basu, D. K. See Das, A., 1913
Basu, P. K. See Roy, D., 2096
Bates, F. S. See Lee, J., 3642
Baumann, T. See Fu, R., 3060
Baysal, B. M. See Taşdelen, B., 911
Bazylyak, L. I. See Medvedevskikh, Y. G., 2376
Behera, A. K. See Patra, M., 1147
Behera, R. K. See Patra, M., 1147
Benmouna, F. See Bouchaour, T., 1
Benmouna, M. See Bouchaour, T., 1
Berghmans, H. See Liskova, A., 2234
Betal, G. See Pramanick, D., 343
Bhat, G. S. See Rong, H., 3148
Bhushan, B.
—; Jayantha-Rao, R.: Modeling of Creep and Shrinkage Behavior of Polymeric Films Used in Magnetic Tapes, 78
Bignotti, F. See Penco, M., 1816
Billon, L. See Clave, E., 820
Biswas, J. See Kundu, P. P., 1427
Blagidze, I. See Nadareishvili, L., 489
Bockenheimer, C.
—; Fata, D.; Possart, W.: New Aspects of Aging in Epoxy Networks. I. Thermal Aging, 361
—; Fata, D.; Possart, W.: New Aspects of Aging in Epoxy Networks. II. Hydrothermal Aging, 369
Bodas, D. S.
—; Patil, S. J.; Mandale, A. B.; Gangal, S. A.: RF Sputter Deposition of Poly(tetrafluoroethylene) Films as Masking Materials for Silicon Micromachining, 1183
Boey, F.
—; Xiong, Y.; Rath, S. K.: Glass-Transition Temperature in the Curing Process of Bismaleimide Modified with Diallylbisphenol A, 3244
Boodhoo, K. V. K.
—; Dunk, W. A. E.; Jassim, M. S.; Jachuck, R. J.: Thin Film Solvent-Free Photopolymerization of *n*-Butyl Acrylate. I. Static Film Studies, 2079
Borrajo, J. See Mosiewicki, M., 3074
Borthakur, A. See Sabhapondit, A., 2482
Bouchaour, T.
—; Benmouna, F.; Coqueret, X.; Benmouna, M.; Maschke, U.: Swelling of Crosslinked Polyacrylates in Isotropic and Anisotropic Solvents, 1
Bratus, A. M. See Medvedevskikh, Y. G., 2376
Bretas, R. E. S. See Farah, M., 3528
Briber, R. M. See McDermott, M. K., 1086
Broda, J.
—; Influence of Processing on Structure of β-Nucleated Poly(propylene) Fibers, 1413
Brown, S. See Rhoney, I., 1335
Burgar, M. I. See Angelatos, A. S., 3504
Byrne, M. L. See McDermott, M. K., 1086

Cabedo, L. See Giménez, E., 3851
Cabrera, G. See Taboada, E., 807
Cai, H.-S. See Hou, C., 4105
Cai, Z.
—; Jiang, G.; Qiu, Y.: Chemical Modification of Bombyx Mori Silk with Epoxide EPSIB, 3579
Çakir, Ü.
—; Uğraş, H. I.; Temel, H.; Topal, G.: Complexation Studies of Some Newly Synthesized Precursors for Substituted Dibenzo and Dibenzodiaza Crown Ethers, 2497
Calil, M. R. See Rosa, D. S., 3909
Candau, F. See Pabon, M., 916
Canetti, M.
—; De Chirico, A.; Audisio, G.: Morphology, Crystallization and Melting Properties of Isotactic Polypropylene Blended with Lignin, 1435
Canevarolo, S. V. See Machado, A. V., 2711
Cangemi, L.
—; Elkoun, S.; G'Sell, C.; Meimon, Y.: Volume Strain Changes of Plasticized Poly(vinylidene fluoride) during Tensile and Creep Tests, 1784
Cao, D. See Lu, S., 3497
Cao, X.-H. See Lu, Q., 2582
Cao, Y. See Jie, X., 1873
Carbonnier, B.
—; Janus, L.; Lekchiri, Y.; Morcellet, M.: Coating of Porous Silica Beads by *in Situ* Polymerization/Crosslinking of 2-Hydroxypropyl β-Cyclodextrin for Reversed-Phase High Performance Liquid Chromatography Applications, 1419
Cardenas, G. See Taboada, E., 807
Cartier, H. See Hu, G.-H., 1498
Castaño, V. M. See Velázquez, R., 1254
Castro, J. M. See Permadi, •••, 1136
Çatalgil-Giz, H.
—; Giz, A.; Alb, A. M.; Reed, W. F.: Absolute Online Monitoring of Acrylic Acid Polymerization and the Effect of Salt and pH on Reaction Kinetics, 1352
Causin, V. See Marigo, A., 1008
Çaykara, T.
—; İnam, R.: Determination of Average Molecular Weight Between Crosslinks and Polymer–Solvent Interaction Parameters of Poly(acrylamide-*g*-ethylene diamine tetraacetic acid) Polyelectrolyte Hydrogels, 2168
—; Yerlikaya, Z.; Kantoğlu, Ö.: Surface Free-Energy Analysis of Poly(*N*-vinyl-2-pyrrolidone–crotonic acid) Copolymers

Prepared by γ-Ray-Induced Polymerization Technique, 1893
Ceja, I. See Velázquez, R., 1254
Çelebi, F.
—; Polat, O.; Aras, L.; Gündüz, G.; Akhmedov, I. M.: Synthesis and Characterization of Water-Dispersed Flame-Retardant Polyurethane Resin Using Phosphorus-Containing Chain Extender, 1314
Červená, J. See Švorčík, V., 40
Cesteros, L. C. See Maldonado-Santoyo, M., 1887
Chagas, B. S.
—; Machado, D. L. P., Jr.; Haag, R. B.; de Souza, C. R.; Lucas, E. F.: Evaluation of Hydrophobically Associated Polyacrylamide-Containing Aqueous Fluids and Their Potential Use in Petroleum Recovery, 3686
Chakraborty, B. C. See Samui, A. B., 354
Champagne, M. F. See Pesneau, I., 3180
Chan, C. L. See Li, L., 1505
Chan, W. L. See Yan, H., 2523
Chandra, R. See Chand, S., 1962
Chandrashekhara, K. See Zhu, J., 3513
Chand, S.
—; Sharma, G. D.; Dwivedi, S.; Chandra, R.: Effect of Poly(vinylidene fluoride) Interface Layer on Charge Storage and Residual Potential in Amorphous Selenium Films, 1962
Chang, F.-C. See Chen, H.-W., 719, 1207; Xu, H., 2208
Chang, K.-C. See Wang, H.-W., 1368
Chang, T.-C. See Huang, C.-J., 270
Chang, W.-H. See Liang, H.-C., 4017
Chang, Y.-C. See Lai, J.-Z., 1997
Chang, Y.-W. See Yeh, J.-M., 3489
Chatterjee, J.
—; Haik, Y.; Chen, C.-J.: pH-Reversible Magnetic Gel with a Biodegradable Polymer, 3337
Chattopadhyay, D. K.
—; Rohini Kumar, D. B.; Sreedhar, B.; Raju, K. V. S. N.: Thermal Stability and Dynamic Mechanical Behavior of Acrylic Resin and Acrylic Melamine Coatings, 27
Chattopadhyay, R.
—; Guha, A.; Jayadeva: Performance of Neural Networks for Predicting Yarn Properties Using Principal Component Analysis, 1746
Chaubey, A. See Singh, S., 3769
Chauhan, G. S.
—; Lal, H.; Mahajan, S.: Synthesis, Characterization, and Swelling Responses of Poly(*N*-Isopropylacrylamide)- and Hydroxypropyl Cellulose-Based Environmentally Sensitive Biphasic Hydrogels, 479
—; Sharma, R.; Lal, H.: Synthesis and Characterization of Graft Copolymers of Hydroxypropyl Cellulose with Acrylamide and Some Comonomers, 545
—; Singh, B.; Dhiman, S. K.: Functionalization of Poly(4-vinyl pyridine) Grafted Cellulose by Quaternization Reactions and a Study on the Properties of Postquaternized Copolymers, 2454
Chauhan, R. S. See Pandey, P., 2278
Chelali, N. See Daouadji, M. M., 1275
Chen, C.-J. See Chatterjee, J., 3337
Chen, C.-W. See Shih, C.-Y., 3991
Chen, F.
—; Luo, G. S.; Wang, Y. J.: Preparation of Polysulfone-Coated Chitosan Beads by Emulsion Phase-Inversion Method, 3542
Chen, G. C. See Lee, H.-L., 2465
Chen, H. See Weng, W.-H., 532; Zhang, T., 190
Chen, H.-H. See Chen, W.-C., 1154
Chen, H.-W.
—; Jiang, C.-H.; Wu, H.-D.; Chang, F.-C.: Hydrogen Bonding Effect on the Poly(ethylene oxide), Phenolic Resin, and Lithium Perchlorate–Based Solid-State Electrolyte, 1207
—; Xu, H.; Huang, C.-F.; Chang, F.-C.: Novel Polymer Electrolyte Composed of Poly(ethylene oxide), Lithium Triflate, and Benzimidazole, 719
Chen, J. See Wang, Y., 308; Xiong, C., 563
Chen, K.
—; Meng, Y. Z.; Tjong, S. C.; Hay, A. S.: One-Step Synthesis and Ring-Opening Polymerization of Novel Macrocyclic(arylene multisulfide) Oligomers, 735
—; Tang, X.: Instantaneous Elastic Recovery of Poly(trimethylene terephthalate) Filament, 1967
Chen, K.-N. See Lai, J.-Z., 1997
Chen, M. See Zhang, H.-T., 570
Chen, Q. M. See Quan, Y. W., 2358
Chen, W. C. See Hsieh, K. H., 3162
Chen, W.-C.
—; Chen, H.-H.; Wen, T.-C.; Digar, M.; Gopalan, A.: Morphology and Ionic Conductivity of Thermoplastic Polyurethane Electrolytes, 1154
—; See Liu, W.-C., 2653
Chen, X.-f. See Zhao, J.-r., 282
Chen, Y. See Lu, S., 3497; Yang, Y., 2984
Chen, Y.-C. See Lee, W.-F., 2934
Chen, Y.-M. See Lee, W.-F., 726
Chen, Y. Y. See Lin, C.-B., 2771
Chen, Z.
—; Christensen, L.; Dahn, J. R.: Mechanical and Electrical Properties of Poly(vinylidene fluoride–tetrafluoroethylene–propylene)/Super-S Carbon Black Swelled in Liquid Solvent as an Electrode Binder for Lithium-Ion Batteries, 2958
—; Christensen, L.; Dahn, J. R.: Study of the Mechanical and Electrical Properties of Carbon/Poly(vinylidene fluoride–tetrafluoroethylene–propylene) Films Crosslinked with Triethylenetetramine: Possible Application as Binder for Lithium-Ion Battery Electrodes, 2949
—; Wang, Y.; Feng, Y.; Jiang, X.; Yang, C.; Wang, M.: Synthesis of Hydroxyl-Terminated Copolymer of Styrene and 4-Vinylpyridine via Nitroxide-Mediated Living Radical Polymerization, 1842
—; See Qi, R., 2834; Tang, Y., 2416; Wang, S., 1457
Cheng, A. See Han, B., 2536
Cheng, C.-S. See Liu, L.-M., 773
Cheng, C. X.
—; Tang, R. P.; Zhao, Y. L.; Xi, F.: Synthesis of Dendronized Poly(Methacrylates) and Their Diblock Copolymers by Atom Transfer Radical Polymerization, 2733
Cheng, G. See Xing, F., 2669
Cheng, Y. See Zhang, C., 659
Cheng, Y. B. See Hussain, M., 1233
Cheung, W. H. See Doherty, W. O. S., 2035
Chiang, W.-H. See Lee, W.-F., 2135
Chiantore, O. See Vicini, S., 3202
Chiniwalla, P.
—; Bai, Y.; Elce, E.; Shick, R.; Allen, S. A. B.; Kohl, P.: Crosslinking and Decomposition Reactions of Epoxide-Functionalized Polynorbornene. II. Impact of

Reactions on Mechanical Properties, 1020
—; See Bai, Y., 3023, 3031
Chinwanitcharoen, C.
—; Kanoh, S.; Yamada, T.; Hayashi, S.; Sugano, S.: Preparation of Aqueous Dispersible Polyurethane: Effect of Acetone on the Particle Size and Storage Stability of Polyurethane Emulsion, 3455
Chiovatto Neto, I. See Rosa, D. S., 3909
Chirawithayaboon, A.
—; Kiatkamjornwong, S.: Compatibilization of High-Impact Polystyrene/High-Density Polyethylene Blends by Styrene/Ethylene–Butylene/Styrene Block Copolymer, 742
Chiu, H.-J.
—; Miscibility and Crystallization Kinetics of Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate)/Poly(methyl methacrylate) Blends, 3595
Chiu, H.-T.
—; Jeng, R.-E.; Chung, J.-S.: Thermal Cure Behavior of Unsaturated Polyester/Phenol Blends, 1041
Cho, M. S. See Jung, H. R., 894
Choe, S. See Kundu, P. P., 1427
Choi, G.-H. See Kim, J.-Y., 3549
Choi, H. J. See Park, D. P., 1770
Choi, H. W.
—; Kim, Y. S.; Yang, N. C.; Suh, D. H.: Synthesis of a New Conjugated Polymer Based on Benzimidazole and Its Sensory Properties Using the Fluorescence-Quenching Effect, 900
Choi, K. Y.
—; Tang, S.: Polymerization Rate Modeling of Ethylene Polymerization with Supported Chromium Oxide Catalysts, 2923
Choi, M.-S. See Choi, S.-H., 2335
Choi, P. See Zhao, L., 1927
Choi, S. C. See Shin, E. J., 2407
Choi, S.-H.
—; Choi, M.-S.; Lee, K.-P.; Kang, H.-D.: Preparation and Characterization of CdS and CdS/Polyacrylonitrile Nanocomposites by γ-Irradiation and Emulsion Polymerization, 2335
Choi, W. M.
—; Park, O. O.; Lim, J.-G.: Effect of Diblock Copolymers on Morphology and Mechanical Properties for Syndiotactic Polystyrene/Ethylene-Propylene Copolymer Blends, 3618
Choudhary, V. See Anand, V., 2016
Chow, W. S.
—; Ishak, Z. A. M.; Ishiaku, U. S.; Karger-Kocsis, J.; Apostolov, A. A.: The Effect of Organoclay on the Mechanical Properties and Morphology of Injection-Molded Polyamide 6/Polypropylene Nanocomposites, 175
Chowdhury, G. See Nogami, N., 2624
Christensen, L. See Chen, Z., 2949, 2958
Chu, H.-H.
—; Lee, C.-M.; Huang, W. G.: Damping of Vinyl Acetate–*n*-Butyl Acrylate Copolymers, 1396
Chuai, C.
—; Almdal, K.; Lyngaae-Jørgensen, J.: Thermal Behavior and Properties of Polystyrene/Poly(methyl methacrylate) Blends, 609
Chun, S. W. See Koh, J., 3481
Chunfang, Z. See Qiang, X., 2739
Chung, C.-W. See Kundu, P. P., 1427
Chung, J.-S. See Chiu, H.-T., 1041
Chung, T.-S. See Guo, W. F., 4082
Chung, W. Y.
—; Lee, S. M.; Koo, S. M.; Suh, D. H.: Surfactant-Free Thermochromic Hydrogel System: PVA/Borax Gel Networks Containing pH-Sensitive Dyes, 890
Clark, J. See Meyer, A., 3447
Clave, E.
—; François, J.; Billon, L.; Sèbe, G.; De Jéso, B.; Guimon, M. F.: Crude and Modified Corncobs as Complexing Agents for Water Decontamination, 820
Cobb, G. P. See Ramkumar, S. S., 3879
Cohen, R. E. See Gratt, J. A., 3362; Lazzeri, A., 925
Coleman, M. R. See Fuhrman, C., 1174
Collard, D. M. See Ma, H., 1698
Collin, V. See Astruc, M., 3292
Coqueret, X. See Bouchaour, T., 1
Corpart, J.-M. See Pabon, M., 916
Coutinho, F. M. B. See Luz, C. T. L., 666
Covas, J. A. See Machado, A. V., 2711
Crescini, P. See Penco, M., 1816
Cretin, M. See Naji, A., 3947
Cruz Pinto, J. J. C. See Martins, J. A., 125
Cruz, S. A.
—; Zanin, M.: Dielectric Strength of the Blends of Virgin and Recycled HDPE, 1730
Cui, P. See Liu, W., 1229
Cui, Y. See Zhao, J., 1676
Czigány, T. See Bárány, T., 3462

da C. Cruz, R.
—; Martins, R. J.; de M. Cardoso, M. J. E.; Barcia, O. E.: Volumetric Study of Aqueous Solutions of Poly(ethylene glycol) from 283.15 to 313.15 K and at 0.1 MPa, 2685
Dahn, J. R. See Chen, Z., 2949, 2958
Dai, C. A. See Hsieh, K. H., 3162
Dai, G. See Zhu, W., 431
Dai, X.
—; He, J.; Liu, Z.; Ai, X.; Yang, G.; Han, B.; Xu, J.: Stability of High-Bandwidth Graded-Index Polymer Optical Fiber, 2330
Dalvi, V. G. See Samui, A. B., 354
Dan, A.
—; Sengupta, P. K.: Synthesis and Characterization of Polyaniline Prepared in Formic Acid Medium, 991
Danch, M. See Zawadiak, J., 15
Dandekar, A. Y. See von Solms, N., 1476
D'Antone, S. See Penco, M., 1816
Daouadji, M. M.
—; Chelali, N.: Influence of Molecular Weight of Poly(*ortho*-ethoxyaniline) on the Corrosion Inhibition Efficiency of Mild Steel in Acidic Media, 1275
Darwish, N. See Mounir, A., 3921
Das, A.
—; Naskar, N.; Basu, D. K.: Thiophosphoryl Disulfides as Crosslinking Agents for Chloroprene Rubber, 1913
da Silva, R. R. See Magalhães, W. L. E., 1763
Datta, C.
—; Basu, D.; Banerjee, A.: Impact Behavior of Unidirectional Polyethylene–Glass Fibers: Resol/Vinyl Acetate-2-Ethylhexylacrylate Interpenetrating Polymer Network Systems, 339
—; Basu, D.; Roy, A.; Banerjee, A.: Mechanical and Dynamic Mechanical Studies of Epoxy/VAc-EHA/HMMM IPN–Jute Composite Systems, 958
Dayal, R. See Godjevargova, T., 4057
Deanin, R. D. See Huang, J.-C., 146
Deb, P. C. See Samui, A. B., 354

De Chirico, A. See Canetti, M., 1435
De Jéso, B. See Clave, E., 820
Della Sciucca, S. See Penco, M., 1816
de M. Cardoso, M. J. E. See da C. Cruz, R., 2685
de Menezes, S. M. C. See Prauchner, M. J., 1604
Denault, J. See Hojjati, M., 2548
Deng, X. See Zhou, S., 1848
Deng, Y. See Yan, Z., 347
Deokar, S.
—; Ghadage, R. S.; Rajan, C. R.; Ponrathnam, S.: Facile Synthesis of Poly(4-hydroxy styrene) from Polystyrene, 3192
De Paoli, M.-A. See Silva Spinacé, M. A., 525
Desai, J.
—; Pendyala, V. N. S.; Xavier, S. F.; Misra, A. N.; Nair, K. B.: Synthesis and Characterization of Hindered-Phenol-Containing Amine Moieties as Antioxidants for Polypropylene Copolymers, 1097
de Souza, C. R. See Chagas, B. S., 3686
Devaux, J. See Martin, P., 703
Devi, S. See Shukla, S. P., 2063
Dhiman, S. K. See Chauhan, G. S., 2454
Di, W.
—; Zhang, G.: Resistivity-Temperature Behavior of Carbon Fiber Filled Semicrystalline Composites, 1222
Digar, M. See Chen, W.-C., 1154
Dikshit, A. K.
—; Kaito, A.: Structure and Mechanical Properties of Uniaxially Oriented Films of Syndiotactic Polystyrene and Poly(2,6-dimethyl-1,4-phenylene oxide) Blends, 2789
Dimitrov, R. See Mateva, R., 3251
Dimitry, O. I. H. See Saad, A. L. G., 1590
Dineff, P. D. See Vladkova, T. G., 883
Ding, S. See Li, L., 274
Ding, X.
—; Rong, J.; Xu, R.; Yu, D.; Yang, Z.: Effect of a Chain Extender on the Crystallization Behavior of Nylon 66, 68
Ding, Y. See Zhang, C., 659
Dishovsky, N. See El-Tantawy, F., 2756
Dobashi, T. See Terao, K., 3083
Doherty, W. O. S.
—; Fellows, C. M.; Gorjian, S.; Senogles, E.; Cheung, W. H.: Inhibition of Calcium Oxalate Monohydrate by Poly(acrylic acid)s with Different End Groups, 2035
Dolbin, I. V. See Kozlov, G. V., 3765
Domingo, C. See Vega-González, A., 2422
Donahue, D. W. See Wentworth, D. S., 1294
Dong, J.-P.
—; Huang, J.-G.; Lee, F.-H.; Roan, J.-W.; Huang, Y.-J.: Effects of Poly(methyl methacrylate)-Based Low-Profile Additives on the Properties of Cured Unsaturated Polyester Resins. II. Volume Shrinkage Characteristics and Internal Pigmentability, 3388
—; Huang, J.-G.; Lee, F.-H.; Roan, J.-W.; Huang, Y.-J.: Effects of Poly(methyl methacrylate)-Based Low-Profile Additives on the Properties of Cured Unsaturated Polyester Resins. I. Miscibility, Curing Behavior, and Glass-Transition Temperatures, 3369
Dong, L. See Xiong, C., 563
Dong, W. Z. See Quan, Y. W., 2358
Dong, X. See He, C., 2980
Donnelly, R. F. See McCarron, P. A., 1576
Doseva, V.
—; Shenkov, S.; Vasilev, S.; Baranovsky, V. Y.: Synthesis and Properties of Water Soluble Polyurethanes Based on Poly(ethylene glycol), 3651
Downing, J. W., Jr.
—; Newell, J. A.: Characterization of Structural Changes in Thermally Enhanced Kevlar-29 Fiber, 417
Dresselhaus, G. See Fu, R., 3060
Dresselhaus, M. S. See Fu, R., 3060
Drioli, E. See Tasselli, F., 841
Du, R.
—; Zhao, J.: Positively Charged Composite Nanofiltration Membrane Prepared by Poly(*N*,*N*-dimethylaminoethyl methacrylate)/Polysulfone, 2721
Du, Y. See Li, H., 2642; Wang, N., 332
Dubey, V.
—; Saxena, C.; Pandey, L. K.: A Novel Approach for Evaluation of Polymeric Interface Materials for Chemical Sensors Using Alternate Indirect Methods, 3428
Dunk, W. A. E. See Boodhoo, K. V. K., 2079
Dunlop, N. See Angelatos, A. S., 3504
Dwivedi, S. See Chand, S., 1962
Dziurka, D.
—; Łęcka, J.: The Effect of Methods of Introducing Acrylic Emulsions Grafted with Acetoacetyl Groups on the Properties of Particleboards, 2256
Dziwiński, E. See Pielichowski, K., 3214

Easteal, A. J. See Zhang, C., 3635
Eguiazábal, J. I. See García, M., 52, 854; Granado, A., 132
El-Awady, N. I.
—; Dialysis Membranes from Polyethylene Films Grafted with Acrylic Acid, 10
Elce, E. See Bai, Y., 3023, 3031; Chiniwalla, P., 1020
El-Din, H. M. M. N.
—; Maziad, N. A.; El-Naggar, A. W. M.: Radiation Crosslinking and Sorption Properties of Hydrogels Based on 1-Vinyl-2-Pyrrolidone, Hydroxyethyl Methacrylate, and Their Copolymers, 3274
Elkoun, S. See Cangemi, L., 1784
El-Maghraby, A. See Kandil, S., 2313
El-Naggar, A.-W. M.
—; Senna, M. M.; Khalil, S. A.: γ-Radiation-Treated Starch/Poly(vinyl alcohol) Composites for Cotton Fabric Sizing, 3818
El-Naggar, A. W. M. See El-Din, H. M. M. N., 3274
El-Shafiey, Z. A. See Sayyah, S. M., 1937
El-Tantawy, F.
—; Dishovsky, N.: Novel V-Shaped Negative Temperature Coefficient of Conductivity Thermistors and Electromagnetic Interference Shielding Effectiveness from Butyl Rubber–Loaded Boron Carbide Ceramic Composites, 2756
Elvira, C. See Vega-González, A., 2422
Endo, S. See Semba, T., 833
Endo, T. See Qiu, W., 1703; Takahashi, E., 589, 3470; Yamashita, Y., 3354
Eren, T.
—; Küsefoğlu, S. H.: Hydroxymethylation and Polymerization of Plant Oil Triglycerides, 4037
—; Küsefoğlu, S. H.: Synthesis and Polymerization of the Bromoacrylated Plant Oil Triglycerides to Rigid, Flame-

Retardant Polymers, 2700
Erol, İ. See Soykan, C., 964
Eromosele, C. O.
—; Nwokata, S. P.: Graft Copolymerization of Acrylic Acid onto Methylcellulose by Potassium Permanganate-p-Xylene Redox Pair, 278
Escobar, J. L.
—; García, D.; Valerino, A.; Zaldívar, D.; Hernáez, E.; Katime, I.: Cephazoline Sodium Release from Poly(*N*-isopropyl acrylamide-*co*-*N*,*N*-dimethylacrylamide) Hydrogels, 3433
Eslami, H. See Khonakdar, H. A., 1389
Esmurziev, A. M. See Zaikov, G. E., 439
Eswaran, S. V. See Roy, D., 2096
Ethiraj, J. See Muralidharan, B., 3871

Fadeev, A. G. See Volkov, V. V., 2271
Faghihi, K.
—; Zamani, K.; Mirsamie, A.; Mallakpour, S.: Facile Synthesis of Novel Optically Active Poly(amide-imide)s Containing *N*,*N*′-(Pyromellitoyl)-bis-l-phenylalanine Diacid Chloride and 5,5-Disubstituted Hydantoin Derivatives Under Microwave Irradiation, 516
Fambri, L. See Šlouf, M., 253
Fan, L. See Yang, H.-X., 3981
Fan, W. See Tang, Y., 2416; Wang, S., 1457
Fang, J. L. See Quan, Y. W., 2358
Fang, X. See Ou, Y., 1806
Fang, Z.
—; Ma, G.; Liu, C.; Xu, C.: Morphology Evolution of Immiscible LDPE/PVC Blends in the Presence of Compatibilizer and Phase Dispersant, 763
—; See Zeng, M., 2840
Farah, M.
—; Bretas, R. E. S.: Characterization of i-PP Shear-Induced Crystallization Layers Developed in a Slit Die, 3528
Fata, D. See Bockenheimer, C., 361, 369
Feller, J. F.
—; Conductive Polymer Composites: Influence of Extrusion Conditions on Positive Temperature Coefficient Effect of Poly(butylene terephthalate)/Poly(olefin)–Carbon Black Blends, 2151
Fellows, C. M. See Doherty, W. O. S., 2035
Feng, L.-F. See Hu, G.-H., 1498
Feng, Y. See Chen, Z., 1842; Zhao, J.-r., 282
Ferrari, P. See Marigo, A., 1008
Ferrari, V. See Penco, M., 1816
Ferreira, A. F. See Mendes, L. C., 315
Filyanova, R. See Mateva, R., 3251
Flanigan, V. See Zhu, J., 3513
Földes, E. See Bárány, T., 3462
Fonseca, C. P. See Rosa, D. S., 3909
Fraga, A. N. See Alvarez, V. A., 4007
François, J. See Clave, E., 820
Freddi, G. See Arai, T., 2383
Fritz, H.-G. See Schmack, G., 800
Frollini, E. See Razera, I. A. T., 1077
Fu, R.
—; Zheng, B.; Liu, J.; Weiss, S.; Ying, J. Y.; Dresselhaus, M. S.; Dresselhaus, G.; Satcher, J., Jr.; Baumann, T.: Studies of the Chemical and Pore Structures of the Carbon Aerogels Synthesized by Gelation and Supercritical Drying in Isopropanol, 3060
Fu, W. See Ren, L., 2295
Fu, Y. See Hu, K., 167; Jiao, Y., 1217
Fuhrman, C.
—; Nutt, M.; Vichtovonga, K.; Coleman, M. R.: Effect of Thermal Hysteresis on the Gas Permeation Properties of 6FDA-Based Polyimides, 1174
Furo, M. See Ishizu, K., 3233
Furtado, C. R. G. See Sousa, A. M. F., 506
Furuheim, K. M.
—; Axelson, D. E.; Antonsen, H. W.; Helle, T.: Phase Structural Analyses of Polyethylene Coatings on High-Density Papers. III. Determination of the Crystallite Thicknesses by T_1 Measurements, 235
—; Axelson, D. E.; Antonsen, H. W.; Helle, T.: Phase Structural Analyses of Polyethylene Extrusion Coatings on High-Density Papers. I. Monoclinic Crystallinity, 218
—; Axelson, D. E.; Antonsen, H. W.; Helle, T.: Phase Structural Analyses of Polyethylene Extrusion Coatings on High-Density Papers. II. Influence of Paper Surface Properties on the Polyethylene Morphology, 226
Furukawa, S. See Sakurai, T., 3001
Furukawa, T. See Ishizu, K., 3233

Gagnard, C.
—; Germain, Y.; Keraudren, P.; Barrière, B.: Permeability of Semicrystalline Polymers to Toluene/Methanol Mixture, 686
Găină, C. See Ivanov, D., 779
Gällstedt, M.
—; Hedenqvist, M. S.: Packaging-Related Properties of Alkyd-Coated, Wax-Coated, and Buffered Chitosan and Whey Protein Films, 60
Gan, L.-M. See Xu, X.-J., 1360
Gangal, S. A. See Bodas, D. S., 1183
Gao, J. See Yang, L., 867
Gao, Y. See Shi, D., 3742; Xie, H.-Q., 2914; Yu, B., 425
Gao, Z.
—; Nahrup, J. S.; Mark, J. E.; Sakr, A.: Poly(dimethylsiloxane) Coatings for Controlled Drug Release. II. Mechanism of the Crosslinking Reaction in Emulsion, 2186
García, D. See Escobar, J. L., 3433
García, M.
—; Eguiazábal, J. I.; Nazábal, J.: Processability and Mechanical Performance of Hybrid Composites Based on Poly(ether sulfone) Modified with a Glass Fiber–Reinforced Liquid Crystalline Polymer, 854
—; Eguiazábal, J. I.; Nazábal, J.: Reinforced Poly(ether sulfone) Materials by Blending with a Semiaromatic Liquid Crystalline Copolyester, 52
Garcia, M. E. F. See Mendes, L. C., 315
Gardášová, R. See Švorčík, V., 40
Gauthier, H. See Baouab, M. H. V., 2513
Gauthier, R. See Baouab, M. H. V., 2513
Gavara, R. See Giménez, E., 3851
Gawdzik, B.
—; Maciejewska, M.: Synthesis of Isobutyl Maleate–Divinylbenzene Microspheres by Different Techniques of Heterogeneous Polymerizations, 2008
Gaymans, R. J. See Zuiderduin, W. C. J., 2558
Ge, Q. See Zhao, J., 1676
Geng, H. See Peng, G., 1494
Geng, Y.
—; Li, K.; Simonsen, J.: Effects of a New Compatibilizer System on the Flexural Properties of Wood–Polyethylene Composites, 3667
George, B. See Pizzi, A., 1030

George, S. C.
—; Ninan, K. N.; Geuskens, G.; Thomas, S.: Permeation of Chlorinated Hydrocarbons Through Nylon 6/Ethylene–Propylene Rubber Blends, 3756
Georget, P. See Léopoldès, J., 577
Germain, Y. See Gagnard, C., 686
Geuskens, G. See George, S. C., 3756
Ghadage, R. S. See Deokar, S., 3192
Ghaisas, S. S.
—; Kale, D. D.; Kim, J. G.; Jo, B. W.: Blends of Plasticized Poly(vinyl chloride) and Waste Flexible Poly(vinyl chloride) with Waste Nitrile Rubber Powder, 1552
Ghaly, A. See Ghanem, A., 861
Ghanem, A.
—; Ghaly, A.: Immobilization of Glucose Oxidase in Chitosan Gel Beads, 861
—; See Wentworth, D. S., 1294
Ghosh, P.
—; Kar, S. B.: Modification of Non-Newtonian Flow Behavior of Aqueous Solution of Poly(vinyl alcohol) by Conducting Polypyrrole Prepared by *In Situ* Polymerization of Pyrrole, 3737
Ghosh, P. K. See Shukla, S. P., 2063
Gilbert, J. L. See Wright, D. D., 4047
Giménez, E.
—; Lagarón, J. M.; Cabedo, L.; Gavara, R.; Saura, J. J.: Study of the Thermoformability of Ethylene-Vinyl Alcohol Copolymer Based Barrier Blends of Interest in Food Packaging Applications, 3851
Giusti, P. See Mano, V., 501
Giz, A. See Çatalgil-Giz, H., 1352
Gleason, K. K. See Murthy, S. K., 2176
Godjevargova, T.
—; Dayal, R.; Marinov, I.: Simultaneous Covalent Immobilization of Glucose Oxidase and Catalase onto Chemically Modified Acrylonitrile Copolymer Membranes, 4057
Goh, S. H. See Huang, H. L., 1798
González Hernández, L. See López Valentín, J., 1489
González-Núñez, R. See Rodríguez-Ríos, H., 1736
Gopalan, A. See Chen, W.-C., 1154
Gorjian, S. See Doherty, W. O. S., 2035
Gospodinova, D. N. See Vladkova, T. G., 883
Goyanes, S. See Marzocca, A. J., 2601
Grady, B. P. See Pongrakananon, N., 2216
Graillat, C. See Ouzineb, K., 115, 2195; Santos, A. F., 941
Granado, A.
—; Eguiazábal, J. I.; Nazábal, J.: Phase Behavior and Mechanical Properties of Blends of Poly(butylene terephthalate) and Poly(amino–ether) Resin, 132
Gratt, J. A.
—; Cohen, R. E.: The Role of Ordered Block Copolymer Morphology in the Performance of Organic/Inorganic Photovoltaic Devices, 3362
Grigoraş, C. See Ivanov, D., 779
Grinberg, S. See Kolot, V., 3835
G'Sell, C. See Cangemi, L., 1784
Gu, M.-Y. See Wang, J.-X., 2397
Gu, S.-Y.
—; Ren, J.; Wang, Q.-F.: Rheology of Poly(Propylene)/Clay Nanocomposites, 2427
Guha, A. See Chattopadhyay, R., 1746
Gui, Z. See Tang, Y., 2416
Guimon, M. F. See Clave, E., 820
Gündüz, G. See Çelebi, F., 1314
Guo, F. See Lu, J., 1519
Guo, G.
—; Rizvi, G. M.; Park, C. B.; Lin, W. S.: Critical Processing Temperature in the Manufacture of Fine-Celled Plastic/Wood-Fiber Composite Foams, 621
Guo, S. See Li, W., 2903
Guo, W. F.
—; Chung, T.-S.; Matsuura, T.; Wang, R.; Liu, Y.: Pervaporation Study of Water and *tert*-Butanol Mixtures, 4082
Guo, Z. See Zhao, J., 3673
Gupta, B. See Gupta, M. L., 3127
Gupta, M. L.
—; Gupta, B.; Oppermann, W.; Hardtmann, G.: Surface Modification of Polyacrylonitrile Staple Fibers via Alkaline Hydrolysis for Superabsorbent Applications, 3127
Guruprasad, K. H.
—; Shashidhara, G. M.: Grafting, Blending, and Biodegradability of Cellulose Acetate, 1716
Güven, O. See Taşdelen, B., 911
Guzmán, J. See Velázquez, R., 1254
Gvatua, S. See Nadareishvili, L., 489

Ha, M. H.
—; Kim, B. K.: Effects of the Viscosity Ratio on Polyolefin Ternary Blends, 4027
Haag, R. B. See Chagas, B. S., 3686
Hacaloğlu, J. See Baştürkmen, M., 3797
Haik, Y. See Chatterjee, J., 3337
Hamada, H. See Semba, T., 833
Hamed, G. R.
—; Ruksakulpiwat, C.: Bonding of Vulcanized Rubber to Polyester Cord Using RFL Adhesives Modified with Chlororesorcinolic Resin, 1993
Han, B.
—; Cheng, A.; Ji, G.; Wu, S.; Shen, J.: Effect of Organophilic Montmorillonite on Polyurethane/montmorillonite Nanocomposites, 2536
—; See Dai, X., 2330
Han, K. See Yan, W., 3959
Haque, I. See Sabhapondit, A., 2482
Hardtmann, G. See Gupta, M. L., 3127
Hassager, O. See von Solms, N., 1476
Häußler, L. See Schmack, G., 800
Hay, A. S. See Chen, K., 735
Hayashi, S. See Chinwanitcharoen, C., 3455
He, C.
—; Dong, X.; Zhang, X.; Wang, D.; Xu, D.: Morphology Investigation of Transcrystallinity at Polyamide 66/Aramid Fiber Interface, 2980
He, J. See Dai, X., 2330
He, P. See Qian, J., 1013
He, S. See Peng, G., 1494
He, W. W.
—; Wang, X.: Numerical Modeling of the Dynamic Tensile Behavior of Irregular Fibers, 2855
He, Y. See Zhu, B., 3565
Hedenqvist, M. S. See Gällstedt, M., 60
Heidari, H. See Mehdipour-Ataei, S., 22
Heinemann, M. See Schmack, G., 800
Heiser, J. A.
—; King, J. A.; Konell, J. P.; Miskioglu, I.; Sutter, L. L.: Tensile and Impact Properties of Carbon Filled Nylon-6,6 Based Resins, 2881
Helle, T. See Furuheim, K. M., 218, 226, 235
Hernáez, E. See Escobar, J. L., 3433
Hieber, C. A.
—; Correlating the Crystallization Kinetics of Syndiotactic Polystyrene, 2402
Hillgren, A.
—; Aldén, M.: Differential Scanning Calorimetry Investigation of Formation of Poly(ethylene

glycol) Hydrate with Controlled Freeze–Thawing of Aqueous Protein Solution, 1626
Hine, P. J.
—; Ward, I. M.: Hot Compaction of Woven Poly(ethylene terephthalate) Multifilaments, 2223
Hirai, M. See Ishigure, T., 404, 410
Hirano, H.
—; Watase, S.; Tanaka, M.: Linear Polymers with Sulfur in the Main Chain. II. Synthesis of Polyesters by Interfacial Polycondensation of Bis(4,4′-hydroxyphenyl)sulfide with Several Aliphatic Acid Dichlorides and Their Properties, 1865
Hirano, T. See Masaki, K., 3342
Hirayama, C. See Sakurai, T., 3001
Hirotsu, T. See Qiu, W., 1703
Hnatowicz, V. See Švorčík, V., 40
Ho, G. H. See Hsieh, K. H., 3162
Ho, M. T. See Ou, C. F., 140
Hoa, S. V. See Hojjati, M., 2548
Hodzic, A. See Shanks, R. A., 2114
Hojjati, M.
—; Johnston, A.; Hoa, S. V.; Denault, J.: Viscoelastic Behavior of Cytec FM73 Adhesive During Cure, 2548
Holopainen, T.
—; Alvila, L.; Savolainen, P.; Pakkanen, T. T.: Effect of F/P and OH/P Molar Ratios and Condensation Viscosity on the Structure of Phenol-Formaldehyde Resol Resins for Overlays—A Statistical Study, 2942
Hou, C.
—; Wang, C.-G.; Ying, L.; Cai, H.-S.: Stability of Acrylonitrile–Acrylamide Copolymer Solutions, 4105
Hou, S.-H. See Wen, B.-Y., 2491
Hsiao, K.
—; Tsen, W.-C.; Shu, Y.-C.: Physical Properties of Polycaproamide/Cationic Dyeable Poly(ethylene terephthalate) Polyblended Fibers, 1710
Hsieh, K. H.
—; Kuo, C. H.; Dai, C. A.; Chen, W. C.; Peng, T. C.; Ho, G. H.: Synthesis and Kinetic Studies of UV-Curable Urethane-Acrylates, 3162
Hsu, W.-P.
—; Binary and Ternary Polymer Blends Containing Poly(vinylidene chloride-*co*-acrylonitrile), 3068
—; Effect of Tacticity of Poly(Methyl Methacrylate) on the Miscibility with Poly(Vinyl Acetate), 35
Hu, C. See Yang, Y., 2984
Hu, G.-H.
—; Cartier, H.; Feng, L.-F.; Li, B.-G.: Kinetics of the *In Situ* Polymerization and *In Situ* Compatibilization of Poly(propylene) and Polyamide 6 Blends, 1498
Hu, K.
—; Xu, T.; Yang, W.; Fu, Y.: Preparation of Novel Heterogeneous Cation-Permeable Membranes from Blends of Sulfonated Poly(phenylene sulfide) and Poly(ether sulfone), 167
Hu, S.-G.
—; Jou, C.-S.; Yang, M.-C.: Effect of Blending Sodium Polyethylene-5-Sulfoisophthalate on Adhesion of Clinical Bacteria on Polyethylene Terephthalate, 3587
Hu, Y. See Tang, Y., 2416; Wang, S., 1457
Huan, C. H. A. See Huang, H. L., 1798
Huang, C.-C. See Yu, Y.-H., 3438
Huang, C.-F. See Chen, H.-W., 719; Xu, H., 2208
Huang, C.-J.
—; Chang, T.-C.: Studies on the Electromagnetic Interference Shielding Effectiveness of Metallized PVAc-$AgNO_3$/PET Conductive Films, 270
Huang, H. L.
—; Goh, S. H.; Lai, D. M. Y.; Huan, C. H. A.; Wee, A. T. S.: Surface Properties of Miscible Poly-(1,1,1,3,3,3-hexafluoroisopropyl methacrylate)/Phenoxy Blends, 1798
Huang, H.-Y. See Yu, Y.-H., 3438
Huang, J.-C.
—; Methods to Determine Solubility Parameters of Polymers Using Inverse Gas Chromatography, 2894
—; Deanin, R. D.: Concentration Dependency of Interaction Parameter Between PVC and Plasticizers Using Inverse Gas Chromatography, 146
Huang, J.-G. See Dong, J.-P., 3369, 3388
Huang, K.-S. See Shih, C.-Y., 3991
Huang, W. G. See Chu, H.-H., 1396
Huang, Y. See Wang, X., 3574; Yang, Y., 2984; Zhao, S., 242
Huang, Y.-J. See Dong, J.-P., 3369, 3388
Huang, Z. See Lin, Z., 2443
Huang, Z.-m. See Bao, Y.-z., 2738
Huang, Z.-M. See Lu, Q., 2576, 2582
Hudson, N. E. See Rhoney, I., 1335
Huétink, J. See Zuiderduin, W. C. J., 2558
Hundiwale, D. G. See Alkadasi, N. A. N., 1322
Huneault, M. A. See Pesneau, I., 3180
Hussain, M.
—; Varley, R. J.; Mathys, Z.; Cheng, Y. B.; Simon, G. P.: Effect of Organo-Phosphorus and Nano-Clay Materials on the Thermal and Fire Performance of Epoxy Resins, 1233
Hussein, I. A.
—; Williams, M. C.: Melt Flow Indexer Evidence of High-Temperature Transitions in Molten High-Density Polyethylenes, 1309
Hwu, J. M.
—; Ko, T. H.; Yang, W.-T.; Lin, J. C.; Jiang, G. J.; Xie, W.; Pan, W. P.: Synthesis and Properties of Polystyrene–Montmorillonite Nanocomposites by Suspension Polymerization, 101

Ibarra Rueda, L. See López Valentín, J., 1489
Ibrahim, M. N. See Maiti, S. N., 644
Ihara, H. See Sakurai, T., 3001
Ilić-Stojanović, S. See Nikolić, L., 387
Imani, M. See Taghizadeh, S. M., 3040
İnam, R. See Çaykara, T., 2168
Incorvia, M. J. See Liu, H., 3557
Innocenti, R. See Arai, T., 2383
Inoue, Y. See Zhu, B., 3565
Isayev, A. I. See Yun, J., 1646
Ishak, Z. A. M. See Chow, W. S., 175; Leong, Y. W., 3315, 3327
Ishiaku, U. S. See Chow, W. S., 175
Ishigure, T.
—; Hirai, M.; Sato, M.; Koike, Y.: Graded-Index Plastic Optical Fiber with High Mechanical Properties Enabling Easy Network Installations. I, 404
—; Hirai, M.; Sato, M.; Koike, Y.: Graded-Index Plastic Optical Fiber with High Mechanical Properties Enabling Easy Network Installations. II, 410
Ishihara, K. See Miyamoto, D., 827

Ishizu, K.
—; Khan, R. A.; Furukawa, T.; Furo, M.: Controlled Radical Polymerization of *N*-Isopropylacrylamide Initiated by Photofunctional 2-(*N*,*N*-Diethyldithiocarbamyl)isobutyric Acid Sodium Salt in Aqueous Medium, 3233
Işık, B.
—; Swelling Behavior and Determination of Diffusion Characteristics of Acrylamide–Acrylic Acid Hydrogels, 1289
Ivanov, D.
—; Găină, C.; Grigoraş, C.: Polymaleamide–Polymaleimide Networks, 779
Iwatsubo, T.
—; Sumaru, K.; Kanamori, T.; Yamaguchi, T.; Sinbo, T.: Preferential Mineralization of $CaCO_3$ Layers on Polymer Surfaces from $CaCl_2$ and Water-Soluble Carbonate Salt Solutions Supersaturated by Poly(Acrylic Acid), 3627

Jabbari, E.
—; Karbasi, S.: Swelling Behavior and Cell Viability of Dehydrothermally Crosslinked Poly(vinyl alcohol) Hydrogel Grafted with *N*-Vinyl Pyrrolidone or Acrylic Acid Using γ-Radiation, 2862
Jachuck, R. J. See Boodhoo, K. V. K., 2079
Jain, R. See Pandey, P., 2278
Jaklewicz, M.
—; Litak, A.; Ostoja-Starzewski, M.: Friction and Scratch Resistance of Polyamide 6 Modified with Ionomeric Ethylene/Methacrylic Acid Copolymer, 3866
Jämsä, S. See Nuopponen, M., 2128
Jamshidi, A. See Taghizadeh, S. M., 3040
Jang, J. See Park, R., 3730
Jansen, J. C. See Tasselli, F., 841
Janus, L. See Carbonnier, B., 1419
Jassim, M. S. See Boodhoo, K. V. K., 2079
Jatobá, L. F. C. See Mendes, L. C., 315
Jayadeva See Chattopadhyay, R., 1746
Jayakumar, R.
—; Lee, Y.-S.; Rajkumar, M.; Nanjundan, S.: Synthesis, Characterization, and Antibacterial Activity of Metal-Containing Polyurethanes, 288
Jayantha-Rao, R. See Bhushan, B., 78
Jen, C.-C. See Yu, Y.-H., 3438
Jeng, R.-E. See Chiu, H.-T., 1041
Jhon, M. S. See Park, D. P., 1770
Ji, G. See Han, B., 2536
Ji, L. See Yan, H.-Q., 3927
Ji, S.-j. See Lu, J., 1519
Jia, D. See Ren, L., 2295
Jia, W.
—; Tchoudakov, R.; Segal, E.; Narkis, M.; Siegmann, A.: Electrically Conductive Composites Based on Epoxy Resin Containing Polyaniline–DBSA- and Polyaniline–DBSA-Coated Glass Fibers, 1329
—; See Zhou, S., 1848
Jiang, C.-H. See Chen, H.-W., 1207
Jiang, G. See Cai, Z., 3579
Jiang, G. J. See Hwu, J. M., 101
Jiang, H.-B. See Yeh, J.-T., 1559
Jiang, J. See Wang, J., 1193
Jiang, X. See Chen, Z., 1842
Jiang, Z. See Jiao, Y., 1217
JianZun, Y. See Qiang, X., 2739
Jiao, Y.
—; Fu, Y.; Jiang, Z.: The Synthesis and Characterization of Poly(Ethylene Glycol) Grafted on Pullulan, 1217
Jie, X.
—; Cao, Y.; Lin, B.; Yuan, Q.: Gas Permeation Performance of Cellulose Hollow Fiber Membranes Made from the Cellulose/N-Methylmorpholine-N-Oxide/H_2O System, 1873
Jiménez, A. See López, J., 538
Jin, R. See Yang, L., 867
Jin, X. See Qi, R., 2834
Jo, B. W. See Ghaisas, S. S., 1552
Johnston, A. See Hojjati, M., 2548
Jone Selvamalar, C. S.
—; Vijayanand, P. S.; Penlidis, A.; Nanjundan, S.: Homopolymer and Copolymers of 4-Benzyloxycarbonylphenyl Acrylate with Glycidyl Methacrylate: Synthesis, Characterization, Reactivity Ratios, and Application as Adhesive for Leather, 3604
Jones, N. See Meyer, A., 3447
Joseph, K. See Aprem, A. S., 1068
Jou, C.-S. See Hu, S.-G., 3587
Juikham, S. See Tantayanon, S., 510
Jung, H. R.
—; Cho, M. S.; Ahn, J. H.; Nam, J. D.; Lee, Y.: Polymer Gel Electrolytes Prepared from P(EG-*co*-PG) and Their Nanocomposites Using Organically Modified Montmorillonite, 894
Kaesaman, A. See Nakason, C., 1752
Kaito, A. See Dikshit, A. K., 2789
Kale, D. D. See Ghaisas, S. S., 1552; Tamboli, S. M., 110
Kaliyappan, T.
—; Rajagopan, S.; Kannan, P.: New Polymeric Schiff Base and Its Metal Complexes, 494
Kanamori, T. See Iwatsubo, T., 3627
Kandil, S.
—; Kenawy, E.-R.; El-Maghraby, A.: Recycling of Pharmaceutical Waste Gelatin for Controlled-Release Applications. I. A 2,4-Dicholorphenoxy Acetic Acid Based System, 2313
Kaneko, M.
—; Kumagai, S.; Nakamura, T.; Sato, H.: Study of Sulfonation Mechanism of Low-Density Polyethylene Films with Fuming Sulfuric Acid, 2435
Kang, C. See Zhu, Z., 3016
Kang, H.-D. See Choi, S.-H., 2335
Kang, P. H. See Kim, D. J., 1898
Kannan, P. See Kaliyappan, T., 494; Kumaresan, S., 455
Kanoh, S. See Chinwanitcharoen, C., 3455
Kantoğlu, Ö. See Çaykara, T., 1893
Kapadi, U. R. See Alkadasi, N. A. N., 1322
Kapila, S. See Zhu, J., 3513
Kar, S. B. See Ghosh, P., 3737
Kara, Ş.
—; Öztürk, E.; Polat, K.; Alyürük, K.: Synthesis, Crosslinking, and Characterization of Energetic Polymers through the Azidification of Glycidyl Ether Prepolymers, 3785
Karbasi, S. See Jabbari, E., 2862
Karger-Kocsis, J. See Bárány, T., 3462; Chow, W. S., 175; Varghese, S., 813
Karino, T. See Terao, K., 3083
Katada, A.
—; Shimura, T.; Tominaga, Y.; Asai, S.; Sumita, M.: Interfacial Behavior of Epichlorohydrin–Ethyleneoxide–Allylglycidyl Ether/Fluorinated Carbon Black Observed from Mechanical and Dielectrical Properties, 2928
Kataoka, M.
—; Masuko, T.: Viscoelastic and Conductive Characteristics of Titanium Carbide/Polyethylene Composites in Relation to Their Structural Parameters, 3134
Katime, I. See Escobar, J. L., 3433; Maldonado-Santoyo, M., 1887

Katoh, K.
—; Shibayama, M.; Tanabe, T.; Yamauchi, K.: Preparation and Properties of Keratin–Poly(vinyl alcohol) Blend Fiber, 756
Kaur, I.
—; Singh, B.; Upasana: Phase-Transfer-Agent-Aided Polymerization and Graft Copolymerization of Acrylamide, 2364
Kayaman-Apohan, N. See Taşdelen, B., 911
Ke, Z. See Shi, D., 3742
Kelley, S. S. See Volkov, V. V., 2271
Kenawy, E.-R. See Kandil, S., 2313
Keraudren, P. See Gagnard, C., 686
Khaliel, A. B. See Sayyah, S. M., 1937
Khalil, S. A. See El-Naggar, A.-W. M., 3818
Khan, F.
—; Ahmad, S. R.; Kronfli, E.: UV-Radiation–Induced Preirradiation Grafting of Methyl Methacrylate onto Lignocellulose Fiber in an Aqueous Medium and Characterization, 1667
Khan, R. A. See Ishizu, K., 3233
Kharitonova, E. Y. See Mullagaliev, I. R., 211
Khashirova, S. Y. See Zaikov, G. E., 439
Khoee, S. See Mallakpour, S., 2288
Khonakdar, H. A.
—; Morshedian, J.; Eslami, H.; Shokrollahi, F.: Study of Heat Shrinkability of Crosslinked Low-Density Polyethylene/Poly(ethylene vinyl acetate) Blends, 1389
Khorasani, M. T.
—; Mirzadeh, H.: *In Vitro* Blood Compatibility of Modified PDMS Surfaces as Superhydrophobic and Superhydrophilic Materials, 2042
Khotimsky, V. S. See Volkov, V. V., 2271
Kiatkamjonwong, S. See Nakason, C., 1752
Kiatkamjornwong, S. See Chirawithayaboon, A., 742
Kim, B. J.
—; White, J. L.: Compatibilized Blends of PVC/PA12 and PVC/PP Containing Poly(lauryl lactam-*block*-caprolactone), 1983
Kim, B. K.
—; Baek, S. H.; Kim, M. S.: Reactive Blends of Polyamide 6 with Polyester Elastomer Using Coupling Agents, 3966
—; See Ha, M. H., 4027
Kim, C. A. See Park, D. P., 1770
Kim, C.-S. See Park, O.-H., 3174
Kim, D. J.
—; Kang, P. H.; Nho, Y. C.: Characterization of Mechanical Properties of γAl_2O_3 Dispersed Epoxy Resin Cured by γ-Ray Radiation, 1898
Kim, H. See Kundu, P. P., 1427
Kim, H.-D. See Yoo, H.-J., 2348
Kim, H.-I. See Park, S.-E., 636
Kim, I. S. See Koh, J., 3481
Kim, I. Y. See Kim, S. J., 2876
Kim, J. G. See Ghaisas, S. S., 1552
Kim, J. P. See Koh, J., 3481
Kim, J.-Y.
—; Shin, D.-H.; Ryu, J.-H.; Choi, G.-H.; Suh, K.-D.: Synthesis of Nanophase-Separated Poly(urethane-*co*-acrylic acid) Network Films and Their Application for Magnetic Nanoparticle Synthesis, 3549
Kim, M.-J.
—; Park, Y.-I.; Youm, K.-H.; Lee, K.-H.: Gas Permeation Through Water-Swollen Polysaccharide/Poly(vinyl alcohol) Membranes, 3225
Kim, M. S. See Kim, B. K., 3966
Kim, S. H.
—; Oh, K. W.; Bahk, J. H.: Electrochemically Synthesized Polypyrrole and Cu-Plated Nylon/Spandex for Electrotherapeutic Pad Electrode, 4064
—; See Oh, K. W., 3659
Kim, S.-H. See Park, Y.-W., 1774
Kim, S. I. See Kim, S. J., 2876, 2908, 3613, 3705
Kim, S. J.
—; Shin, S. R.; Lee, K. B.; Park, Y. D.; Kim, S. I.: Synthesis and Characteristics of Polyelectrolyte Complexes Composed of Chitosan and Hyaluronic Acid, 2908
—; Yoon, S. G.; Kim, I. Y.; Kim, S. I.: Swelling Characterization of the Semiinterpenetrating Polymer Network Hydrogels Composed of Chitosan and Poly(diallyldimethylammonium chloride), 2876
—; Yoon, S. G.; Kim, S. I.: Synthesis and Characteristics of Interpenetrating Polymer Network Hydrogels Composed of Alginate and Poly(diallydimethylammonium chloride), 3705
—; Yoon, S. G.; Lee, S. M.; Lee, S. H.; Kim, S. I.: Electrical Sensitivity Behavior of a Hydrogel Composed of Polymethacrylic Acid/Poly(vinyl alcohol), 3613
Kim, S. S. See Koh, J., 3481
Kim, Y.
—; Roh, H.-D.; Lee, H.-C.: Conversion of Polyester into Heat-Resistant Polyamide by Reacting with Aromatic Diamine Compound, 2502
Kim, Y. S. See Choi, H. W., 900
Kimura, K.
—; Tabuchi, Y.; Nishichi, A.; Yamashita, Y.; Okumura, Y.; Omote, K.; Morita, Y.; Kudo, H.: Influence of Electron Beam Irradiation on Properties of Fluorine-Containing Poly(aryl ether ketone)s, 157
Kimura, Y. See Zhu, B., 3565
King, J. A. See Heiser, J. A., 2881
Kirsch, S.
—; Stubbs, J.; Leuninger, J.; Pfau, A.; Sundberg, D.: Control of Particle Morphology and Film Structures of Carboxylated Poly(Methyl Methacrylate)/Poly (*n*-Butylacrylate) Composite Latex Particles, 2610
Kısakürek, D. See Baştürkmen, M., 3797
Kiselyova, O. F.
—; Panov, A. A.; Minsker, K. S.; Panov, A. K.; Zaikov, G. E.: Designs and Methods of Calculation for Acoustic Extrusion Heads for the Manufacturing of Profile-Pogonage Polymeric Products, 689
—; Panov, A. A.; Minsker, K. S.; Panov, A. K.; Zaikov, G. E.: Extrusion of Polymers during Ultrasonic Action, 693
Kitagawa, K. See Semba, T., 833
Kitayama, T. See Mori, A., 2966
Kittilsen, P.
—; Svendsen, H. F.: Three-Level Mass-Transfer Model for the Heterogeneous Polymerization of Olefins, 2158
Ko, T. H. See Hwu, J. M., 101
Ko, T.-M. See Ren, L., 2295
Koh, J.
—; Kim, I. S.; Kim, S. S.; Shim, W. S.; Kim, J. P.; Kwak, S. Y.; Chun, S. W.; Kwon, Y. K.: Dyeing

Properties of Novel Regenerated Cellulosic Fibers, 3481
Kohl, P. See Chiniwalla, P., 1020
Kohl, P. A. See Bai, Y., 3023, 3031
Koike, Y. See Ishigure, T., 404, 410
Kolařík, J. See Šlouf, M., 253
Kolesnikova, N. N. See Ruban, L. V., 1958
Kolot, V.
—; Grinberg, S.: Vernonia Oil–Based Acrylate and Methacrylate Polymers and Interpenetrating Polymer Networks with Epoxy Resins, 3835
Komber, H. See Schmack, G., 800
Konell, J. P. See Heiser, J. A., 2881
Kontou, E. See Spathis, G., 3519
Koo, S. M. See Chung, W. Y., 890
Koslov, G. V.
—; Malkanduev, Y. A.; Zaikov, G. E.: Fractal Kinetics of Radical Polymerization of Dimethyl Diallyl Ammonium Chloride, 3140
—; Malkanduev, Y. A.; Zaikov, G. E.: Molecular Weight Distribution of Poly(Dimethyl Diallyl Ammonium Chloride): Analysis Within the Framework of Irreversible Aggregation Models, 3144
Kowsari, E. See Mallakpour, S., 2992
Kozlov, G. V.
—; Dolbin, I. V.; Shogenov, V. K.; Zaikov, G. E.: Application of the Fractional Derivative Theory to the Estimation of the End-to-End Distance of Polycarbonate Chains, 3765
Kranbuehl, D. See Meyer, A., 3447
Krepski, L. R. See Lewandowski, K., 1443
Kronfli, E. See Khan, F., 1667
Kuan, J.-F.
—; Lin, K.-F.: Synthesis of Hexa-Allylamino-Cyclotriphosphazene as a Reactive Fire Retardant for Unsaturated Polyesters, 697
Kubo, M. See Terao, K., 3083
Kudo, H. See Kimura, K., 157
Kulkarni, N. G.
—; Avadhani, C. V.; Sivaram, S.: Efficient Method for Recycling Poly(ethylene terephthalate) to Poly(butylene terephthalate) Using Transesterification Reaction, 3720
Kumagai, S. See Kaneko, M., 2435
Kumar, A. See Sharma, A. L., 3999
Kumar, R. See Anand, V., 2016
Kumar, S. See Ma, H., 1698
Kumaresan, S.
—; Kannan, P.: Effect of Ethylphosphate on Azobenzene-Containing Thermotropic Liquid-Crystalline Polymers, 455
Kume, T. See The, D. T., 2122; Zhao, L., 556
Kundu, P. P.
—; Biswas, J.; Kim, H.; Chung, C.-W.; Choe, S.: Effect of Different Film Preparation Procedures on the Thermal, Morphological and Mechanical Properties of Pure and Calcite-Filled HDPE Films, 1427
Kunitake, M. See Sakurai, T., 3001
Kuo, C. H. See Hsieh, K. H., 3162
Kuo, S.-W. See Xu, H., 2208
Kuriakose, B. See Vinod, V. S., 3156
Kurkuri, M. D.
—; Aminabhavi, T. M.: Polyacrylonitrile-*g*-Poly(Vinyl Alcohol) Membranes for the Pervaporation Separation of Dimethyl Formamide and Water Mixtures, 4091
Küsefoğlu, S. H. See Eren, T., 2700, 4037
Kuzuhara, A.
—; Influence of Urea on the Coloring Ability of a Low-Temperature Coloring Method of Keratin Fibers Using Polyethyleneimine, 3827
Kwak, S. Y. See Koh, J., 3481
Kwon, Y. K. See Koh, J., 3481
Kytsya, A. R. See Medvedevskikh, Y. G., 2376

La Mantia, F. P.
—; Tzankova Dintcheva, N.: Photooxidation and Stabilization of Photooxidized Polyethylene and of Its Monopolymer Blends, 2244
Lagarón, J. M. See Giménez, E., 3851
Lai, D. M. Y. See Huang, H. L., 1798
Lai, J.-Z.
—; Chang, Y.-C.; Yeh, J.-T.; Chen, K.-N.: Single Component Self-Curable Aqueous-based PU System with New Aziridinyl Curing Agent, 1997
Lal, H. See Chauhan, G. S., 479, 545
Lam, Y. C. See Li, L., 1505
Lautenschlager, E. P. See Wright, D. D., 4047
Lazzari, M. See Vicini, S., 3202
Lazzeri, A.
—; Thio, Y. S.; Cohen, R. E.: Volume Strain Measurements on $CaCO_3$/Polypropylene Particulate Composites: The Effect of Particle Size, 925
Leblanc, J. L. See Léopoldès, J., 577
Łęcka, J. See Dziurka, D., 2256
Lee, C.-M. See Chu, H.-H., 1396
Lee, D.-S. See Park, Y.-W., 1774
Lee, F.-H. See Dong, J.-P., 3369, 3388
Lee, H.-C. See Kim, Y., 2502
Lee, H.-L.
—; Chen, G. C.; Rowell, R. M.: Thermal Properties of Wood Reacted with a Phosphorus Pentoxide–Amine System, 2465
Lee, J.
—; Macosko, C. W.; Bates, F. S.: Development of Discrete Nanopores I: Tension of Polypropylene/Polyethylene Copolymer Blends, 3642
Lee, K. B. See Kim, S. J., 2908
Lee, K.-H. See Kim, M.-J., 3225
Lee, K.-P. See Choi, S.-H., 2335
Lee, M.-H. See Liang, H.-C., 4017
Lee, S. H. See Kim, S. J., 3613
Lee, S. M. See Chung, W. Y., 890; Kim, S. J., 3613
Lee, W.-F.
—; Chen, Y.-C.: Effect of Bentonite on the Physical Properties and Drug-Release Behavior of Poly(AA-*co*-PEGMEA)/Bentonite Nanocomposite Hydrogels for Mucoadhesive, 2934
—; Chen, Y.-M.: Poly(sulfobetaine)s and Corresponding Cationic Polymers. X. Viscous Properties of Zwitterionic Poly(sulfobetaine) Derived from Styrene–(*N,N*-Dimethylaminopropyl maleamidic acid) Copolymer in Aqueous Salt Solutions, 726
—; Chiang, W.-H.: Swelling and Drug-Release Behavior of the Poly(AA-*co*-*N*-vinyl pyrrolidone)/Chitosan Interpenetrating Polymer Network Hydrogels, 2135
Lee, Y. See Jung, H. R., 894
Lee, Y. H. See Shin, E. J., 2407
Lee, Y.-S. See Jayakumar, R., 288
Leemans, L. See Martin, P., 703
Legras, R. See Martin, P., 703
Lei, Y. See Ou, Y., 1806
Lekchiri, Y. See Carbonnier, B., 1419
Leksophee, T.
—; Supansomboon, S.; Sombatsompop, N.: Effects of Crosslinking Agents, Dyeing Temperature, and pH on Mechanical Performance and Whiteness of Silk Fabric, 1000

Leong, Y. W.
—; Bakar, M. B. A.; Ishak, Z. A. M.; Ariffin, A.; Pukanszky, B.: Comparison of the Mechanical Properties and Interfacial Interactions Between Talc, Kaolin, and Calcium Carbonate Filled Polypropylene Composites, 3315
—; Ishak, Z. A. M.; Ariffin, A.: Mechanical and Thermal Properties of Talc and Calcium Carbonate Filled Polypropylene Hybrid Composites, 3327
Léopoldès, J.
—; Barrès, C.; Leblanc, J. L.; Georget, P.: Influence of Filler–Rubber Interactions on the Viscoelastic Properties of Carbon-Black-Filled Rubber Compounds, 577
Leuninger, J. See Kirsch, S., 2610
Lewandowski, K.
—; Krepski, L. R.; Mickus, D. E.: Dry-Peelable Temporary Protective Coatings from Waterborne Self-Crosslinkable Sulfourethane–Silanol Dispersions, 1443
Li, B.-G. See Hu, G.-H., 1498
Li, E. See Wang, S., 1571
Li, G. See Wang, J., 1193
Li, H.
—; Du, Y.; Xu, Y.: Adsorption and Complexation of Chitosan Wet-End Additives in Papermaking Systems, 2642
—; See Wang, Y., 308; Yu, B., 425; Zheng, M., 1635
Li, J. See Zhu, B., 3565
Li, K. See Geng, Y., 3667
Li, L.
—; Chan, C. L.; Yue, C. Y.; Lam, Y. C.; Tam, K. C.: Effects of Convergent Flow on *In Situ* Fibrillation of TLCP in PEN, 1505
—; Ding, S.; Zhou, C.: Preparation and Degradation of PLA/Chitosan Composite Materials, 274
—; Yan, F.; Xue, G.: Preparation of a Porous Conducting Polymer Film by Electrochemical Synthesis–Solvent Extraction Method, 303
Li, M. See Sun, X., 396
Li, Q. See Wang, Y., 308
Li, Q.-C. See Wen, B.-Y., 2491
Li, R. K. See Shi, D., 3742
Li, W.
—; Guo, S.; Tang, Y.; Zhao, X.: Structural Changes of 80/20 Poly(vinylidene fluoride–trifluoroethylene) Copolymer Induced by Electron Irradiation, 2903
Li, X. See Zhou, S., 1848
Li, X.-G. See Tang, W., 445
Li, Y. See Liu, W., 1229; Pei, M., 3248; Wu, T., 905; Yang, L., 867; Zhu, Z., 3016
Li, Y.-F. See Yang, H.-X., 3981
Li, Z. See Zhang, K., 2649
Liang, B. See Zhang, L., 3915
Liang, G.
—; Xu, J.; Bao, S.; Xu, W.: Polyethylene/Maleic Anhydride Grafted Polyethylene/Organic-Montmorillonite Nanocomposites. I. Preparation, Microstructure, and Mechanical Properties, 3974
—; Xu, J.; Xu, W.: PE/PE-*g*-MAH/Org-MMT Nanocomposites. II. Nonisothermal Crystallization Kinetics, 3054
—; See Zhao, J., 3673
Liang, H.-C.
—; Chang, W.-H.; Liang, H.-F.; Lee, M.-H.; Sung, H.-W.: Crosslinking Structures of Gelatin Hydrogels Crosslinked with Genipin or a Water-Soluble Carbodiimide, 4017
Liang, H.-F. See Liang, H.-C., 4017
Liang, J.-Z.
—; Predication of Critical Distance of Wall-Slip Phenomenon During Extrusion of Carbon Black–Filled Natural Rubber/*cis*-Polybutadiene Rubber Compound, 3239
Liao, J.-g. See Bao, Y.-z., 2738
Liao, S.-Q. See Wu, T., 905
Lickfield, G. C. See Zhou, W., 3940
Lim, J.-G. See Choi, W. M., 3618
Lim, Y.-M. See Park, S.-E., 636
Lima, E. L. See Santos, A. F., 941
Lin, B. See Jie, X., 1873
Lin, C.-B.
—; Wu, L. C.; Chen, Y. Y.: Friction Welding of Similar Materials: Polypropylene, High-Density Polyethylene, and Nylon-6, 2771
Lin, C.-Y. See Yu, Y.-H., 1904
Lin, J. C. See Hwu, J. M., 101
Lin, J. R. See Ou, C. F., 140
Lin, K.-F. See Kuan, J.-F., 697
Lin, W. S. See Guo, G., 621
Lin, Y.-T. See Yeh, J.-T., 1559
Lin, Z.
—; Huang, Z.; Zhang, Y.; Mai, K.; Zeng, H.: Crystallization and Melting Behavior of Nano-$CaCO_3$/Polypropylene Composites Modified by Acrylic Acid, 2443
—; Qiu, Y.; Mai, K.: Crystallization and Melt Behavior of Magnesium Hydroxide/Polypropylene Composites Modified by Functionalized Polypropylene, 3899
Lindberg, K. A. H. See Backman, A. C., 3009
Liou, S.-J. See Wang, H.-W., 1368; Yeh, J.-M., 3489
Liskova, A.
—; Berghmans, H.: Phase-Separation Phenomena in the Polymerization of Styrene in the Presence of Polyethylene Wax, 2234
Litak, A. See Jaklewicz, M., 3866
Litvinova, E. G. See Volkov, V. V., 2271
Liu, C. See Fang, Z., 763
Liu, D. See Sun, X., 396; Xiong, C., 563
Liu, G. See Qu, X., 1685
Liu, H.
—; Obendorf, S. K.; Young, T. J.; Incorvia, M. J.: Microscopic Analysis of Aroma Chemical Distribution on Fibers. I. *cis*-3-Hexenyl Salicylate, 3557
—; See Yang, Y., 2984
Liu, J.
—; Shao, J.; Zheng, J.: Radiation Grafting/Crosslinking of Silk Using Electron-Beam Irradiation, 2028
—; See Fu, R., 3060; Wang, S., 1457
Liu, J.-G. See Yang, H.-X., 3981
Liu, J.-H.
—; Wang, H.-Y.: Optical Switching Behavior of Polymer-Dispersed Liquid Crystal Composite Films with Various Novel Azobenzene Derivatives, 789
—; Yang, P.-C.: Preparation and Optical Performance of Chiral Polymers Having Azobenzene Segments, 3693
Liu, L. See Zhou, S., 1848
Liu, L.-M.
—; Zhang, B.-Y.; Cheng, C.-S.; Zheng, Y.-Y.: Mesomorphic Properties of Cholesteric Side-Chain Liquid Crystalline Polysiloxanes and Elastomers, 773
Liu, Q. See Xiong, C., 563
Liu, W.
—; Tian, X.; Cui, P.; Li, Y.; Zheng, K.; Yang, Y.: Preparation and Characterization of PET/Silica Nanocomposites, 1229

Liu, W.-C.
—; Yu, Y.-Y.; Chen, W.-C.: Structural Control and Properties of Low-Dielectric-Constant Poly(hydrogen silsesquioxane) Precursors and Their Thin Films, 2653
Liu, Y. See Guo, W. F., 4082; Yang, L., 867; Yu, F., 2594
Liu, Z.
—; Zhou, P.; Yan, D.: Preparation and Properties of Nylon-1010/Montmorillonite Nanocomposites by Melt Intercalation, 1834
—; See Dai, X., 2330
Lona, L. M. F. See Nogueira, A. L., 871
López, J.
—; Balart, R.; Jiménez, A.: Influence of Crystallinity in the Curing Mechanism of PVC Plastisols, 538
López Valentín, J.
—; Rodríguez Díaz, A.; Ibarra Rueda, L.; González Hernández, L.: Effect of a Natural Magnesium Silicate Treated with a New Coupling Agent on the Properties of Ethylene–Propylene–Diene Rubber Compounds, 1489
Lotti, N. See Saccani, A., 2848
Lou, Z.
—; Luo, J.; Zhan, H.: Effects of Calcium Ion on Polyester-Type Polyurethane Emulsion and Properties of Polyurethane Film, 1285
Lu, H. See Ren, L., 2295
Lu, J.
—; Ji, S.-j.; Wu, J.; Guo, F.; Zhou, H.; Zhu, X.: Study of Microwave Irradiation Polymerization Mechanism in the Presence of Carriers, 1519
Lu, Q.
—; Weng, Z.-X.; Huang, Z.-M.; Cao, X.-H.; Pan, Z.-R.: Kinetics of Heterogeneous Polymerization of Vinylidene Chloride. II. Discussion of Model, 2582
—; Weng, Z.-X.; Huang, Z.-M.; Tao, C.-Y.; Pan, Z.-R.: Kinetics of Heterogeneous Polymerization of Vinylidene Chloride. I. Mechanism and Modeling, 2576
Lu, S.
—; Song, X.; Cao, D.; Chen, Y.; Yao, K.: Preparation of Water-Soluble Chitosan, 3497
Lu, X. See Zheng, W., 2781
Lu, Y. See Wang, N., 332
Lü, Z. See Peng, G., 1494
Lubczak, J. See Poplewska, I., 2750
Lucas, E. F. See Chagas, B. S., 3686
Luo, G. S. See Chen, F., 3542
Luo, J. See Lou, Z., 1285
Luo, Y. See Ren, L., 2295; Yan, Z., 347
Luz, C. T. L.
—; Coutinho, F. M. B.: The Influence of the Diluent System on the Porous Structure Formation of Copolymers Based on 2-Vinylpyridine and Divinylbenzene. Diluent System. III. Heptane/Methylethylketone, 666
Lv, R. See Zhang, H.-T., 570
Lyle, S. See Meyer, A., 3447
Lyngaae-Jørgensen, J. See Chuai, C., 609

Ma, G. See Fang, Z., 763
Ma, H.
—; Vargas, M.; Collard, D. M.; Kumar, S.; Schiraldi, D. A.: Crosslinking Studies on Poly(ethylene terephthalate-*co*-1,4-phenylene bisacrylate), 1698
Ma, J. See Zhang, L., 3915
Ma, L. See Xing, F., 2669
Ma, X. See Zhao, J., 3673
Machado, A. V.
—; Maia, J. M.; Canevarolo, S. V.; Covas, J. A.: Evolution of Peroxide-Induced Thermomechanical Degradation of Polypropylene Along the Extruder, 2711
Machado, D. L. P., Jr. See Chagas, B. S., 3686
Machado, R. A. F. See Nogueira, A. L., 871
Maciejewska, M. See Gawdzik, B., 2008
Macosko, C. W. See Lee, J., 3642
Madras, G. See Sivalingam, G., 1450, 2391
Maeda, K. See Semba, T., 833
Magalhães, W. L. E.
—; da Silva, R. R.: Treatment of Caribbean Pine by *In Situ* Polymerization of Styrene and Furfuryl Alcohol, 1763
Mahajan, S. See Chauhan, G. S., 479
Mahdavi, M. A. See Modarress, H., 1724
Mahmoud, R. I. See Zahran, M. K., 1261
Mahmud, R. See Ramkumar, S. S., 3879
Mai, H. See Zhao, Y., 2143
Mai, K. See Lin, Z., 2443, 3899
Mai, S. See Pavlidou, S., 1300
Maia, J. M. See Machado, A. V., 2711
Maiti, P.
—; Okamoto, M.: Structural Development in Cycloolefin Copolymers Under Uniaxial Elongational Flow, 3421
Maiti, S. N.
—; Subbarao, R.; Ibrahim, M. N.: Effect of Wood Fibers on the Rheological Properties of i-PP/Wood Fiber Composites, 644
Maldonado-Santoyo, M.
—; Nuño-Donlucas, S. M.; Cesteros, L. C.; Katime, I.: Miscibility and Specific Interactions in Blends of Poly(vinyl phenyl ketone hydrogenated) with Poly(2,6-dimethyl-1,4-phenylene oxide), 1887
Malhotra, B. D. See Sharma, A. L., 3999; Singh, S., 3769
Malkanduev, Y. A. See Koslov, G. V., 3140, 3144; Zaikov, G. E., 439
Mallakpour, S.
—; Khoee, S.: Synthesis and Characterization of New Optically Active Poly(Amide-Imide-Urethane) Thermoplastic Elastomers, Derived from 4,4′-(Hexafluoroisopropylidene)-*N*,*N*′-bis(phthaloyl-L-leucine-*p*-aminobenzoic Acid) and PEG-MDI, 2288
—; Kowsari, E.: Microwave-Assisted and Conventional Polycondensation Reaction of Optically Active *N*,*N*′-(4,4′-Sulphonediphthaloyl)-bis-*L*-Leucine Diacid Chloride with Aromatic Diamines, 2992
—; Rafiee, Z.: Microwave-Assisted Rapid Polycondensation Reaction of 4-(4′-Acetamidophenyl)-1,2,4-triazolidine-3,5-dione with Diisocyanates, 2103
—; Zamanlou, M. R.: Synthesis of New Optically Active Poly(amide-imide)s Containing EPICLON and L-Phenylalanine in the Main Chain by Microwave Irradiation and Classical Heating, 3281
—; See Faghihi, K., 516
Mandale, A. B. See Bodas, D. S., 1183
Mano, V.
—; Scarpelli Ribeiro e Silva, M. E.; Barbani, N.; Giusti, P.: Blends Composed of Poly(*N*-isopropylacrylamide) and an Ethylene/Vinyl Alcohol Copolymer: Thermal and Morphological Studies, 501

Mansour, A. B.
—; Electric Studies on Polyvinyl Alcohol with Additions of Magnesium Sulfate, 3167
Marega, C. See Marigo, A., 1008
Marigo, A.
—; Marega, C.; Causin, V.; Ferrari, P.: Influence of Thermal Treatments, Molecular Weight, and Molecular Weight Distribution on the Crystallization of β-Isotactic Polypropylene, 1008
Marinov, I. See Godjevargova, T., 4057
Mark, J. E. See Gao, Z., 2186
Martin, P.
—; Devaux, J.; Legras, R.; Leemans, L.; van Gurp, M.; van Duin, M.: Complex Processing–Morphology Interrelationships During the Reactive Compatibilization of Blends of Poly(butylene terephthalate) with Epoxide-Containing Rubber, 703
Martins, J. A.
—; Cruz Pinto, J. J. C.: True Sample Temperatures in Isothermal Differential Scanning Calorimetry Scans and Their Effect on the Overall Polymer Crystallization Kinetics, 125
Martins, M. A.
—; Mattoso, L. H. C.: Short Sisal Fiber-Reinforced Tire Rubber Composites: Dynamic and Mechanical Properties, 670
Martins, R. J. See da C. Cruz, R., 2685
Martynenko, A. I. See Zaikov, G. E., 439
Marzocca, A. J.
—; Goyanes, S.: An Analysis of the Influence of the Accelerator/Sulfur Ratio in the Cure Reaction and the Uniaxial Stress–Strain Behavior of SBR, 2601
Masaki, K.
—; Ohkawara, S.-I.; Hirano, T.; Seno, M.; Sato, T.: Devulcanization of Nitrile Butadiene Rubber in Nitrobenzene, 3342
Maschke, U. See Bouchaour, T., 1
Mashak, A. See Taghizadeh, S. M., 3040
Masiulanis, B. See Meledyn, M., 971
Masuko, T. See Kataoka, M., 3134
Mateva, R.
—; Filyanova, R.; Dimitrov, R.; Velichkova, R.: Structure, Mechanical, and Thermal Behavior of Nylon 6-Polyisoprene Block Copolymers Obtained via Anionic Polymerization, 3251
Mathai, C. J. See Saravanan, S., 2529
Mathanmohan, T. See Muralidharan, B., 3871
Mathias, L. J. See Shemper, B. S., 3301
Mathys, Z. See Hussain, M., 1233
Matsuura, T. See Guo, W. F., 4082; Nogami, N., 2624
Mattoso, L. H. C. See Martins, M. A., 670
Maunu, S. L. See Nuopponen, M., 2128
Maziad, N. A. See El-Din, H. M. M. N., 3274
McCarron, P. A.
—; Woolfson, A. D.; Donnelly, R. F.; Andrews, G. P.; Zawislak, A.; Price, J. H.: Influence of Plasticizer Type and Storage Conditions on Properties of Poly(methyl vinyl ether-*co*-maleic anhydride) Bioadhesive Films, 1576
McDermott, M. K.
—; Schroeder, L. W.; Balsis, S. L.; Paradiso, N. A.; Byrne, M. L.; Briber, R. M.: Mechanical Properties of Polyurethane Film Exposed to Solutions of Nonoxynol-9 Surfactant and Poly(Ethylene Glycol), 1086
McKenna, T. See Ouzineb, K., 2195
McKenna, T. F. See Ouzineb, K., 115; Santos, A. F., 941
McManus, N. T. See Tangthongkul, R., 3259
McMillan, J. D. See Volkov, V. V., 2271
Medvedevskikh, Y. G.
—; Kytsya, A. R.; Bazylyak, L. I.; Bratus, A. M.; Turovski, A. A.; Zaikov, G. E.: Monomolecular Chain Termination in the Kinetics of Dimethacrylate Postpolymerization, 2376
Mehdipour-Ataei, S.
—; Heidari, H.: Preparation of Novel Pyridine-Based, Thermally Stable Poly(ether imide)s, 22
Meimon, Y. See Cangemi, L., 1784
Meledyn, M.
—; Paszkiewicz, R.; Masiulanis, B.: Synthesis and Properties of UV-Curable Poly(imideurethane) Acrylates, 971
Mendes, L. C.
—; Jatobá, L. F. C.; Ferreira, A. F.; Garcia, M. E. F.: Effect of Addition of Oligobetapinene on Morphology, Thermal and Gas Permeation Properties in Blends with HDPE, 315
Meng, X.-Y.
—; Chemical and Mechanical Properties of Butyl Methacrylate Grafted Wool Fiber, 3813
Meng, Y. Z. See Chen, K., 735
Menon, A. R. R.
—; Visconte, L. L. Y.: Self Crosslinkable Blends of Polychloroprene and Phosphorylated Cashew Nut Shell Liquid Prepolymer, 1619
Mensitieri, G. See Sannino, A., 3791
Meyer, A.
—; Jones, N.; Lyle, S.; Venkataramani, S.; Clark, J.; Kranbuehl, D.: Laser Light-Scattering Molecular Weight Analysis of a Poly(fluoro acrylate), 3447
Mhaske, S. T. See Tamboli, S. M., 110
Mickus, D. E. See Lewandowski, K., 1443
Mina, M. F.
—; Ania, F.; Baltá Calleja, F. J.; Asano, T.: Microhardness Studies of PMMA/Natural Rubber Blends, 205
Minsker, K. S. See Kiselyova, O. F., 689, 693
Mirsamie, A. See Faghihi, K., 516
Mirzadeh, H. See Khorasani, M. T., 2042
Miskioglu, I. See Heiser, J. A., 2881
Misra, A. N. See Desai, J., 1097
Mitani, S. See Saito, R., 321
Mitomo, H. See Zhao, L., 556
Miyamoto, D.
—; Watanabe, J.; Ishihara, K.: Highly Stabilized Papain Conjugated with Water-Soluble Phospholipid Polymer Chain Having a Reacting Terminal Group, 827
Mizokami, H. See Sakurai, T., 3001
Modarress, H.
—; Mohsen-Nia, M.; Mahdavi, M. A.: Experimental and Theoretical Studies of Polymer/Solvent Viscosity Mixtures, 1724
Modi, K. See Shukla, S. P., 2063
Mohsen-Nia, M. See Modarress, H., 1724
Monakov, Y. B. See Mullagaliev, I. R., 211
Morcellet, M. See Carbonnier, B., 1419
Mori, A.
—; Kitayama, T.; Takatani, M.; Okamoto, T.: A Honeymoon-Type Adhesive for Wood Products Based on Acetoacetylated Poly(vinyl

alcohol) and Diamines: Effect of Diamines and Degree of Acetoacetylation, 2966
Morita, Y. See Kimura, K., 157
Morshedian, J. See Khonakdar, H. A., 1389
Morsy, M. See Zahran, M. K., 1261
Mosiewicki, M.
—; Aranguren, M. I.; Borrajo, J.: Thermal and Mechanical Properties of Woodflour/Tannin Adhesive Composites, 3074
Motori, A. See Saccani, A., 2848
Motyakin, M. V.
—; Wasserman, A. M.; Stott, P. E.; Zaikov, G. E.: Inhibitor Radicals in Styrene Polymerization, 1599
Mounir, A.
—; Darwish, N.; Shehata, A.: Effect of Crosslinking Concentration on the Micelle Formation Inside the Polymer Gel Network and Mechanical Properties of Sensitive Hydrogel Polymer in Contact with Surfactant Solutions, 3921
Mucha, L. See Olčák, D., 247
Mullagaliev, I. R.
—; Kharitonova, E. Y.; Urazbaev, V. N.; Monakov, Y. B.: Butadiene Polymerization with Vanadium–Titanium–Aluminum Catalytic Systems, 211
Muralidharan, B.
—; Mathanmohan, T.; Ethiraj, J.: Effect of Acetonitrile Pretreatment on the Physicochemical Behavior of 100% Polyester Fabric, 3871
Murthy, S. K.
—; Olsen, B. D.; Gleason, K. K.: Effect of Filament Temperature on the Chemical Vapor Deposition of Fluorocarbon–Organosilicon Copolymers, 2176
Musil, V. See Šmit, I., 4072

Nadareishvili, L.
—; Gvatua, S.; Blagidze, I.; Zaikov, G.: Gradient of Birefringence: A New Direction for Gradient Optics, 489
Nagasawa, N. See Terao, K., 3083; The, D. T., 2122
Naguib, H. E.
—; Park, C. B.; Reichelt, N.: Fundamental Foaming Mechanisms Governing the Volume Expansion of Extruded Polypropylene Foams, 2661
Nahrup, J. S. See Gao, Z., 2186
Nair, K. B. See Desai, J., 1097
Naji, A.
—; Cretin, M.; Persin, M.; Sarrazin, J.: Preparation of Membranes by Electropolymerization of Pyrrole Functionalized by a Ferrocene Group, 3947
Nakamura, T. See Kaneko, M., 2435
Nakason, C.
—; Kaesaman, A.; Sainamsai, W.; Kiatkamjonwong, S.: Rheological Behavior of Reactive Blending of Epoxidized Natural Rubber with Cassava Starch and Epoxidized Natural Rubber with Natural Rubber and Cassava Starch, 1752
Nakazato, T. See Someya, Y., 1463
Nam, J. D. See Jung, H. R., 894
Nanjundan, S. See Jayakumar, R., 288; Jone Selvamalar, C. S., 3604
Narkis, M. See Jia, W., 1329
Nashar, D. E. E.
—; Abd-El-Messieh, S. L.; Basta, A. H.: Newsprint Paper Waste as a Fiber Reinforcement in Rubber Composites, 469, 3410
Naskar, N. See Das, A., 1913
Navard, P. See Astruc, M., 3292
Nazábal, J. See Aróstegui, A., 260; García, M., 52, 854; Granado, A., 132
Nelson, G. L. See Yang, F., 3844
Neves, S. See Rosa, D. S., 3909
Newell, J. A. See Downing, J. W., Jr., 417
Nho, Y. C. See Kim, D. J., 1898; Park, K. R., 1612
Nho, Y.-C. See Park, S.-E., 636
Ni, C.
—; Wang, Z.; Zhu, X. X.: Preparation and Characterization of Thermosensitive Beads with Macroporous Structures, 1792
Nicolais, L. See Sannino, A., 3791
Nie, K. See Qian, J., 1013
Nielsen, J. K. See von Solms, N., 1476
Nikolić, L.
—; Skala, D.; Nikolić, V.; Stamenković, J.; Babić, D.; Ilić-Stojanović, S.: Methyl Methacrylate and Acrylamide Crosslinked Macroporous Copolymers, 387
Nikolić, V. See Nikolić, L., 387
Ninan, K. N. See Ambadas, G., 3774; George, S. C., 3756
Nishichi, A. See Kimura, K., 157
Nishida, H. See Zhu, B., 3565
Nithitanakul, M. See Pongrakananon, N., 2216
Nogami, N.
—; Chowdhury, G.; Matsuura, T.: Preparation and Performance Testing of Sulfonated Poly(phenylene oxide) Based Composite Membranes for Nanofiltration, 2624
Nogueira, A. L.
—; Lona, L. M. F.; Machado, R. A. F.: Continuous Polymerization in Tubular Reactors with Prepolymerization: Analysis Using Two-Dimensional Phenomenological Model and Hybrid Model with Neural Networks, 871
Nunes, R. C. R. See Sousa, A. M. F., 506
Nuño-Donlucas, S. M. See Maldonado-Santoyo, M., 1887; Rodríguez-Ríos, H., 1736
Nuopponen, M.
—; Wikberg, H.; Vuorinen, T.; Maunu, S. L.; Jämsä, S.; Viitaniemi, P.: Heat-Treated Softwood Exposed to Weathering, 2128
Nutt, M. See Fuhrman, C., 1174
Nwokata, S. P. See Eromosele, C. O., 278

Obendorf, S. K. See Liu, H., 3557
Oh, K. W.
—; Park, H. J.; Kim, S. H.: Electrical Property and Stability of Electrochemically Synthesized Polypyrrole Films, 3659
—; See Kim, S. H., 4064
Ohkawara, S.-I. See Masaki, K., 3342
Okamoto, M. See Maiti, P., 3421
Okamoto, T. See Mori, A., 2966
Okumura, Y. See Kimura, K., 157
Okuyama, K. See Sangappa, 3045
Olander, B.
—; Wirsén, A.; Albertsson, A.-C.: Oxygen Microwave Plasma Treatment of Silicone Elastomer: Kinetic Behavior and Surface Composition, 4098
Olčák, D.
—; Onufer, J.; Mucha, L.; Raab, M.; Spěváček, J.: Study of Motional Processes in Polymer Blends Composed of Isotactic Polypropylene and Ethylene–Propylene–Diene Monomer Rubber by Broad-Line ^{1}H-NMR, 247
Oliveira, M. G.
—; Soares, B. G.: Compatibilization of Nitrile-Butadiene Rubber/Ethylene-Propylene-Diene Monomer Blends by Mercapto-Modified Ethylene-Vinyl Acetate Copolymers, 1404

Olsen, B. D. See Murthy, S. K., 2176
Omote, K. See Kimura, K., 157
Onufer, J. See Olčák, D., 247
Oppermann, W. See Gupta, M. L., 3127
Optiz, G. See Schmack, G., 800
Ostoja-Starzewski, M. See Jaklewicz, M., 3866
Otani, C. See Prauchner, M. J., 1604
Otani, S. See Prauchner, M. J., 1604
Ou, C. F.
—; Ho, M. T.; Lin, J. R.: Synthesis and Characterization of Poly(ethylene terephthalate) Nanocomposites with Organoclay, 140
Ou, Y.
—; Lei, Y.; Fang, X.; Yang, G.: Maleic Anhydride Grafted Thermoplastic Elastomer as an Interfacial Modifier for Polypropylene/Polyamide 6 Blends, 1806
Ouzineb, K.
—; Graillat, C.; McKenna, T.: Continuous Tubular Reactors for Latex Production: Conventional Emulsion and Miniemulsion Polymerizations, 2195
—; Graillat, C.; McKenna, T. F.: Study of Compartmentalization in the Polymerization of Miniemulsions of Styrene and Butyl Methacrylate, 115
Özkan, G. See Şahin, Y., 2302
Öztürk, E. See Kara, Ş., 3785

Pabon, M.
—; Corpart, J.-M.; Selb, J.; Candau, F.: Synthesis in Inverse Emulsion and Associating Behavior of Hydrophobically Modified Polyacrylamides, 916
Packirisamy, S. See Ambadas, G., 3774
Paige, R. See Ramkumar, S. S., 3879
Pakkanen, T. T. See Holopainen, T., 2942; Paunikallio, T., 2676
Palmese, G. R. See Singh, K. P., 3096, 3107
Pan, M. See Zhang, L., 1168
Pan, W. P. See Hwu, J. M., 101
Pan, Z.-R. See Lu, Q., 2576, 2582
Pande, K. K. See Sharma, A. L., 3999
Pandey, L. K. See Dubey, V., 3428
Pandey, P.
—; Chauhan, R. S.; Semwal, R. P.; Banerjee, S.; Jain, R.: Density-Based Phase-Separation Asymmetric Polyethylene–Poly(Dimethyl Siloxane) Blend Membranes: Preparation and Properties, 2278
Pang, B. See Ren, L., 2295
Panov, A. A. See Kiselyova, O. F., 689, 693
Panov, A. K. See Kiselyova, O. F., 689, 693
Papaspyrides, C. D. See Pavlidou, S., 1300
Paradiso, N. A. See McDermott, M. K., 1086
Parameswaran, S. See Ramkumar, S. S., 3879
Park, C. B. See Guo, G., 621; Naguib, H. E., 2661
Park, D. P.
—; Sung, J. H.; Kim, C. A.; Choi, H. J.; Jhon, M. S.: Synthesis and Electrorheology of Potato Starch Phosphate, 1770
Park, H. J. See Oh, K. W., 3659
Park, K. R.
—; Nho, Y. C.: Preparation and Characterization by Radiation of Hydrogels of PVA and PVP Containing *Aloe Vera*, 1612
Park, O.-H.
—; Kim, C.-S.: Experimental Study on the Treatment of Volatile Organic Compound Vapors Using a Photoreactor Equipped with Photocatalyst-Coated Fabrics, 3174
Park, O. O. See Choi, W. M., 3618
Park, R.
—; Jang, J.: Effect of Surface Treatment on the Mechanical Properties of Glass Fiber/Vinylester Composites, 3730
Park, S.-E.
—; Nho, Y.-C.; Lim, Y.-M.; Kim, H.-I.: Preparation of pH-Sensitive Poly(vinyl alcohol-*g*-methacrylic acid) and Poly(vinyl alcohol-*g*-acrylic acid) Hydrogels by Gamma Ray Irradiation and Their Insulin Release Behavior, 636
Park, Y. D. See Kim, S. J., 2908
Park, Y.-I. See Kim, M.-J., 3225
Park, Y.-W.
—; Lee, D.-S.; Kim, S.-H.: Mechanical, Surface, and Thermal Properties of Polyamideimide–Polydimethylsiloxane Nanocomposites Fabricated by Sol–Gel Process, 1774
Pasa, V. M. D. See Prauchner, M. J., 1604
Paszkiewicz, R. See Meledyn, M., 971
Patil, S. J. See Bodas, D. S., 1183
Patra, B. N. See Sangramsingh, N. M., 981
Patra, C. M. See Sangramsingh, N. M., 981
Patra, M.
—; Behera, A. K.; Behera, R. K.; Sinha, B. K.: Effects of Surfactants on Acrylonitrile Polymerization Initiated by a Cr(VI)–Cyclohexanone Redox System: A Kinetic Study, 1147
Patri, M. See Samui, A. B., 354
Paunikallio, T.
—; Suvanto, M.; Pakkanen, T. T.: Composition, Tensile Properties, and Dispersion of Polypropylene Composites Reinforced with Viscose Fibers, 2676
Pavlidou, S.
—; Mai, S.; Zorbas, T.; Papaspyrides, C. D.: Mechanical Properties of Glass Fabric/Polyester Composites: Effect of Silicone Coatings on the Fabrics, 1300
Pedemonte, E. See Vicini, S., 3202
Pedroso, A. G. See Rosa, D. S., 3909
Pei, M.
—; Yang, Y.; Zhang, X.; Zhang, J.; Li, Y.: Synthesis and Properties of Water-Soluble Sulfonated Acetone–Formaldehyde Resin, 3248
Penco, M.
—; Sartore, L.; Bignotti, F.; Della Sciucca, S.; Ferrari, V.; Crescini, P.; D'Antone, S.: Use of Compatible Blends To Fabricate Carbon Black Composite Vapor Detectors, 1816
Pendyala, V. N. S. See Desai, J., 1097
Peng, G.
—; Geng, H.; Lü, Z.; Yang, D.; He, S.: An Analysis of the Changes in the Structure and Tensile Properties of Polytetrafluoroethylene Films Under Vacuum Ultraviolet Irradiation, 1494
Peng, T. C. See Hsieh, K. H., 3162
Penlidis, A. See Jone Selvamalar, C. S., 3604
Perçin, S. See Şahin, Y., 2302
Peres, A. C. C. See Sousa, A. M. F., 506
Permadi
—; Castro, J. M.: Development of an Environmentally Friendly Solventless Process for Electronic Prepregs, 1136
Perrin, D. See Pizzi, A., 1030
Persin, M. See Naji, A., 3947
Pesneau, I.
—; Champagne, M. F.; Huneault, M. A.: Glycidyl Methacrylate–

Grafted Linear Low-Density Polyethylene Fabrication and Application for Polyester/Polyethylene Bonding, 3180
Pethrick, R. A. See Rhoney, I., 1335
Peuvrel-Disdier, E. See Astruc, M., 3292
Pfau, A. See Kirsch, S., 2610
Pielesz, A.
—; Characteristics of Azo-Dye Binding Sites on Wool-Fiber Keratin, 2629
Pielichowski, K.
—; Słotwińska, D.; Dziwiński, E.: Segmented MDI/HMDI-Based Polyurethanes with Lowered Flammability, 3214
Pierik, S. C. J.
—; van Herk, A. M.: High-Conversion Catalytic Chain Transfer Polymerization of Methyl Methacrylate, 1375
Pillai, C. K. S. See Sandhya, K. Y., 1976
Ping, Q. See Zhang, C., 659
Pinto, J. C. See Santos, A. F., 941
Pizzi, A.
—; Simon, C.; George, B.; Perrin, D.; Triboulot, M. C.: Tarnin Antioxidant Characteristics in Leather Versus Leather Light Stability: Models, 1030
—; See Antoine, M.-L., 2729; Zanetti, M., 2058, 2690
Plešek, J. See Švorčík, V., 40
Polat, K. See Kara, Ş., 3785
Polat, O. See Çelebi, F., 1314
Pongrakananon, N.
—; Somrang, N.; Visitsart, W.; Supaphol, P.; Nithitanakul, M.; Grady, B. P.: Blends of Ethylene–Methyl Acrylate–Acrylic Acid Terpolymers with Ethylene–Acrylic Acid Copolymers: Mechanical and Thermomechanical Properties, 2216
Ponrathnam, S. See Deokar, S., 3192
Poplewska, I.
—; Węglowska, E.; Lubczak, J.: Polyetherols from Isocyanuric Acid and Ethylene Carbonate, 2750
Possart, W. See Bockenheimer, C., 361, 369
Pothan, L. A.
—; Thomas, S.: Effect of Hybridization and Chemical Modification on the Water-Absorption Behavior of Banana Fiber–Reinforced Polyester Composites, 3856
Prabhakaran, P. V. See Saravanan, S., 2529
Pramanick, D.
—; Pramanick, R.; Betal, G.: Copolyester of Trimellitic Acid, Glycerol, and Poly(ethylene glycol): Synthesis and Characterization, 343
Pramanick, R. See Pramanick, D., 343
Prasassarakich, P. See Tangthongkul, R., 3259
Prauchner, M. J.
—; Pasa, V. M. D.; Otani, C.; Otani, S.; de Menezes, S. M. C.: *Eucalyptus* Tar Pitch Pretreatment for Carbon Material Processing, 1604
Price, J. H. See McCarron, P. A., 1576
Princi, E. See Vicini, S., 3202
Puig, J. E. See Rodríguez-Ríos, H., 1736
Pukanszky, B. See Leong, Y. W., 3315

Qi, G.-R. See Yan, H.-Q., 3927
Qi, R.
—; Qian, J.; Chen, Z.; Jin, X.; Zhou, C.: Modification of Acrylonitrile–Butadiene–Styrene Terpolymer by Graft Copolymerization with Maleic Anhydride in the Melt. II. Properties and Phase Behavior, 2834
Qian, J.
—; He, P.; Nie, K.: Nonisothermal Crystallization of PP/Nano-SiO_2 Composites, 1013; Qi, R., 2834
Qian, L.
—; Sun, G.: Durable and Regenerable Antimicrobial Textiles: Improving Efficacy and Durability of Biocidal Functions, 2588
Qiang, X.
—; Chunfang, Z.; JianZun, Y.; Yuan, C. S.: The Effects of Polymer-Nanofiller Interactions on the Dynamical Mechanical Properties of PMMA/$CaCO_3$ Composites Prepared by Microemulsion Template, 2739
Qiao, X.
—; Zhang, Y.; Zhang, Y.: Maleic Anhydride Grafted Polypropylene as a Coupling Agent for Polypropylene Composites Filled with Ink-Eliminated Waste Paper Sludge Flour, 2320
Qiao, Z. See Zhu, Z., 3016
Qin, L. See Yan, W., 3959
Qin, Y.
—; Absorption Characteristics of Alginate Wound Dressings, 953
—; Gel Swelling Properties of Alginate Fibers, 1641
Qiu, W.
—; Zhang, F.; Endo, T.; Hirotsu, T.: Milling-Induced Esterification between Cellulose and Maleated Polypropylene, 1703
Qiu, Y. See Cai, Z., 3579; Lin, Z., 3899
Qu, X.
—; Shang, S.; Liu, G.; Zhang, S.; Zhang, Y.; Zhang, L.: Effect of the Addition of Acrylonitrile/Ethylene–Propylene–Diene Monomer (EPDM)/Styrene Graft Copolymer on the Morphology–Properties Relationships in Poly(styrene-*co*-acrylonitrile)/EPDM Rubber Blends, 1685
Quan, Y. W.
—; Dong, W. Z.; Fang, J. L.; Chen, Q. M.: Ultraviolet Curing of Liquid Polysulfide Thiourethane Acrylate, 2358
Qusay, F. A. See Xu, Z.-L., 3398

Raab, M. See Olčák, D., 247
Rabiee, A. See Baharvand, H., 2973
Radhakrishnan, T. S. See Ambadas, G., 3774
Rafiee, Z. See Mallakpour, S., 2103
Raghunathan, P. See Roy, D., 2096
Raj, B. See Siddaramaiah, 630
Rajagopan, S. See Kaliyappan, T., 494
Rajan, C. R. See Deokar, S., 3192
Rajanala, R. See Ramkumar, S. S., 3879
Rajesh See Sharma, A. L., 3999
Rajkumar, M. See Jayakumar, R., 288
Raju, K. V. S. N. See Chattopadhyay, D. K., 27
Rakovsky, S.
—; Zaikov, G.: Ozonolysis of Polydienes, 2048
Ramkumar, S. S.
—; Rajanala, R.; Parameswaran, S.; Paige, R.; Shaw, A.; Shelly, D. C.; Anderson, T. A.; Cobb, G. P.; Mahmud, R.; Roedel, C.; Tock, R. W.: Experimental Verification of Failure of Amontons' Law in Polymeric Textiles, 3879
Ramos, J. See Toriz, G., 1920
Rath, S. K. See Boey, F., 3244
Rathinasamy, P.
—; Balamurugan, P.; Balu, S.; Subrahmanian, V.: Effect of Adhesive-Coated Glass Fiber in Natural Rubber (NR), Acrylonitrile Rubber (NBR), and

Ethylene–Propylene–Diene Rubber (EPDM) Formulations. I. Effect of Adhesive-Coated Glass Fiber on the Curing and Tensile Properties of NR, NBR, and EPDM Formulations, 1111
—; Balamurugan, P.; Balu, S.; Subrahmanian, V.: Effect of Adhesive-Coated Glass Fiber in Natural Rubber (NR), Acrylonitrile Rubber (NBR), and Ethylene–Propylene–Diene Rubber (EPDM) Formulations. II. Effect of Cyclic Loading, Abrasion, and Accelerated Aging, 1124
Rathna, G. V. N.
—; Hydrogels of Modified Ethylenediaminetetraacetic Dianhydride Gelatin Conjugated with Poly(ethylene glycol) Dialdehyde as a Drug-Release Matrix, 1059
Razera, I. A. T.
—; Frollini, E.: Composites Based on Jute Fibers and Phenolic Matrices: Properties of Fibers and Composites, 1077
Reddy, A. R.
—; Reddy, K. H.: Uptake of Pb(II) and Cd(II) by a New Phenolformaldehyde Polymer Resin Derived by the Insertion of Sulfur Ligands in the Form of Xanthate, 1932
Reddy, K. H. See Reddy, A. R., 1932
Reed, W. F. See Çatalgil-Giz, H., 1352
Reichelt, N. See Naguib, H. E., 2661
Rempel, G. L. See Tangthongkul, R., 3259
Ren, J. See Gu, S.-Y., 2427
Ren, L.
—; Fu, W.; Luo, Y.; Lu, H.; Jia, D.; Shen, J.; Pang, B.; Ko, T.-M.: Thermal Degradation of the Polyimide Synthesized From 4,4′-(Hexafluoroisopropylidene) Diphthalic Dianhydride and 4,4′-Diaminodiphenylmethane, 2295
Rhoney, I.
—; Brown, S.; Hudson, N. E.; Pethrick, R. A.: Influence of Processing Method on the Exfoliation Process for Organically Modified Clay Systems. I. Polyurethanes, 1335
Rivas, B. L.
—; Villegas, S.: Water-Insoluble Polymers with Ability to Remove Metal Ions, 3679
Rizvi, G. M. See Guo, G., 621
Roan, J.-W. See Dong, J.-P., 3369, 3388
Rodríguez Díaz, A. See López Valentín, J., 1489
Rodríguez-Ríos, H.
—; Nuño-Donlucas, S. M.; Puig, J. E.; González-Núñez, R.; Schulz, P. C.: Compatibilization of Polystyrene and Polyamide 6 Mixtures with Poly(Styrene-*co*-Sodium Acrylate), 1736
Roedel, C. See Ramkumar, S. S., 3879
Roh, H.-D. See Kim, Y., 2502
Rohini Kumar, D. B. See Chattopadhyay, D. K., 27
Rong, H.
—; Bhat, G. S.: Binder Fiber Distribution and Tensile Properties of Thermally Point Bonded Cotton-Based Nonwovens, 3148
Rong, J. See Ding, X., 68
Rosa, D. S.
—; Chiovatto Neto, I.; Calil, M. R.; Pedroso, A. G.; Fonseca, C. P.; Neves, S.: Evaluation of the Thermal and Mechanical Properties of Poly(ε-caprolactone), Low-Density Polyethylene, and Their Blends, 3909
Rowell, R. M. See Lee, H.-L., 2465
Roy, A. See Datta, C., 958
Roy, D.
—; Basu, P. K.; Raghunathan, P.; Eswaran, S. V.: Quantitation of Microstructure of Novolac Resins: Development of Improved One- and Two-Dimensional NMR Methodologies, 2096
Royappa, A. T.
—; Vogt, M. L.; Sharma, V.: Composition and Long-Term Stability of Polyglycidol Prepared by Cationic Ring-Opening Polymerization, 1344
Ruban, L. V.
—; Sychugova, O. V.; Kolesnikova, N. N.; Zaikov, G. E.: Kinetic Features of the Nonisothermal Oxidative Degradation of Ethylene Vinyl Acetate Copolymers, 1958
Rubin, A. See von Solms, N., 1476
Ruksakulpiwat, C. See Hamed, G. R., 1993
Rusch, S. See Astruc, M., 3292
Rybka, V. See Švorčík, V., 40
Ryu, J.-H. See Kim, J.-Y., 3549
Saad, A. L. G.
—; Aziz, H. A.; Dimitry, O. I. H.: Studies of Electrical and Mechanical Properties of Poly(vinyl chloride) Mixed with Electrically Conductive Additives, 1590
Sabhapondit, A.
—; Borthakur, A.; Haque, I.: Adsorption Behavior of Poly(*N*,*N*-dimethylacrylamide-*co*-Na 2-acrylamido-2-methylpropanesulfonate) on Sand Surface, 2482
Saccani, A.
—; Motori, A.; Sisti, L.; Lotti, N.: Effects of Thermal Aging on Chemical–Physical and Electrical Properties of Poly(propylene terephthalate), 2848
Şahin, M. See Şahin, Y., 2302
Şahin, Y.
—; Perçin, S.; Şahin, M.; Özkan, G.: Electrochemical Polymerization of Fluoro- and Chloro-Substituted Anilines and Copolymers with Aniline, 2302
Sahoo, P. K.
—; Samal, B.; Swain, S. K.: Cobalt(III)-Mediated Microemulsion Polymerization of Acrylonitrile: Kinetics and Particle Morphology, 3120
Sainamsai, W. See Nakason, C., 1752
Saito, M. See Saito, R., 321
Saito, R.
—; Mitani, S.; Saito, M.: Structural Effect of Emulsifiers on the Emulsion Stability of a Water/Benzene Mixture, 321
Sakata, M. See Sakurai, T., 3001
Sakr, A. See Gao, Z., 2186
Sakurai, T.
—; Mizokami, H.; Furukawa, S.; Sakata, M.; Kunitake, M.; Hirayama, C.; Ihara, H.: Effect of Surface Structure on Cell Growth Prepared by the Terminal Immobilization Method, 3001
Samal, B. See Sahoo, P. K., 3120
Samui, A. B.
—; Dalvi, V. G.; Patri, M.; Chakraborty, B. C.; Deb, P. C.: Studies on Semi-Interpenetrating Polymer Network Based on Nitrile Rubber and Poly(Methyl Methacrylate), 354
Sanda, F. See Takahashi, E., 589, 3470
Sandhya, K. Y.
—; Pillai, C. K. S.: Main-Chain Liquid-Crystalline Polymers Containing Azobenzene Mesogen Having

Long Lateral Aliphatic Side Chain: Effect of Copolymerization on Thermal and Phase Behaviors, 1976
Sangappa
—; Okuyama, K.; Somashekar, R.: Strain–Tensor Components, Crystallite Shape, and Their Effects on Crystalline Structure in Silk I, 3045
Sangramsingh, N. M.
—; Patra, B. N.; Singh, B. C.; Patra, C. M.: Graft Copolymerization of Methyl Methacrylate onto Starch Using a Ce(IV)–Glucose Initiator System, 981
Şanli, O.
—; Asman, G.: Release of Diclofenac Through Gluteraldehyde Crosslinked Poly(vinyl alcohol)/Poly(acrylic acid) Alloy Membranes, 72
Sannino, A.
—; Mensitieri, G.; Nicolais, L.: Water and Synthetic Urine Sorption Capacity of Cellulose-Based Hydrogels under a Compressive Stress Field, 3791
Santos, A. F.
—; Lima, E. L.; Pinto, J. C.; Graillat, C.; McKenna, T. F.: On-Line Monitoring of the Evolution of Number of Particles in Emulsion Polymerization by Conductivity Measurements. II. Model Validation, 941
Saravanan, S.
—; Mathai, C. J.; Anantharaman, M. R.; Venkatachalam, S.; Prabhakaran, P. V.: Dielectric and Conductivity Studies on Cobalt Phthalocyanine Tetramers, 2529
Sarrazin, J. See Naji, A., 3947
Sartore, L. See Penco, M., 1816
Sasaki, A.
—; White, J. L.: Polymer Nanocomposites Formation by the Use of Sodium Montmorillonite Dispersion in Alcohol and a Cationic Surfactant, 1951
Satcher, J., Jr. See Fu, R., 3060
Sato, H. See Kaneko, M., 2435
Sato, M. See Ishigure, T., 404, 410
Sato, T. See Masaki, K., 3342
Saura, J. J. See Giménez, E., 3851
Sava, M.
—; Bismaleimides and Biscitraconimides: Synthesis and Properties, 3806
Savolainen, P. See Holopainen, T., 2942
Saxena, C. See Dubey, V., 3428
Sayyah, S. M.
—; El-Shafiey, Z. A.; Barsoum, B. N.; Khaliel, A. B.: Infrared Spectroscopic Studies of Poly(methyl methacrylate) Doped with a New Sulfur-Containing Ligand and Its Cobalt(II) Complex during γ-Radiolysis, 1937
Scarpelli Ribeiro e Silva, M. E. See Mano, V., 501
Schiraldi, D. A. See Ma, H., 1698
Schmack, G.
—; Tändler, B.; Optiz, G.; Vogel, R.; Komber, H.; Häußler, L.; Voigt, D.; Weinmann, S.; Heinemann, M.; Fritz, H.-G.: High-Speed Melt Spinning of Various Grades of Polylactides, 800
Schork, J. See Yan, Z., 347
Schroeder, L. W. See McDermott, M. K., 1086
Schulz, P. C. See Rodríguez-Ríos, H., 1736
Sèbe, G. See Clave, E., 820
Seferis, J. C. See Timmerman, J. F., 1104
Segal, E. See Jia, W., 1329
Selb, J. See Pabon, M., 916
Selinskaya, Y. A. See Volkov, V. V., 2271
Semba, T.
—; Kitagawa, K.; Endo, S.; Maeda, K.; Hamada, H.: *In Situ* Fiber-Reinforced Composites from Blends Containing Polypropylene and Polycaprolactone, 833
Semwal, R. P. See Pandey, P., 2278
Sengupta, P. K. See Dan, A., 991
Senna, M. M. See El-Naggar, A.-W. M., 3818
Seno, M. See Masaki, K., 3342
Senogles, E. See Doherty, W. O. S., 2035
Separovic, F. See Angelatos, A. S., 3504
Shang, S. See Qu, X., 1685
Shanks, R. A.
—; Hodzic, A.; Wong, S.: Thermoplastic Biopolyester Natural Fiber Composites, 2114
Shao, J. See Liu, J., 2028
Sharma, A. L.
—; Singhal, R.; Kumar, A.; Rajesh; Pande, K. K.; Malhotra, B. D.: Immobilization of Glucose Oxidase onto Electrochemically Prepared Poly(aniline-*co*-fluoroaniline) Films, 3999
Sharma, G. D. See Chand, S., 1962
Sharma, R. See Chauhan, G. S., 545
Sharma, S.
—; Srivastava, A. K.: Synthesis and Characterization of a Terpolymer of Limonene, Styrene, and Methyl Methacrylate via a Free-Radical Route, 2343
Sharma, V. See Royappa, A. T., 1344
Shashidhara, G. M. See Guruprasad, K. H., 1716
Shaw, A. See Ramkumar, S. S., 3879
Shehata, A. See Mounir, A., 3921
Shelly, D. C. See Ramkumar, S. S., 3879
Shemper, B. S.
—; Mathias, L. J.: Photopolymerized Low-Surface-Energy Coatings Based on a Novel Fluorinated Ether Acrylate, 3301
Shen, C. See Wang, Y., 308
Shen, J. See Han, B., 2536; Ren, L., 2295; Zhang, C., 659
Shen, K. Z. See Yan, Z., 1514
Shenkov, S. See Doseva, V., 3651
Shevlin, P. B. See Tsai, J.-Y., 3477
Shi, D.
—; Yin, J.; Ke, Z.; Gao, Y.; Li, R. K.: Fractionated Crystallization of Dispersed PA6 Phase of PP/PP-*g*-MAH/PA6 Blends, 3742
Shibata, M. See Someya, Y., 1463; Teramoto, N., 46
Shibayama, M. See Katoh, K., 756
Shick, R. See Chiniwalla, P., 1020
Shick, R. A. See Bai, Y., 3023
Shih, C.-Y.
—; Chen, C.-W.; Huang, K.-S.: Adsorption of Color Dyestuffs on Polyurethane–Chitosan Blends, 3991
Shim, W. S. See Koh, J., 3481
Shimura, T. See Katada, A., 2928
Shin, D.-H. See Kim, J.-Y., 3549
Shin, E. J.
—; Lee, Y. H.; Choi, S. C.: Study on the Structure and Processibility of the Iodinated Poly(Vinyl Alcohol). I. Thermal Analyses of Iodinated Poly(Vinyl Alcohol) Films, 2407
Shin, S. R. See Kim, S. J., 2908
Shishuang, G.
—; Ying, Z.; Anna, Z.; Xiao, H.: Study on Nanometer-Size Styrene-Butadiene Multiblock Copolymer Synthesized by Reactive Extrusion, 2265
Shogenov, V. K. See Kozlov, G. V., 3765
Shokrollahi, F. See Khonakdar, H. A., 1389
Shu, Y.-C. See Hsiao, K., 1710

Shukla, S. P.
—; Modi, K.; Ghosh, P. K.; Devi, S.: Immobilization of Horseradish Peroxidase by Entrapment in Natural Polysaccharide, 2063
Siddaramaiah
—; Raj, B.; Somashekar, R.: Structure–Property Relation in Polyvinyl Alcohol/Starch Composites, 630
Siegmann, A. See Jia, W., 1329
Silva Spinacé, M. A.
—; De Paoli, M.-A.: Nonisothermal Crystallization of Reprocessed Poly(ethylene Terephthalate), 525
Simon, C. See Antoine, M.-L., 2729; Pizzi, A., 1030
Simon, G. P. See Hussain, M., 1233
Simonsen, J. See Geng, Y., 3667
Sinbo, T. See Iwatsubo, T., 3627
Singh, B. See Chauhan, G. S., 2454; Kaur, I., 2364
Singh, B. C. See Sangramsingh, N. M., 981
Singh, K. P.
—; Palmese, G. R.: Enhancement of Phenolic Polymer Properties by Use of Ethylene Glycol as Diluent, 3096
—; Palmese, G. R.: Network Formation During Cocure of Phenolic Resins with Vinyl-Ester and Epoxy-Amine Systems for Use in Multifunctional Composites, 3107
Singh, M.
—; Yadav, S.; Ahmed, S.: Novel Device of CO Adsorption on Degradable Cellulose-Based Strips, 678
Singh, S.
—; Chaubey, A.; Malhotra, B. D.: Preparation and Characterization of an Enzyme Electrode Based on Cholesterol Esterase and Cholesterol Oxidase Immobilized onto Conducting Polypyrrole Films, 3769
Singhal, R. See Sharma, A. L., 3999
Sinha, B. K. See Patra, M., 1147
Siow, K.-S. See Xu, X.-J., 1360
Sisti, L. See Saccani, A., 2848
Sivalingam, G.
—; Agarwal, N.; Madras, G.: Kinetics of Microwave-Assisted Polymerization of ϵ-Caprolactone, 1450
—; Madras, G.: Dynamics of Lipase Catalyzed Enzymatic Degradation of Poly(bisphenol-A carbonate), 2391
Sivaram, S. See Kulkarni, N. G., 3720
Sivov, N. A. See Zaikov, G. E., 439
Sivova, L. I. See Zaikov, G. E., 439
Skala, D. See Nikolić, L., 387
Skonberg, D. See Wentworth, D. S., 1294
Słotwińska, D. See Pielichowski, K., 3214
Šlouf, M.
—; Kolařík, J.; Fambri, L.: Phase Morphology of PP/COC Blends, 253
Šmit, I.
—; Musil, V.; Švab, I.: Effects of EPDM and Wollastonite on Structure of Isotactic Polypropylene Blends and Composites, 4072
Smith, S. D. See Alexandratos, S. D., 463
Soares, B. G. See Oliveira, M. G., 1404
Södergård, A. See Stolt, M., 196
Somashekar, R. See Sangappa, 3045; Siddaramaiah, 630
Sombatsompop, N. See Leksophee, T., 1000
Someya, Y.
—; Nakazato, T.; Teramoto, N.; Shibata, M.: Thermal and Mechanical Properties of Poly(butylene succinate) Nanocomposites with Various Organo-Modified Montmorillonites, 1463
Somrang, N. See Pongrakananon, N., 2216
Song, L. See Wang, S., 1457
Song, X. See Lu, S., 3497
Sousa, A. M. F.
—; Peres, A. C. C.; Nunes, R. C. R.; Visconte, L. L. Y.; Furtado, C. R. G.: Resin-Vulcanized NBR: Suitability of Rheometric Parameters for the Calculation of Cure Kinetic Constants—Part II, 506
Soykan, C.
—; Erol, İ.: Radical Copolymerization of *N*-(4-Acetyl phenyl)-maleimide and Styrene: Monomer Reactivity Ratios and Thermal Properties, 964
Spathis, G.
—; Kontou, E.: Nonlinear Viscoelastic Model for the Prediction of Double Yielding in a Linear Low-Density Polyethylene Film, 3519
Sperk, J. See Bai, Y., 3023
Spěváček, J. See Olčák, D., 247
Sreedhar, B. See Chattopadhyay, D. K., 27
Srivastava, A. K. See Sharma, S., 2343
Stålbom, B. See Andersson, T., 1525
Stamenković, J. See Nikolić, L., 387
Stenby, E. H. See von Solms, N., 1476
Stolt, M.
—; Viljanmaa, M.; Södergård, A.; Törmälä, P.: Blends of Poly(ε-caprolactone-*b*-lactic acid) and Poly(lactic acid) for Hot-Melt Applications, 196
Stott, P. E. See Motyakin, M. V., 1599
Stubbs, J. See Kirsch, S., 2610
Stubbs, J. M.
—; Sundberg, D. C.: Nonequilibrium Particle Morphology Development in Seeded Emulsion Polymerization. III. Effect of Initiator End Groups, 1538
Stutz, H.
—; Lifetime Assessment of Epoxies by the Kinetics of Thermal Degradation, 1881
Subbarao, R. See Maiti, S. N., 644
Subra, P. See Vega-González, A., 2422
Subrahmanian, V. See Rathinasamy, P., 1111, 1124
Sugano, S. See Chinwanitcharoen, C., 3455
Suh, D. H. See Choi, H. W., 900; Chung, W. Y., 890
Suh, K.-D. See Kim, J.-Y., 3549
Suja, N. R.
—; Yusuff, K. K. M.: Cobalt (II), Nickel (II), and Copper (II) Complexes of Polystyrene-Supported Schiff Bases, 3710
Sumaru, K. See Iwatsubo, T., 3627
Sumita, M. See Katada, A., 2928
Sun, G. See Qian, L., 2588
Sun, X.
—; Li, M.; Liu, D.; Zhang, P.; Tian, W.: Synthesis and Characterization of Poly(1,4-phenylenevinylene) Derivatives Containing Liquid Crystalline Oxadiazole Groups, 396
Sun, Y. See Tsai, J.-Y., 3477
Sundberg, D. See Kirsch, S., 2610
Sundberg, D. C. See Stubbs, J. M., 1538
Sung, H.-W. See Liang, H.-C., 4017
Sung, J. H. See Park, D. P., 1770
Supansomboon, S. See Leksophee, T., 1000
Supaphol, P. See Pongrakananon, N., 2216
Sutter, L. L. See Heiser, J. A., 2881
Suvanto, M. See Paunikallio, T., 2676
Švab, I. See Šmit, I., 4072
Svendsen, H. F. See Kittilsen, P., 2158
Švorčík, V.
—; Gardášová, R.; Rybka, V.; Hnatowicz, V.; Červená, J.;

Plešek, J.: Effect of Electrical Field on Dipoles in Polymer Composites, 40
Swain, S. K. See Sahoo, P. K., 3120
Swier, S.
—; Van Assche, G.; Van Mele, B.: Reaction Kinetics Modeling and Thermal Properties of Epoxy–Amines as Measured by Modulated-Temperature DSC. II. Network-Forming DGEBA + MDA, 2814
—; Van Assche, G.; Van Mele, B.: Reaction Kinetics Modeling and Thermal Properties of Epoxy–Amines as Measured by Modulated-Temperature DSC. I. Linear Step-Growth Polymerization of DGEBA + Aniline, 2798
Sychugova, O. V. See Ruban, L. V., 1958
Szeto, Y. S. See Yan, H., 2523

Taboada, E.
—; Cabrera, G.; Cardenas, G.: Synthesis and Characterization of New Arylamine Chitosan Derivatives, 807
Tabuchi, Y. See Kimura, K., 157
Taghizadeh, S. M.
—; Mashak, A.; Jamshidi, A.; Imani, M.: Study of Progesterone Release Mechanisms from a Silicone Matrix by a New Analytical Method, 3040
Takahashi, E.
—; Sanda, F.; Endo, T.: Novel Sulfonium Salts as Thermal and Photoinitiators for Epoxide and Acrylate Polymerizations, 589
—; Sanda, F.; Endo, T.: Photocationic and Radical Polymerizations by Novel *N*-Phenacylammonium Salts, 3470
Takatani, M. See Mori, A., 2966
Tam, K. C. See Li, L., 1505
Tamboli, S. M.
—; Mhaske, S. T.; Kale, D. D.: Properties of High-Density Polyethylene Filled with Waste Crosslinked Foam, 110
Tan, H.-M. See Wu, T., 905
Tanabe, T. See Katoh, K., 756
Tanaka, M. See Hirano, H., 1865
Tändler, B. See Schmack, G., 800
Tang, R. P. See Cheng, C. X., 2733
Tang, S. See Choi, K. Y., 2923
Tang, W.
—; Li, X.-G.; Yan, D.: Thermal Decomposition Kinetics of Thermotropic Copolyesters Made from *trans*-*p*-Hydroxycinnamic Acid and *p*-Hydroxybenzoic Acid, 445
Tang, X. See Chen, K., 1967
Tang, Y.
—; Hu, Y.; Wang, J.; Zong, R.; Gui, Z.; Chen, Z.; Zhuang, Y.; Fan, W.: Influence of Organophilic Clay and Preparation Methods on EVA/Montmorillonite Nanocomposites, 2416
—; See Li, W., 2903
Tang, Z. G.
—; Teoh, S. H.: Thermomechanical Analysis of the Biaxially Drawn Ultrahigh Molecular Weight Polyethylene-Reinforced Polyether Polyurethane, 3088
Tangthongkul, R.
—; Prasassarakich, P.; McManus, N. T.; Rempel, G. L.: Hydrogenation of *cis*-1,4-Polyisoprene Catalyzed by $Ru(CH{=}CH(Ph))Cl(CO)(PCy_3)_2$, 3259
Tantayanon, S.
—; Juikham, S.: Enhanced Toughening of Poly(propylene) with Reclaimed-Tire Rubber, 510
Tao, C.-Y. See Lu, Q., 2576
Taşdelen, B.
—; Kayaman-Apohan, N.; Güven, O.; Baysal, B. M.: Swelling and Diffusion Studies of Poly-(*N*-isopropylacrylamide/itaconic acid) Copolymeric Hydrogels in Water and Aqueous Solutions of Drugs, 911
Tasselli, F.
—; Jansen, J. C.; Drioli, E.: PEEKWC Ultrafiltration Hollow-Fiber Membranes: Preparation, Morphology, and Transport Properties, 841
Tchoudakov, R. See Jia, W., 1329
Temel, H. See Çakir, Ü., 2497
Teoh, S. H. See Tang, Z. G., 3088
Teramoto, N.
—; Shibata, M.: Trehalose-Based Thermosetting Resins. I. Synthesis and Thermal Properties of Trehalose Vinylbenzyl Ether, 46
—; See Someya, Y., 1463
Terao, K.
—; Karino, T.; Nagasawa, N.; Yoshii, F.; Kubo, M.; Dobashi, T.: Gelatin Microspheres Crosslinked with γ-ray: Preparation, Sorption of Proteins, and Biodegradability, 3083
The, D. T.
—; Yoshii, F.; Nagasawa, N.; Kume, T.: Synthesis of Poly(butylene succinate)/Glass Fiber Composite by Irradiation and Its Biodegradability, 2122
Thio, Y. S. See Lazzeri, A., 925
Thomas, S. See Aprem, A. S., 1068; George, S. C., 3756; Pothan, L. A., 3856
Tian, W. See Sun, X., 396
Tian, X. See Liu, W., 1229
Timmerman, J. F.
—; Seferis, J. C.: Predictive Modeling of Microcracking in Carbon-Fiber/Epoxy Composites at Cryogenic Temperatures, 1104
Tjong, S. C. See Chen, K., 735
Tock, R. W. See Ramkumar, S. S., 3879
Tolle, T. B.
—; Anderson, D. P.: The Role of Preconditioning on Morphology Development in Layered Silicate Thermoset Nanocomposites, 89
Tominaga, Y. See Katada, A., 2928
Topal, G. See Çakir, Ü., 2497
Toriz, G.
—; Ramos, J.; Young, R. A.: Lignin–Polypropylene Composites. II. Plasma Modification of Kraft Lignin and Particulate Polypropylene, 1920
Törmälä, P. See Stolt, M., 196
Triboulot, M. C. See Pizzi, A., 1030
Truica-Marasescu, F.
—; Wertheimer, M. R.: Vacuum Ultraviolet–Induced Photochemical Nitriding of Polyolefin Surfaces, 3886
Tsai, J.-Y.
—; Zhou, J.-L.; Sun, Y.; Shevlin, P. B.: Two-Dimensional NMR Studies of the Cyclocopolymerization of Sulfur Dioxide and Diethyl Diallylmalonate, 3477
Tsai, S.-P. See Weng, W.-H., 532
Tsen, W.-C. See Hsiao, K., 1710
Tsukada, M. See Arai, T., 2383
Turovski, A. A. See Medvedevskikh, Y. G., 2376
Tzankova Dintcheva, N. See La Mantia, F. P., 2244

Uğraş, H. I. See Çakir, Ü., 2497
Ünal, H. I. See Yavuz, M., 1822
Upasana See Kaur, I., 2364
Urazbaev, V. N. See Mullagaliev, I. R., 211

Valerino, A. See Escobar, J. L., 3433
Van Assche, G. See Swier, S., 2798, 2814
van Duin, M. See Martin, P., 703
van Gurp, M. See Martin, P., 703
van Herk, A. M. See Pierik, S. C. J., 1375
Van Mele, B. See Swier, S., 2798, 2814
Vargas, M. See Ma, H., 1698
Varghese, S.
—; Karger-Kocsis, J.: Melt-Compounded Natural Rubber Nanocomposites with Pristine and Organophilic Layered Silicates of Natural and Synthetic Origin, 813
—; See Vinod, V. S., 3156
Varley, R. J. See Hussain, M., 1233
Vasilev, S. See Doseva, V., 3651
Vázquez, A. See Alvarez, V. A., 4007
Vega-González, A.
—; Domingo, C.; Elvira, C.; Subra, P.: Precipitation of PMMA/PCL Blends Using Supercritical Carbon Dioxide, 2422
Velázquez, R.
—; Ceja, I.; Guzmán, J.; Castaño, V. M.: Morphology–Composition–Processing Relationships in Poly(methyl methacrylate)–Polytriethylene Glycol Dimethacrylate Shrinkage-Controlled Blends, 1254
Velichkova, R. See Mateva, R., 3251
Venkatachalam, S. See Saravanan, S., 2529
Venkataramani, S. See Meyer, A., 3447
Vichtovonga, K. See Fuhrman, C., 1174
Vicini, S.
—; Princi, E.; Pedemonte, E.; Lazzari, M.; Chiantore, O.: *In Situ* Polymerization of Unfluorinated and Fluorinated Acrylic Copolymers for the Conservation of Stone, 3202
Viitaniemi, P. See Nuopponen, M., 2128
Vijayanand, P. S. See Jone Selvamalar, C. S., 3604
Viljanmaa, M. See Stolt, M., 196
Villegas, S. See Rivas, B. L., 3679
Vinod, V. S.
—; Varghese, S.; Kuriakose, B.: Aluminum Powder Filled Nitrile Rubber Composites, 3156
Visconte, L. L. Y. See Menon, A. R. R., 1619; Sousa, A. M. F., 506
Visitsart, W. See Pongrakananon, N., 2216
Vladkova, T. G.
—; Dineff, P. D.; Gospodinova, D. N.: Wood Flour: A New Filler for the Rubber Processing Industry. II. Cure Characteristics and Mechanical Properties of NBR Compounds Filled with Corona-Treated Wood Flour, 883
Vogel, R. See Schmack, G., 800
Vogt, M. L. See Royappa, A. T., 1344
Voigt, D. See Schmack, G., 800
Volkov, V. V.
—; Fadeev, A. G.; Khotimsky, V. S.; Litvinova, E. G.; Selinskaya, Y. A.; McMillan, J. D.; Kelley, S. S.: Effects of Synthesis Conditions on the Pervaporation Properties of Poly 1-(Trimethylsilyl)-1-Propyne} Useful for Membrane Bioreactors, 2271
von Solms, N.
—; Nielsen, J. K.; Hassager, O.; Rubin, A.; Dandekar, A. Y.; Andersen, S. I.; Stenby, E. H.: Direct Measurement of Gas Solubilities in Polymers with a High-Pressure Microbalance, 1476
Vuorinen, T. See Nuopponen, M., 2128

Wang, C.-G. See Hou, C., 4105
Wang, D. See He, C., 2980; Wu, Y., 2869; Yang, Y., 2984
Wang, F. See Zhang, K., 2649
Wang, G. See Zhang, K., 2649
Wang, H.-H.
—; Wu, S.-P.: Reduction and Cyclization to Form Poly(benzimidazole amide imide) Copolymers, 378
Wang, H.-W.
—; Chang, K.-C.; Yeh, J.-M.; Liou, S.-J.: Synthesis and Dielectric Properties of Polystyrene–Clay Nanocomposite Materials, 1368
Wang, H.-Y. See Liu, J.-H., 789
Wang, J.
—; Li, G.; Yang, S.; Jiang, J.: New Intumescent Flame-Retardant Agent: Application to Polyurethane Coatings, 1193
—; See Tang, Y., 2416; Zhao, J., 3673; Zhao, Y., 2143; Zhou, S., 2072
Wang, J.-X.
—; Gu, M.-Y.: Investigation of the Influence of CuO Filler and Carbon Fiber on Wear and Transfer Film of Nylon Composites, 2397
Wang, L. See Wang, X., 3574; Zhang, K., 2649; Zhao, S., 242
Wang, M. See Chen, Z., 1842
Wang, N.
—; Zhang, L.; Lu, Y.; Du, Y.: Properties of Crosslinked Casein/Waterborne Polyurethane Composites, 332
Wang, Q.-F. See Gu, S.-Y., 2427
Wang, R. See Guo, W. F., 4082
Wang, S.
—; Hu, Y.; Song, L.; Liu, J.; Chen, Z.; Fan, W.: Study on the Dynamic Self-Organization of Montmorillonite in Two Phases, 1457
—; Zhang, Y.; Zhang, Y.; Zhang, C.; Li, E.: Crosslinking of Polyvinyl Chloride by Electron Beam Irradiation in the Presence of Ethylene–Vinyl Acetate Copolymer, 1571
Wang, T. See Xiong, C., 563
Wang, X.
—; Wang, L.; Huang, Y.: Effect of Swelling on the Cholesteric Structure of Ethyl-Cyanoethyl Cellulose/Crosslinked Poly(acrylic acid) Composite Films, 3574
—; See He, W. W., 2855
Wang, Y.
—; Shen, C.; Li, H.; Li, Q.; Chen, J.: Nonisothermal Melt Crystallization Kinetics of Poly(Ethylene Terephthalate)/Clay Nanocomposites, 308
—; See Chen, Z., 1842
Wang Y. J. See Chen, F., 3542
Wang, Z. See Ni, C., 1792; Zhao, Y., 2143
Ward, I. M. See Hine, P. J., 2223
Wasserman, A. M. See Motyakin, M. V., 1599
Watanabe, J. See Miyamoto, D., 827
Watase, S. See Hirano, H., 1865
Wee, A. T. S. See Huang, H. L., 1798
Węglowska, E. See Poplewska, I., 2750
Weinmann, S. See Schmack, G., 800
Weiss, S. See Fu, R., 3060
Wen, B.-Y.
—; Li, Q.-C.; Hou, S.-H.; Wu, G.: Preparation and Structure Study of Polypropylene/Polyamide-6 Gradient Materials, 2491
Wen, T.-C. See Chen, W.-C., 1154
Weng, S. See Wu, Y., 2869
Weng, W.-H.
—; Chen, H.; Tsai, S.-P.; Wu, J.-C.: Thermal Property of Epoxy/SiO_2 Hybrid Material Synthesized by the Sol–Gel Process, 532
Weng, Z.-x. See Bao, Y.-z., 2738

Weng, Z.-X. See Lu, Q., 2576, 2582
Wentworth, D. S.
—; Skonberg, D.; Donahue, D. W.; Ghanem, A.: Application of Chitosan-Entrapped β-Galactosidase in a Packed-Bed Reactor System, 1294
Wertheimer, M. R. See Truica-Marasescu, F., 3886
Wesslén, B. See Andersson, T., 1525
White, J. L. See Ahn, S., 651; Kim, B. J., 1983; Sasaki, A., 1951
Wikberg, H. See Nuopponen, M., 2128
Williams, M. C. See Hussein, I. A., 1309
Wirsén, A. See Olander, B., 4098
Wong, M.-K. See Xu, X.-J., 1360
Wong, S. See Shanks, R. A., 2114
Wong, S.-C. See Zheng, W., 2781
Woolfson, A. D. See McCarron, P. A., 1576
Wright, D. D.
—; Lautenschlager, E. P.; Gilbert, J. L.: Constrained Shrinkage of Highly Oriented Poly(methyl methacrylate) Fibers, 4047
Wu, G. See Wen, B.-Y., 2491
Wu, H.-D. See Chen, H.-W., 1207
Wu, J. See Lu, J., 1519; Wu, Y., 2869
Wu, J.-C. See Weng, W.-H., 532
Wu, L. C. See Lin, C.-B., 2771
Wu, P.-C. See Yu, Y.-H., 3438
Wu, S.
—; Xu, X.: Effect of the Reaction Atmosphere on High-Density Polyethylene Functionalized by Ultraviolet Irradiation, 2326
—; See Han, B., 2536
Wu, S.-P. See Wang, H.-H., 378
Wu, T.
—; Li, Y.; Zhang, D.-L.; Liao, S.-Q.; Tan, H.-M.: Study on the Morphology and Properties of Metallocene Polyethylene and Ethylene/Vinyl Acetate Blends, 905
Wu, X. See Zhao, S., 242
Wu, Y.
—; Xu, Y.; Wang, D.; Zhao, Y.; Weng, S.; Xu, D.; Wu, J.: FT-IR Spectroscopic Investigation on the Interaction Between Nylon 66 and Lithium Salts, 2869

Xavier, S. F. See Desai, J., 1097
Xi, F. See Cheng, C. X., 2733
Xi, K. See Zhang, T., 190
Xiao, H. See Shishuang, G., 2265
Xie, D. See Xie, H.-Q., 2914
Xie, H.-Q.
—; Gao, Y.; Zhan, X.-G.; Xie, D.: Selection of Quaternary Ammonium Groups for Optimizing Properties of Water-Soluble, Photosensitive Phenolic Resins and Study of Their Postcuring Mechanism, 2914
Xie, W. See Hwu, J. M., 101
Xing, F.
—; Cheng, G.; Yang, B.; Ma, L.: Microencapsulation of Capsaicin by the Complex Coacervation of Gelatin, Acacia and Tannins, 2669
Xiong, C.
—; Wang, T.; Liu, Q.; Dong, L.; Chen, J.; Liu, D.: Preparation and Structural Characterization of Nanocrystalline Poly(vinyl chloride), 563
Xiong, Y. See Boey, F., 3244
Xu, C. See Fang, Z., 763; Zeng, M., 2840
Xu, D. See He, C., 2980; Wu, Y., 2869
Xu, H.
—; Kuo, S.-W.; Huang, C.-F.; Chang, F.-C.: Characterization of Poly(vinyl pyrrolidone-*co*-isobutylstyryl polyhedral oligomeric silsesquioxane) Nanocomposites, 2208
—; See Chen, H.-W., 719
Xu, J. See Dai, X., 2330; Liang, G., 3054, 3974
Xu, R. See Ding, X., 68
Xu, T. See Hu, K., 167
Xu, W. See Liang, G., 3054, 3974
Xu, X. See Wu, S., 2326
Xu, X.-J.
—; Gan, L.-M.; Siow, K.-S.; Wong, M.-K.: Synthesis and Characterization of Nanosized Polypyrrole–Polystyrene Composite Particles, 1360
Xu, Y. See Li, H., 2642; Wu, Y., 2869
Xu, Z.-L.
—; Qusay, F. A.: Effect of Polyethylene Glycol Molecular Weights and Concentrations on Polyethersulfone Hollow Fiber Ultrafiltration Membranes, 3398
Xue, G. See Li, L., 303

Yadav, S. See Singh, M., 678
Yamada, T. See Chinwanitcharoen, C., 3455
Yamaguchi, T. See Iwatsubo, T., 3627
Yamane, H. See Zhu, B., 3565
Yamashita, Y.
—; Endo, T.: Deterioration Behavior of Cellulose Acetate Films in Acidic or Basic Aqueous Solutions, 3354
—; See Kimura, K., 157
Yamauchi, K. See Katoh, K., 756
Yan, B. See Zhao, Y., 2143
Yan, D. See Liu, Z., 1834; Tang, W., 445
Yan, F. See Li, L., 303
Yan, H.
—; Chan, W. L.; Szeto, Y. S.: Electrorheological Behavior of Side-chain Polysiloxane Containing 3-(4-Amidophenyl) Sydnone Moieties, 2523
Yan, H.-Q.
—; Ji, L.; Qi, G.-R.: Study on the Cure Behavior of 2,7-Dihydroxynaphthalene Dicyanate, 3927
Yan, W.
—; Han, K.; Qin, L.; Yu, M.: Study on Long Fiber–Reinforced Thermoplastic Composites Prepared by *In Situ* Solid-State Polycondensation, 3959
Yan, Z.
—; Luo, Y.; Deng, Y.; Schork, J.: Water-Soluble/Dispersible Cationic Pressure-Sensitive Adhesives. II. Adhesives from Emulsion Polymerization, 347
—; Shen, K. Z.; Zhang, J.: The Effect of Vibration Injection Molding on Mechanical Properties of Polyolefin Parts, 1514
Yang, B. See Xing, F., 2669
Yang, C. See Chen, Z., 1842
Yang, C. Q. See Zhou, W., 3940
Yang, D. See Peng, G., 1494
Yang, F.
—; Nelson, G. L.: PMMA/Silica Nanocomposite Studies: Synthesis and Properties, 3844
—; See Zhao, Y., 2143
Yang, G. See Dai, X., 2330; Ou, Y., 1806
Yang, H.-X.
—; Li, Y.-F.; Liu, J.-G.; Yang, S.-Y.; Yin, D.-X.; Zhou, L.; Fan, L.: Synthesis and Properties of New Polymerized Monomer Reactants Matrix Resins of Pyrrolone–Benzimidazole Copolymers Containing Pyridine Unit, 3981
Yang, L.
—; Liu, Y.; Li, Y.; Gao, J.; Zhang, L.; Jin, R.: Free-Radical Copolymerization and Kinetic Treatment of Methyl Methacrylate with *N-P*-Tolylmaleimide, 867

Yang, M.-C. See Hu, S.-G., 3587
Yang, N. C. See Choi, H. W., 900
Yang, P.-C. See Liu, J.-H., 3693
Yang, S. See Wang, J., 1193
Yang, S.-Y. See Yang, H.-X., 3981
Yang, W. See Hu, K., 167
Yang, W.-T. See Hwu, J. M., 101
Yang, Y.
—; Huang, Y.; Chen, Y.; Wang, D.; Liu, H.; Hu, C.: Diffusion and Sorption of Benzene Vapor through Polybutadiene-, Polybutadiene/styrene-, and Polybutadiene/acrylonitrile-Based Polyurethanes, 2984
—; See Liu, W., 1229; Pei, M., 3248
Yang, Z. See Ding, X., 68
Yao, K. See Lu, S., 3497; Zhao, J., 1676
Yashin, V. V. See Yun, J., 1646
Yavuz, M.
—; Ünal, H. I.: Synthesis, Characterization, and Partial Hydrolysis of Polyisoprene-*co*-Poly(*tert*-butyl methacrylate) and Electrorheological Properties of Its Suspensions, 1822
Ye, H.
—; Zhao, J.-Q.; Zhang, Y.-H.: Novel Degradable Superabsorbent Materials of Silicate/Acrylic-Based Polymer Hybrids, 936
Yeh, J.-M.
—; Liou, S.-J.; Chang, Y.-W.: Polyacrylamide–Clay Nanocomposite Materials Prepared by Photopolymerization with Acrylamide as an Intercalating Agent, 3489
—; See Wang, H.-W., 1368; Yu, Y.-H., 1904, 3438
Yeh, J.-T.
—; Lin, Y.-T.; Jiang, H.-B.: Drawing Properties of Ultrahigh Molecular Weight Polyethylene Fibers Prepared at Varying Formation Temperatures, 1559
—; See Lai, J.-Z., 1997
Yerlikaya, Z. See Çaykara, T., 1893
Yeung, K. W. See Zhou, L. M., 1857
Yin, D.-X. See Yang, H.-X., 3981
Yin, J. See Shi, D., 3742
Ying, J. Y. See Fu, R., 3060
Ying, L. See Hou, C., 4105
Ying, Z. See Shishuang, G., 2265
Yoo, H.-J.
—; Kim, H.-D.: Properties of Crosslinked Blends of Pellethene and Multiblock Polyurethane Containing Poly(ethylene oxide) for Biomaterials, 2348
Yoon, S. G. See Kim, S. J., 2876, 3613, 3705
Yoshii, F. See Terao, K., 3083; The, D. T., 2122; Zhao, L., 556
Youm, K.-H. See Kim, M.-J., 3225
Young, R. A. See Toriz, G., 1920
Young, T. J. See Liu, H., 3557
Yu, B.
—; Gao, Y.; Li, H.: Fabrication and Optical Characterization of Poly(2,5-di-*n*-butoxyphenylene) Nanofibril Arrays, 425
Yu, D. See Ding, X., 68
Yu, F.
—; Liu, Y.; Zhuo, R.: A Novel Method for the Preparation of Core-Shell Nanoparticles and Hollow Polymer Nanospheres, 2594
Yu, J. See Zhu, W., 431
Yu, M. See Yan, W., 3959
Yu, W.
—; Characterization of Birefringent Distribution of High-Modulus PET Fibers by Senarmont Compensation Method, 598
Yu, X. See Zhang, T., 190
Yu, Y.-H.
—; Jen, C.-C.; Huang, H.-Y.; Wu, P.-C.; Huang, C.-C.; Yeh, J.-M.: Preparation and Properties of Heterocyclically Conjugated Poly(3-hexylthiophene)–Clay Nanocomposite Materials, 3438
—; Lin, C.-Y.; Yeh, J.-M.: Poly(*N*-vinylcarbazole)–Clay Nanocomposite Materials Prepared by Photoinitiated Polymerization with Triarylsulfonium Salt Initiator, 1904
Yu, Y.-Y. See Liu, W.-C., 2653
Yuan, C. S. See Qiang, X., 2739
Yuan, Q. See Jie, X., 1873
Yuan, X. See Zhao, J., 1676
Yue, C. Y. See Li, L., 1505
Yuen, C. W. M. See Zhou, L. M., 1857
Yun, J.
—; Yashin, V. V.; Isayev, A. I.: Ultrasonic Devulcanization of Carbon Black–Filled Ethylene Propylene Diene Monomer Rubber, 1646
Yusuff, K. K. M. See Suja, N. R., 3710

Zahran, M. K.
—; Morsy, M.; Mahmoud, R. I.: Grafting of Acrylic Monomers onto Cotton Fabric Using an Activated Cellulose Thiocarbonate–Azobisisobutyronitrile Redox System, 1261
Zaikov, G. See Nadareishvili, L., 489; Rakovsky, S., 2048
Zaikov, G. E.
—; Malkanduev, Y. A.; Khashirova, S. Y.; Esmurziev, A. M.; Martynenko, A. I.; Sivova, L. I.; Sivov, N. A.: Synthesis and Potential Radical Copolymerization of New Monomers Based on Diallylguanidine, 439
—; See Kiselyova, O. F., 689, 693; Koslov, G. V., 3140, 3144, 3765; Medvedevskikh, Y. G., 2376; Motyakin, M. V., 1599; Ruban, L. V., 1958
Zaldívar, D. See Escobar, J. L., 3433
Zamani, K. See Faghihi, K., 516
Zamanlou, M. R. See Mallakpour, S., 3281
Zanetti, M.
—; Pizzi, A.: Colloidal Aggregation of MUF Polycondensation Resins: Formulation Influence and Storage Stability, 2690
—; Pizzi, A.: Variation of Acetal Effect on Performance of Phenol–Formaldehyde Resin Adhesives, 2058
Zanin, M. See Cruz, S. A., 1730
Zawadiak, J.
—; Danch, M.: Synthesis of Novel Oligo(primary-tertiary alkyl peroxides) via Oligocondensation Reactions under Phase Transfer Catalysis Conditions, 15
Zawislak, A. See McCarron, P. A., 1576
Zeng, H. See Lin, Z., 2443
Zeng, M.
—; Fang, Z.; Xu, C.: Novel Method of Preparing Microporous Membrane by Selective Dissolution of Chitosan/Polyethylene Glycol Blend Membrane, 2840
Zghida, H. See Baouab, M. H. V., 2513
Zhan, H. See Lou, Z., 1285
Zhan, X.-G. See Xie, H.-Q., 2914
Zhang, B.-Y. See Liu, L.-M., 773
Zhang, C.
—; Easteal, A. J.: NMR Study of the Early Stages of Gel Formation in the PEG/Poly(AMPS-*co*-NIPA) Semi-Interpenetrating Network System, 3635
—; Ping, Q.; Ding, Y.; Cheng, Y.; Shen, J.: Synthesis, Characterization, and Microsphere Formation of Galactosylated Chitosan, 659
—; See Wang, S., 1571
Zhang, D.-L. See Wu, T., 905

Zhang, F. See Qiu, W., 1703
Zhang, G. See Di, W., 1222; Zhu, W., 431
Zhang, H.-T.
—; Chen, M.; Lv, R.: Concentrated Emulsion Copolymerization of Butyl Acrylate and Vinyl Acetate Initiated by a Redox Initiator at Lower Temperature, 570
Zhang, J.
—; Study of Poly(trimethylene terephthalate) as an Engineering Thermoplastics Material, 1657
—; See Pei, M., 3248; Yan, Z., 1514; Zhang, L., 1168
Zhang, K.
—; Wang, L.; Wang, F.; Wang, G.; Li, Z.: Preparation and Characterization of Modified-Clay-Reinforced and Toughened Epoxy-Resin Nanocomposites, 2649
Zhang, L.
—; Ma, J.; Zhu, X.; Liang, B.: Kinetics of Thermal Degradation of Thermotropic Poly(*p*-oxybenzoate-*co*-ethylene-2,6-naphthalate) by Single Heating Rate Methods, 3915
—; Pan, M.; Zhang, J.: *n*-Butyl Acrylate Based Latex Interpenetrating Polymer Networks Used as Processing Modifiers and Impact Modifiers of Poly(vinyl chloride), 1168
—; See Qu, X., 1685; Wang, N., 332; Yang, L., 867
Zhang, P. See Sun, X., 396
Zhang, S. See Qu, X., 1685
Zhang, T.
—; Xi, K.; Chen, H.; Yu, X.: Synthesis and Properties of Self-Crosslinkable Polyurethane–Urea with Silsesquioxane Formation, 190
Zhang, X. See He, C., 2980; Pei, M., 3248
Zhang, Y. See Lin, Z., 2443; Qiao, X., 2320; Qu, X., 1685; Wang, S., 1571
Zhang, Y.-H. See Ye, H., 936
Zhao, J.
—; Guo, Z.; Ma, X.; Liang, G.; Wang, J.: Novel Surface Modification of High-Density Polyethylene Films by Using Enzymatic Catalysis, 3673
—; Yuan, X.; Cui, Y.; Ge, Q.; Yao, K.: Preparation and Characterization of Poly(L-lactide)/Poly(ε-caprolactone) Fibrous Scaffolds for Cartilage Tissue Engineering, 1676
—; See Du, R., 2721
Zhao, J.-Q. See Ye, H., 936
Zhao, J.-r.
—; Feng, Y.; Chen, X.-f.: Graft-Modified HCPE with Methyl Methacrylate by the Mechanochemistry Reaction. II. Physical-Mechanical Properties and Processability, 282
Zhao, L.
—; Choi, P.: Study of the Effect of Branch Content of Octene-Based Linear Low-Density Polyethylene on Its Melt Miscibility with High-Density Polyethylene by Inverse Gas Chromatography, 1927
—; Mitomo, H.; Yoshii, F.; Kume, T.: Preparation of Crosslinked Carboxymethylated Chitin Derivatives by Irradiation and Their Sorption Behavior for Copper(II) Ions, 556
Zhao, S.
—; Wu, X.; Wang, L.; Huang, Y.: Electrospinning of Ethyl–Cyanoethyl Cellulose/Tetrahydrofuran Solutions, 242
Zhao, X. See Li, W., 2903
Zhao, Y.
—; Wang, Z.; Wang, J.; Mai, H.; Yan, B.; Yang, F.: Direct Synthesis of Poly(D,L-lactic acid) by Melt Polycondensation and Its Application in Drug Delivery, 2143
—; See Wu, Y., 2869;
Zhao, Y. L. See Cheng, C. X., 2733
Zheng, B. See Fu, R., 3060
Zheng, J. See Liu, J., 2028
Zheng, K. See Liu, W., 1229
Zheng, M.
—; Li, H.: Study on Isotactic Polypropylene/Zinc-Neutralized Sulfonated Ethylene Propylene Diene Monomer Rubber/$CaCO_3$ Ternary Blends, 1635
Zheng, W.
—; Lu, X.; Wong, S.-C.: Electrical and Mechanical Properties of Expanded Graphite-Reinforced High-Density Polyethylene, 2781
Zheng, Y.-Y. See Liu, L.-M., 773
Zhou, C. See Li, L., 274; Qi, R., 2834
Zhou, H. See Lu, J., 1519
Zhou, J.-L. See Tsai, J.-Y., 3477
Zhou, L. See Yang, H.-X., 3981
Zhou, L. M.
—; Yeung, K. W.; Yuen, C. W. M.; Zhou, X.: Characterization of Ramie Yarn Treated with Sodium Hydroxide and Crosslinked by 1,2,3,4-Butanetetracarboxylic Acid, 1857
Zhou, P. See Liu, Z., 1834
Zhou, S.
—; Bai, H.; Wang, J.: Hydrogenation of Acrylonitrile–Butadiene Rubber Latexes, 2072
—; Deng, X.; Li, X.; Jia, W.; Liu, L.: Synthesis and Characterization of Biodegradable Low Molecular Weight Aliphatic Polyesters and Their Use in Protein-Delivery Systems, 1848
Zhou, W.
—; Yang, C. Q.; Lickfield, G. C.: Mechanical Strength of Durable Press Finished Cotton Fabric Part V: Poly(vinyl alcohol) as an Additive to Improve Fabric Abrasion Resistance, 3940
Zhou, X. See Zhou, L. M., 1857
Zhu, B.
—; Li, J.; He, Y.; Yamane, H.; Kimura, Y.; Nishida, H.; Inoue, Y.: Effect of Steric Hindrance on Hydrogen-Bonding Interaction Between Polyesters and Natural Polyphenol Catechin, 3565
Zhu, J.
—; Chandrashekhara, K.; Flanigan, V.; Kapila, S.: Curing and Mechanical Characterization of a Soy-Based Epoxy Resin System, 3513
Zhu, W.
—; Zhang, G.; Yu, J.; Dai, G.: Crystallization Behavior and Mechanical Properties of Polypropylene Copolymer by *In Situ* Copolymerization with a Nucleating Agent and/or Nano-Calcium Carbonate, 431
Zhu, X. See Lu, J., 1519; Zhang, L., 3915
Zhu, X. X. See Ni, C., 1792
Zhu, Z.
—; Qiao, Z.; Kang, C.; Li, Y.: Effect of Acrylate Constituent Units on the Adhesion of Polyacrylate Sizes to Fiber Substrates, 3016
Zhuang, Y. See Tang, Y., 2416
Zhuo, R. See Yu, F., 2594
Zong, R. See Tang, Y., 2416
Zorbas, T. See Pavlidou, S., 1300
Zuiderduin, W. C. J.
—; Huétink, J.; Gaymans, R. J.: Notch Sensitivity of Aliphatic Polyketone Terpolymers, 2558

Journal of Applied Polymer Science

Subject Index—Volume 91

ABS-*g*-MAH, 2834
Absorption, 3991
AC and DC conductivities, 2529
Acetoacetyl, 2966
Acetoacetyl groups, 2256
Achievable draw ratios, 1559
Acrylamide, 1519
Acrylamide copolymer, 3686
Acrylate and methacrylate monomers, 3835
Acrylic acid, 1289, 2035, 2934
Acrylic copolymer, 3016
Acrylic copolymers, 3202
Acrylonitrile, 1147
Acrylonitrile–butadiene rubber, 2072
Activation energy, 278, 981, 1590, 3167, 4047
Addition polymerization, 347, 2364
Additives, 404, 1619, 2234, 2642, 3398
Adhesion, 1124, 1443, 1576, 3016, 3180, 3587, 3879, 3959
Adhesives, 196, 347, 1124, 2548, 2966, 3604, 4017
Adsorbents, 3679
Adsorption, 678, 756, 953, 1275, 2482, 2513, 2642
Ageing, 1030, 1174, 1913, 2690
AIBN initiator, 3162
Alginate, 953, 1641, 3705
Alloys, 1457
4-(4′-aminophenyl)-1,2,4-triazolidine-3,5-dione, 2103
Ammonium salts, 3470
Amorphous, 1962, 3481, 4047
Amorphous PMMA, 2422
Analysis method, 2729
Anionic polymerization, 2265
Annealing, 1174
Anticorrosion, 3438
Antimicrobial properties, 2588
Antioxidants, 1030, 1097, 1525
Antipollution, 678
Antisolvent, 2422
Aqueous-based PU, 1997
Aroma chemical, 3557
Association, 2642
Asymmetric PE membrane, 2278
Atactic, 3068
Atom transfer radical polymerization, 2733
Atomic force microscopy, 2610
Atomic force microscopy (AFM), 218, 1427, 3693
Aziridinyl curing agent, 1997
Azobenzene, 455
Bacterial, 3587
Banana fiber, 3856
Barrier, 60, 1962
Barrier films, 3851
Bending behavior, 3613
Bentonite, 2934
Benzene vapor, 2984
4-benzyloxycarbonylphenyl acrylate, 3604
β-crystallization, 1008
Biaxially drawn ultrahigh molecular weight polyethylene, 3088
Bicomponent binder fiber, 3148
Binary accelerator, 1068
Binary blends, 35
Biocompatibility, 2135, 3001
Bioconjugation, 827
Biodegradable, 196, 343, 630, 800, 981, 1059, 1450, 1463, 1716, 1848, 2122, 2700, 3083, 3337, 3909, 4007, 4037
Biological activity, 3001
Biological applications of polymers, 2271
Biomaterials, 820, 953, 2348
Biomineralization, 3627
Biopolymer, 2114
Biopolymers, 807, 861, 1294, 1604, 2383, 3497, 4017
Birefringence, 598
Bismaleimide, 3244
Bisphenol, 2958
Bleaching, 1000
Blend, 2840
Blending, 1041, 1254, 1716, 1951
Blends, 52, 132, 167, 196, 205, 247, 315, 332, 501, 609, 833, 905, 1498, 1505, 1552, 1635, 1676, 1685, 1736, 1798, 1806, 1816, 1927, 1983, 2151, 2216, 2789, 3068, 3369, 3388, 3565, 3587, 3756, 3818, 3851, 3866, 3991, 4007, 4027
Block copolymer, 3233
Block copolymers, 742, 1983, 3251, 3362
Blood compatibility, 2042
Blowing agents, 2661
Bonding strength, 2771, 3016
Branch content, 1927
Broad-line ^{1}H-NMR, 247
Butadiene, 2265

Calcium ion, 1285
Calculations, 1937
Calorimetry, 2216, 3785
Carbon aerogel, 3060
Carbon dioxide, 1873
Carrier, 1519
Carrier microorganism, 387
Cassava starch, 1752
Catalase, 4057
Catalysis, 1450
Catalysts, 2502
Catalytic chain transfer, 1375
Cationic polymerization, 589, 1344, 3470
Cell growth, 3001
Cellulose, 1873
Chain, 68, 1976, 2035, 2376, 2928, 3180, 3765, 4082
Char yield, 2465
Chemical modification, 1217, 3856
Chemical structure, 3060
Chiral, 789, 3693
Chitosan, 861, 2840, 2908
Chlorine loss, 1571
Chromatography, 146, 1419, 3774
Chromium oxide catalysts, 2923
Clay, 140, 308, 813, 1233, 1368, 1457, 1904, 2427, 2649, 3438, 3489
Cluster–cluster mechanism, 3144
^{13}C-NMR, 2942
Coating, 3428
Coatings, 60, 1193, 1419, 1443, 2186, 3301, 3542
Co(III) complex, 3120
Colloids, 2690
Color fastness, 3827
Compartmentalization, 115
Compatibility, 1685, 1703, 2320, 2840, 3009
Compatibilization, 260, 703, 742, 1498, 1736, 1983, 3497
Compatibilizer, 3667
Complex formation, 2497
Complexation, 820
Composite, 2114
Composite electrode, 2958
Composites, 40, 110, 270, 274, 469, 621, 644, 670, 789, 854, 925, 936, 1077, 1104, 1322, 1329, 1816, 2122, 2320, 2676, 3088, 3107, 3134, 3156, 3315, 3327, 3410, 3513, 3574, 3818, 3856, 4007
Compression, 417, 2543, 3791
Computer modeling, 1136
Condensed tannins, 2729
Conducting polymers, 270, 303, 1222, 1329, 2151, 2302, 2756, 3167, 3659
Conduction mechanism, 2529
Conductivity, 2781

Conductometry, 2497
Conjugated, 3438
Conjugated polymer, 900
Conjugated polymers, 2523, 2529
Constituent unit, 3016
Continuous distribution kinetics, 2391
Controlled radical polymerization, 3233
Controlled release, 2313
Coordination, 2869
Copolyester, 343
Copolyesters, 445
Copolymer, 1396
Copolymerization, 196, 296, 347, 431, 439, 666, 1976, 2008, 2016, 2302, 2364, 3244, 3504, 3635, 4037
Copolymers of styrene and 4-vinylpyridine, 1842
Core–shell polymers, 2558
Core-shell, 1538
Core-shell polymers, 1168
Core-shell structure, 2594
Corncobs, 820
Corona-treated wood flour, 883
Corrosion inhibition, 1275
Coupling agent, 532, 3966
Crazing, 3642
Creep, 78, 1784, 3519
Crosslink density, 2601
Crosslinking, 1, 27, 110, 157, 190, 296, 332, 387, 545, 556, 666, 703, 779, 789, 890, 936, 1000, 1020, 1068, 1289, 1294, 1344, 1389, 1419, 1612, 1698, 1857, 1913, 2008, 2028, 2122, 2168, 2186, 2721, 2914, 2949, 2958, 2966, 3023, 3031, 3083, 3274, 3679, 3785, 3791, 4017
Crystal imperfection parameters, 3045
Crystal structure, 3045
Crystal structures, 719
Crystallization, 68, 125, 140, 308, 431, 525, 1013, 1229, 1427, 1657, 2320, 2326, 2402, 2443, 2661, 3054, 3251, 3528, 3595, 3899, 3966, 3974
Cure characteristics, 883
Cure reaction, 2601
Curing of polymers, 361, 369, 1041, 1111, 1254, 2548, 3096, 3107, 3244, 3369, 3388, 3927
Cycloolefin copolymers, 3421
Cyclopolymerization, 3477

Damping, 1396
Decontamination, 820
Degradation, 274, 361, 369, 697, 1435, 2383, 2391, 2711, 2848, 3202, 3354, 3462, 3774
Degradation products, 1525
Degree of polymerization (DP), 1857
Dehydration, 4082
Dendrimers, 2733
Density, 2543, 2685
Devulcanization, 3342
Diallylbisphenol A, 3244
4,4′-diaminodiphenylmethane, 2295
Diazacrowns, 2497
Dibenzodiazacrowns, 2497
Diblock copolymer, 3618
Diblock copolymers, 609, 2733
Diclofenac, 72
Dielectives, 1020
Dielectric, 3410
Dielectric properties, 1368, 1730, 2529, 2653, 3023, 3031
Dielectric strength, 1730
Dies, 651
Diethyl diallylmalonate, 3477
Differential scanning calorimetry, 417, 1626
Differential scanning calorimetry (DSC), 125, 532, 1041, 1136, 2465, 2942, 3148, 3565, 3866, 3871, 3927
Diffusion, 678, 911, 1289, 2661, 2984, 3040, 3156, 3827, 3856, 4091
2,7-dihydroxynaphthalene dicyanate (DNCY), 3927
Dimensional stabilization, 1763
Dip coating, 3174
Dipoles orientation, 40
Disinfectant polymer resin, 678
Dispersion, 577
Dispersions, 1443, 1792, 1822
Dopants, 3659
Drawing, 489
Drug delivery systems, 72, 636, 1576, 2143, 2422, 2669, 3040, 3433
Drug release, 2135
DSC, 1008, 1013, 2443
Dye sorption, 3274
Dyeing, 1000
Dyes/pigments, 2513, 2629, 3481, 3827, 3871
Dynamic mechanical property, 2928
Dynamic tensile behavior, 2855

Elastic modulus, 3921
Elastomers, 577, 773, 1111, 1124, 1619, 1635, 1806, 3292
Electrical and mechanical properties, 1590
Electrical conductivity, 3134
Electrical properties, 2151, 2949
Electrochemical impedance spectroscopy (EIS), 3947
Electrochemical polymerization, 4064
Electrochemical synthesis, 303
Electrochemistry, 303, 396, 3659, 3947
Electrode, 4064
Electroless copper plating, 4064
Electromagnetic interference shielding, 2756
Electron beam, 157
Electron beam irradiation, 2028, 2903
Electron microscopy, 2629
Electron transport, 396
Electropolymerization, 2302
Electrorheological fluid, 1770
Electrospinning, 242
Electrotherapy, 4064
Elongational flow, 3421
Emulsifier, 321
Emulsion copolymerization, 570
Emulsion polymerization, 347, 387, 941, 1168, 2008, 2195, 2335, 2610
Emulsion stability, 321
Ene reaction, 4037
Enhanced oil recovery, 2482
Entrapment, 2063
Enzymatic activity, 827
Enzymatic treatment, 3673
Enzyme immobilization, 387
Enzymes, 861, 1294, 2383, 2391
EPDM, 1124
EPDM rubber, 247, 1646
Epichlorohydrin–ethyleneoxide–allylglycidyl ether, 2928
Epoxidized natural rubber, 1752
Epoxies, 1881
Epoxy, 89, 361, 369, 1020
Epoxy resin, 1898
Epoxy resins, 3579
ϵ-caprolactone, 1450
ESCA/XPS, 1774, 4098
ESR/EPR, 1599
ESREPR, 1494
Ester–amide exchange reaction, 2502
Esterification, 1703, 4037
Ethylene carbonate, 2750
Ethylene–acrylic acid copolymer, 2216
Ethylene–methyl acrylate–acrylic acid terpolymer, 2216
Ethylene–vinyl acetate copolymer, 1571
Ethylene/propylene/diene terpolymer, 4072
Ethylene-propylene-diene monomer, 1404
Ethylene/vinyl acetate copolymer, 905
Ethylene-vinyl alcohol copolymer, 3851
Expanded graphite, 2781
Experimental design, 2942
Extrusion, 218, 226, 235, 621, 1097, 1525, 2491, 3239, 3528
Eyring's equation, 1724

Fabric filter, 3174
Fabrics, 1261, 2588
Fibers, 242, 417, 469, 756, 800, 854, 953, 1077, 1222, 1413, 1641, 1667, 1698, 1857, 2028, 2330, 2383, 2397, 2422, 2629, 2855, 2980, 3557, 3813, 3827, 3879, 3959, 4047
Fibroin, 3579
Fibrous morphology, 253

Fibrous scaffolds, 1676
Filled NBR compounds, 883
Fillers, 110, 883, 925, 1489, 1635, 2320, 2397, 2881, 3134, 3292, 3315, 3327
Films, 27, 60, 78, 489, 630, 1193, 1285, 2383, 2653, 2903, 3354, 3659, 3673, 3947
Finite-element method (FEM), 2855
Fire retardancy, 2465
First-stage draw ratio, 1559
Flame retardance, 697, 1193, 1314, 1435, 2700, 3214
Flammability, 3844
Flax, 2114
Flexural properties, 1898
Fluorene, 900
Fluorescence, 900, 2629
Fluorinated carbon black, 2928
Fluorinated polymers, 3447
Fluorine, 157
Fluoropolymers, 1798, 2176, 3301
Fly ash, 1322
Foam extrusion, 2661
Formation temperatures, 1559
Formic acid, 991
Fourier transform infrared, 417
Fractal analysis, 3144
Fractal dimension, 3140
Fracture, 2558, 3462
Free-radical grafting, 3180
Freeze–thawing, 1626
Friction welding, 2771
FTIR, 303, 589, 659, 2128, 2186, 2903, 3162, 3565, 3871, 3927
FT-IR, 218, 1183, 1703, 1857, 2869, 3354, 3462
FTIR (Micro-ATR), 3127
FTIR spectroscopy, 1217
Functionalization of particles, 1920
Functionalization of polymers, 1792, 2326, 2454, 2588, 3180, 3899, 3947

γ-ray curing, 1898
Gas chromatography, 2894
Gas permeation, 1476, 1865, 3225
Gas phase, 2923
Gas separation, 2278
Gel, 1559
Gel permeation chromatography (GPC), 1450, 2942
Gelatin, 2594
Gelation, 538, 953, 1676, 2690, 3248, 3542
Gelation and drying in isopropanol, 3060
Gels, 861, 1612, 3083, 3337
Glass fibers, 1300, 3856
Glass transition, 247, 964, 1576, 1698, 2208, 2548, 3009, 3244, 3369, 3421
Glucose oxidase, 861, 4057
Glue, 3009
Glycidyl methacrylate, 3604
Graft, 1519
Graft copolymer, 4091
Graft copolymers, 10, 278, 981, 1261, 1667, 1685, 1716, 1920, 2028, 2256, 2443, 2454, 2588, 2834, 2862, 3813
Gum arabic, 2594

Halogenated, 2700
Halogenated anilines, 2302
HALS, 2244
Hardness, 205, 1763
HCPE-*g*-MMA, 282
Heat-treated wood, 2128
Heteroaromatic copolymers, 3981
Heterogeneous polymers, 2158
Heterogenous polymers, 167
4,4′-(hexafluoroisopropylidene) diphthalic dianhydride, 2295
High performance polymers, 22, 417
High-density polyethylene (HDPE), 2771, 3054
High-density polyethylene/high-impact polystyrene (HDPE/HIPS), 742
High-performance polymer, 3981
Hollow fiber membrane, 1873
Hollow nanosphere, 2594
Hollow-fiber membranes, 841, 3398
Horseradish peroxidase, 2063
Hot compaction, 2223
Hyaluronic acid, 2908
Hybrid laminates, 339
Hybrid materials, 2208
Hydrogels, 479, 636, 890, 911, 1059, 1289, 1612, 1641, 2135, 2168, 2862, 2876, 3274, 3433, 3705, 3791
Hydrogen bonding, 1207, 1887
Hydrogenation, 2072, 3259
Hydrolytic activity, 1294
Hydrolyzable tannins, 2729
Hydrophilic nanodomain, 3549
Hydrophilic polymers, 72, 274, 1612, 3433
Hydrophilic–hydrophobic balance, 3651
Hydrophobic interactions, 3686
Hydrophobically associative polymers, 916
Hydroquinone, 2063
Hydrothermal aging, 369
3-hydroxyquinoxaline-2-carboxaldehyde, 3710

Imaging, 3192
Immiscibility, 833
Immobilization, 4057
Impact resistance, 1077, 1168, 2558, 2881
Impact strength, 339
Impregnation, 1763
In situ polymerization, 3202
In situ solid-state polycondensation (INSITU SSP), 3959
Infrared spectroscopy, 991, 1667, 1937
Inherent viscosity, 2103
Initiator, 1538, 3470
Initiators, 15, 570, 589, 981, 1261
Injection molding, 1514, 1657
Inorganic materials, 936
Inorganic polymers, 3774
Insulin, 636
Intercalated, 2416
Intercalation, 3974
Interface, 3428
Interfaces, 577, 742, 1962, 3587
Interfacial polycondensation, 1865
Interpenetrating networks (IPN), 339, 1168, 3705
Interpenetrating networks (IPNs), 3835
Interpenetrating polymer network, 3613
Interpenetrating polymer network (IPN), 2876
Interpenetrating polymer networks (IPN), 2135
Inverse emulsion polymerization, 916, 2973
Inverse gas chromatography (IGC), 1927
Iodination, 2407
Ion exchange, 1641
Ion exchangers, 167, 463, 2513, 2973
Ionic conductivity, 719, 1154, 1207
Ionomers, 1443, 1736, 1822
IPNs, 354
Irradiation, 516, 556, 636, 1030, 1222, 1494, 1667, 1698, 2326, 2335, 3083
Irradiation crosslinking, 1571
Irreversible aggregation, 3140
Isocyanuric acid, 2750
Isotactic, 644, 2364
Isotactic polypropylene, 1008
Isotactic polypropylene (*i*-PP), 247
Isotherms, 2513

K-carrageenan, 2063
Kelvin–Voigt model, 78
Keratin, 756
Kinetic modeling, 2923
Kinetics, 308, 867, 1881, 2079, 2402, 2576, 2582, 3054, 3120, 3162, 3214, 3259, 3635, 3915
Kinetics (polym.), 211, 506, 570, 1136, 1233, 1375, 1450, 2343, 2798, 2814, 3292
Kraft lignin, 1920
Kymene, 3667

Lamellar, 1427
Latex, 1538, 2072, 2610
Latices, 2973
Layered silicate, 89

Lifetime, 1881
Light scattering, 1352
Light transmission, 410
Light-emitting polymers, 396
Light-scattering, 3447
Lipases, 2391
Liquid crystalline polyester, 3915
Liquid–crystalline polymers, 3574
Liquid-crystalline polymers, 1505
Liquid-crystalline polymers (LCP), 52, 455, 773, 854, 1976
Lithium salts, 2869
Lithium-ion batteries, 2949
Lithography, 971, 3192
Log additive rule, 1752
Low-density polyethylene, 1389
Low-density polyethylene (LDPE), 3909
L-phenylalanine, 3281

Macrocyclics, 735
Macromolecular coil, 3140
Macromolecular coil structure, 3144
Macromonomers, 1375
Macroporous polymers, 387, 666, 1792
Magnesium sulfate, 3167
Magnetic nanoparticle, 3549
Magnetic polymers, 3337
MALDI-TOF mass spectrum, 735
Mass transfer, 115, 2158
Matrix, 1676, 2416, 2629, 3959
Maximum retention capacity, 3679
Mechanical, 3410
Mechanical properties, 27, 132, 190, 260, 404, 410, 538, 630, 670, 756, 883, 925, 1000, 1068, 1077, 1086, 1300, 1322, 1427, 1463, 1489, 1514, 1619, 1646, 1657, 1716, 1774, 1834, 1913, 1983, 2216, 2223, 2244, 2330, 2558, 2676, 2739, 2781, 2789, 2834, 2949, 3074, 3720, 3785, 3866, 3879, 3909, 4007
Mechanical property, 157
Mechanism, 2576, 2582
Melamine, 2690
Melt, 1097, 1309, 1951, 3899
Melt blends, 3966
Melt flow index (MFI), 2834
Melt flow indexer, 1309
Melt intercalation, 1834
Melting point, 501, 2326, 3595
Membrane, 4057
Membrane bioreactor, 2271
Membranes, 10, 72, 167, 501, 1174, 2271, 2624, 2721, 3225, 3627, 3947, 4082, 4091
Mercapto groups, 1404
Metal ions, 3679
Metal–polymer complexes, 494
Metal–polymer composites, 2869
Metallocene polyethylene, 905
Methyl methacrylate, 867, 1667
$Mg(OH)_2$/PP composites, 3899
Micellar polymerization, 1147, 3686
Microemulsion, 3120
Microencapsulation, 2669
Microsphere, 321, 2143
Microspheres, 2008
Microstructure, 630, 719, 2016, 2096, 3074
Microwave irradiation, 1519, 3281
Miniemulsion polymerization, 115, 2195
Miscibility, 35, 332, 1710, 1798, 1927, 3068, 3595
Miscibility blend, 1887
Mixing, 545
MMT, 2416
Mobility, 2928
Model, 2576, 2582
Modeling, 871, 1104, 2079, 2798, 2814, 3239
Modification, 563, 820, 2256, 2435, 2588, 3579, 3673, 3866
Modulated temperature differential scanning calorimetry, 1626
Modulated-temperature differential scanning calorimetry (MTDSC), 2798, 2814
Modulus, 598
Molecular dynamics, 1309
Molecular modeling, 455
Molecular weight, 1275, 3447
Molecular weight determination, 2035
Molecular weight distribution, 115, 1842, 2711, 3144
Monomers, 439, 545, 1261, 3162
Montmorillonite, 1834, 2536, 3974
Morphology, 89, 218, 226, 235, 242, 354, 425, 659, 666, 703, 763, 779, 833, 841, 1254, 1538, 1635, 1685, 1710, 1736, 2158, 2610, 2980, 2984, 3528, 3557
Mucoadhesive, 2934
Mulching films, 2313
MWS relaxation, 2928

Na-alginate, 3225
Nanocomposite, 89, 175, 894, 1013, 1904, 3844
Nanocomposite hydrogels, 2934
Nanocomposites, 101, 140, 308, 425, 431, 813, 1229, 1233, 1368, 1457, 1463, 1774, 1834, 1951, 2208, 2335, 2416, 2427, 2443, 2536, 2649, 2739, 2781, 3054, 3337, 3438, 3489, 3974
Nanofiltration, 2721
Nanoparticle, 2594, 3120
Nanophase separation, 3549
Nanosized γ-alumina, 1898
Nanosized polypyrrole–polystyrene composite particles, 1360
N-aryl itaconimide, 2016
Natural fiber, 2114
NBR carbon black, 1124
n-butyl acrylate, 1396
Networks, 479, 779, 890, 1068, 1893, 2168, 2756, 2862, 3342
Neural networks, 871, 1746
NIPA gel, 3921
NIPAAm, 3233
Nitrile-butadiene rubber, 1404
Nitrobenzene, 3342
Nitroxide-mediated living radiated polymerization, 1842
N-methyl-morpholine-N-oxide, 1873
NMR, 439, 659, 807, 1604, 1937, 2016, 2096, 2128, 3504, 3604, 3635, 3785
NMR spectroscopy, 1217
N,N-dimethyl (maleamidic acid) propyl ammonium propane sulfonate, 726
Nodules, 2278
Nonequilibrium, 1538
Nonlinear polymers, 3167
Nonpolymerizable surfactants, 1360
Nonwovens, 3148
Norbornene, 253
Novolac, 2096
N-P-tolylmalemide, 867
NR, 1124
Nucleation, 68, 140, 431, 1435, 2422, 3899
Nylon, 68, 2397, 2513, 2881, 3756
Nylon 66, 2869
Nylon-6, 2771
Nylon-1010, 1834

Old newsprint paper, 3410
Oligoethylene glycol derivatives, 2497
Oligomers, 15, 296, 735
On-line monitoring, 1352
o-phenylenediamine, 3710
Optical microscopy, 3827
Optical properties, 3693
Optics, 489, 2330
Optimum temperature, 1559
Organic–inorganic, 532
Organoclay, 175, 813, 1463, 2416
Organometallic catalysts, 3259
Orientation, 489, 2789, 4047
Oxidation, 1525, 2063
1,3,4-oxadiazole group, 396

Packed-bed reactor, 1294
Paper overlays, 2942
Paper wet-strength agent, 3667
Particle formation, 2195
Particle nucleation, 941
Particle size distribution, 2669, 2690, 3455
Particleboards, 2256
PDMS, 2042
PE : PDMS blend, 2278
Pentachlorophenyl methacrylate (PCPMA), 296

Permeability, 841
Permittivity, 40
Peroxidase, 3673
Pervaporation, 4082, 4091
Phase behavior, 1, 132, 2834, 3251, 3565
Phase diagrams, 2234, 3068, 3627
Phase morphology, 4072
Phase separation, 354, 361, 369, 742, 841, 1254, 1873, 2234, 2739, 3369, 3542
Phase structure, 4072
Phase transfer catalysis, 2364
Phenol formaldehyde (PF) resins, 2942
Phenolic content, 2729
Phosphate esters, 455
Phosphazene, 697
Phospholipid polymer, 827
Phosphoramide, 2465
Phosphorus, 1314
Photocatalyst, 3174
Photochemistry, 1698, 3202, 3693, 3886
Photoinduced living radical polymerization, 827
Photooxidation, 2244
Photopolymerization, 1, 589, 971, 2079, 2700, 2914, 3031, 3301, 3470, 3489, 3835
Photoresists, 3192
Photoroltaics, 3362
pH-responsive, 636
pH-sensitive dye, 890
p-hydroxybenzoic acid, 445
Physical-mechanical properties, 282
Physicochemical properties, 3871
Physisorption, 2482
Plasma, 1920
Plastic optic fibers, 404
Plastic optical fibers, 410
Plasticized poly(vinylidene fluoride), 1784
PMMA, 2739, 3844
PMMA/PCL blend, 2422
PMR matrix resin, 3981
Polarized microscope, 598
Polyacid–polyurethanes complexes, 3651
Poly(acrylic acid), 1352
Polyacrylonitrile, 3127
Polyamide, 175
Polyamide 6, 3966
Polyamide 66, 2980
Poly(amide imide), 378
Polyamideimides, 1774
Polyamides, 516, 1498, 1806, 2288, 2491, 2502, 2992, 3281, 3447, 3866
Poly(amino acid)s, 3001
Polyaniline, 991
Polyaromatics, 425
Polybenzimidazole, 900
Polybutadiene, 211, 3342
Polybutadiene rubber, 1322
Poly(butyl acrylate), 2079
Poly(butylene succinate), 2122
Polycarbonate, 2391
Polycarbonates, 3765
Polycondensates, 2690
Polycondensation, 15, 22, 2143, 2288, 2992, 3981
Poly(diallydimethylammonium chloride), 3705
Poly(2,6-dimethyl-1,4-phenylene oxide), 1887
Poly(D,L-lactic acid) (PDLLA), 2143
Poly(EG-*co*-PG), 894
Polyelectrolyte, 2908
Polyelectrolytes, 2482, 2642, 3542, 3613, 3627
Poly(ε-caprolactone) (PCL), 3909
Polyester, 1300, 2114
Polyester elastomer, 3966
Polyester fabrics, 3871
Polyester fiber, 598
Polyesters, 196, 308, 525, 697, 1463, 1505, 1657, 1816, 1848, 1865, 1967, 2502, 3369, 3388, 3565, 3587, 3720, 3879
Poly(ether ether ketone), 841
Poly(ether ketone), 157
Polyether polyurethane, 3088
Poly(ether sulfone), 52, 854
Polyether sulfones, 3398
Polyetherol properties, 2750
Polyethers, 1344
Polyethylene, 315, 343, 651, 763, 1222, 1309, 1525, 1730, 3886
Polyethylene copolymers, 3642
Poly(ethylene glycol), 321, 1217
Polyethylene glycol, 2348, 2840, 3398
Poly(ethylene glycol) hydrate, 1626
Poly(ethylene glycol) methyl ether acrylate (PEGMEA), 2934
Poly(ethylene maleate), 3428
Poly(ethylene oxide) PEO, 719
Poly(ethylene oxide) (PEO), 1207
Polyethylene (PE), 10, 110, 218, 226, 235, 1476, 1927, 2244, 2326, 2435, 2923, 3519, 3974, 4027
Poly(ethylene terephthalate), 1229
Polyethylene terephthalate, 2223
Poly(ethylene vinyl acetate), 1389
Polyethylene wax, 2234
Polyfunctional monomer, 2122
Poly(hydroxybutyrate), 2114
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 3595
Polyimide, 2295
Poly(imide amide benzimidazole), 378
Polyimides, 22, 516, 1174, 2288, 2992, 3281
Poly(imideurethane) acrylates, 971
Polyisoprene, 3259
Polymer blends, 253
Polymer electrolyte, 1154
Polymer gel electrolyte, 894
Polymer–metal complexes, 3710
Polymer structure, 3477
Polymer thermochromism, 890
Polymeric electrolytes, 719
Polymeric gradient materials, 2491
Polymerizable costabilizer, 115
Polymerizable surfactants, 1360
Polymerization, 871, 1261, 2576, 2582
Polymerization kinetics, 1352
Polymerization mechanism, 1519
Polymers, 489
Polymer/solvent mixtures, 1724
Polymethacrylic acid, 3613
Poly(methyl methacrylate), 35, 40
Poly(methyl methacrylate) (PMMA), 404, 410
Polymethylmethacrylate, 1724
Polymorphism, 1413
Poly(*N*,*N*-dimethylaminoethyl methacrylate), 2721
Poly(*N*-vinylcarbazole), 1904
Poly(*N*-vinyl-2-pyrrolidone–crotonic acid), 1893
Poly(*o*-ethoxyaniline), 1275
Polyolefin, 1514
Polyolefin based polyurethane, 2984
Polyolefins, 253, 2158, 2923, 3642, 4027
Poly(phenylene oxide), 2624
Poly(*p*-oxybenzoate-*co*-ethylene 2,6-naphthalate), 3915
Poly(*p*-phenylenevinylene) derivatives, 396
Polypropylene, 175, 253, 1013, 1635, 3528, 3886
Poly(propylene), 644, 1413, 1435, 1498, 2427
Polypropylene blends, 4072
Polypropylene composites, 4072
Polypropylene modification, 1920
Poly(propylene) (PP), 431, 510, 925, 1097, 1703, 1806, 2320, 2364, 2443, 2661, 3315, 3327, 3642
Polypropylene (PP), 2491, 2711, 2771
Poly(propylene terephthalate) (PPT), 2848
Polypyrrole, 303, 4064
Polypyrrole (PPy), 3659
Polypyrroles, 3737, 3769
Polysaccharide, 3225
Polysaccharides, 60, 659, 1703, 3497
Polysilanes, 3774
Polysiloxanes, 773, 2186, 2208, 2523, 2653
Poly(sodium acrylate), 1352
Polystyrene, 40, 101, 321, 463, 651, 1368, 1599, 1724, 2234, 2402, 2789
Polystyrene nanoparticles, 1360
Polystyrene-bound Schiff base, 3710

Polysulfides, 2358
Poly(sulfobetaine), 726
Polysulfone, 2721
Polytetrafluoroethylene (PTFE), 1494
Poly [1-(trimethylsilyl)-1-propyne] (PTMSP), 2271
Polyureas, 2103
Polyurethane, 332
Polyurethane emulsion, 1285
Poly(urethane-*co*-acrylic acid) film, 3549
Polyurethanes, 190, 288, 1086, 1154, 1193, 1314, 1443, 2348, 2536, 3214, 3455, 3991
Poly(vinyl acetate), 35
Polyvinyl alcohol, 630
Poly(vinyl alcohol), 756, 2862, 3613
Poly(vinyl alcohol) (PVA), 2966, 3225
Polyvinyl alcohol (PVA), 3167
Polyvinyl chloride, 763, 1571
Poly(vinyl chloride), 1168, 1590
Poly(vinyl chloride) (PVC), 146, 538, 563, 1552, 1816
Poly(vinyl ethers), 1576
Poly(vinyl phenyl ketone hydrogenated), 1887
Poly(4-vinyl pyridine), 2454
Poly(vinylidene chloride-*co*-acrylonitrile) (Saran F), 3068
Poly(vinylidene fluoride–tetrafluoroethylene–propylene) (PVDF–TFE–P), 2949, 2958
Poly(vinylidene fluoride–trifluoroethylene) [P(VDF–TrFE)], 2903
Poly(vinylpyrrolidone), 2208
Polyvinylpyrrolidone, 3398
Pore structure, 3060
Porous film, 3642
Porous films, 303
Porous membrane, 2840
Porous structures, 2008
Positive-temperature coefficient (PTC), 3134
Post consumer, 1730
Potato starch phosphate, 1770
Precipitation polymerization, 2035
Pressure drop, 3239
Pressure-sensitive adhesive, 1396
Principal component analysis, 1746
Processability, 282
Processing, 89, 621, 703, 2151, 2711, 3981
Product analysis, 2750
Properties, 282
Proteins, 60, 332, 1030, 1848, 3083, 3579
Pullulan, 1217
Pyrolysis, 2176, 3214
Pyrolysis gas chromatography/mass spectrometry, 2295
Radiation, 10, 479, 911, 1612, 1893, 1937, 2028, 2168, 2862, 3274, 3818
Radical polymerization, 278, 439, 589, 867, 964, 1375, 1599, 3140, 3144, 3470, 3635
Raman spectroscopy, 2128
Reactive blending, 1752
Reactive compatibilization, 1404
Reactive extrusion, 1498, 2265, 3180
Reactivity ratio, 2016
Recycling, 347, 510, 525, 1646, 1730, 1932, 2313, 2543, 3720
Redox initiators, 916
Redox system, 1147
Reduced viscosity, 726
Refractive index, 404, 410, 2653
Reinforcement, 469, 2649, 2676, 2781
Relaxation, 2548, 3504, 3737
Renewable resources, 46, 1030, 1604, 2700, 4037
Resins, 260, 532, 697, 1207, 1233, 1314, 1792, 1932, 2096, 2256, 2649, 2690, 2942, 3096, 3107, 3248, 3504, 3513, 3835, 3959
Resol, 339
Reverse microemulsion, 2739
Rheological properties, 1752
Rheology, 651, 916, 1136, 1489, 1646, 1710, 1822, 2427, 2523, 2711, 3421, 3528, 3737
Ring-opening polymerization, 735
Rubber, 205, 354, 469, 506, 670, 813, 1068, 1111, 1124, 1489, 1552, 1913, 3156, 3259, 3342, 3410, 3756
Rubber blends, 1404
Rubber compound, 3239
Ruthenium complex, 3259

SAXS, 1008
SBR vulcanizates, 2601
Scale inhibitors, 2035
Schiff base, 494
Selectivity, 1932, 4091
Self-curing, 1997
Self-organization, 1457, 3627
SEM, 303
Senarmont's method, 598
Sensor, 3428
Sensors, 900, 1816
Separation, 3679
Separation techniques, 463, 2624
Service temperature, 1881
Shear, 833, 1505, 2151, 3737
Short glass fiber, 1124
Shrinkage, 78, 1254
Silane coupling agent, 1322
Silica, 1229, 3292, 3844
Silicas, 1419
Silicon oxide, 1013
Silicone, 1300
Silicones, 1774, 2176, 2186, 3040, 4098
Silk, 1000, 3579
Silk I, 3045
Silsesquioxane, 190
Simulation, 2610
Simulations, 871
Single-particle modeling, 2158
Sisal fibers, 670
Sol–gel, 532
Solid softwood, 1763
Solid-state polymerization, 3797
Solid-state structure, 1207
Solution, 3140
Solution intercalation, 2536
Solution properties, 1476, 2685, 2894
Solutions, 242
Solvent effect, 2391
Sorption, 556, 2984, 3428
Soybean, 3513
Specific heat, 3148
Specific interactions, 1887
Spectroscopy, 425
Spherulites, 1427, 2278, 3595
Spin coating, 971
Stabilization, 1030, 2195, 2244
Starch, 981
Stearic anhydride, 3667
Step-growth polymerization, 2103, 2798, 2814
Stereospecific polymers, 211
Stimuli-sensitive polymers, 501, 2523
Stone consolidation and protection, 3202
Strain, 2855
Strain tensor, 3045
Strength, 2881, 3813, 4027
Stress, 833, 2855
Structural materials, 2543
Structure, 563, 1183, 1413, 1494, 2407, 2491, 3504, 3557, 3574, 3765
Structure–property relations, 52, 800, 854, 1685, 2176, 2271, 3023, 3134
Structure-property relations, 3354, 3388
Styrene, 2265, 2973
Styrene/ethylene-propylene copolymer, 3618
Subsequent hydroxyalkylation, 2750
Sulfonated PS–DVB, 2973
Sulfur, 1865
Sulfur dioxide copolymer, 3477
Superabsorbent, 3127
Superhydrophilic, 2042
Superhydrophobic, 2042
Superplasticizer, 3248
Supported complexes, 3710
Supramolecular structures, 3481
Surface characterization, 3127
Surface chemistry, 3886
Surface energy, 3886
Surface enrichment, 1798
Surface modification, 2042, 3844
Surfaces, 270, 1893, 2435, 3301, 3673, 3879, 4098

Surfactants, 1086, 1147, 1951
Swelling, 1, 10, 479, 936, 1059, 1086, 1289, 2135, 2168, 2454, 2862, 2876, 2908, 2958, 3156, 3542, 3574, 3705, 3791, 3921, 4091
Syndiotactic, 2402, 2789
Syndiotactic poly(propylene), 3462
Syndiotactic polystyrene, 3618
Synthesis, 190, 343, 735, 1193, 1932, 2143, 3248, 3301

Tacticity, 35
Tannin adhesives, 3074
Tannins, 1030
TEM, 659, 991, 1457, 2335, 2536, 2629, 3120
Temkin isotherm, 1275
Temperature history, 1626
Temperature index, 2848
Templates, 425
Tensile property, 1285
Tensile tests, 1784
Tension, 1494
Terminal immobilization method, 3001
Tetradecyl dimethylaminoxide, 3921
Tetramers, 2529
TGA, 621
Thermal aging, 361
Thermal calendering, 3148
Thermal degradation, 1881, 2295, 3915
Thermal endurance parameters, 2848
Thermal properties, 1, 22, 27, 46, 125, 288, 296, 315, 501, 538, 609, 867, 971, 1086, 1104, 1233, 1314, 1389, 1976, 1983, 2103, 2288, 2407, 2454, 2649, 2756, 3074, 3156, 3214, 3604, 3774, 3785, 3909, 4047
Thermal synergizing model, 3088
Thermally stable, 378
Thermodynamics, 146, 2685, 2894
Thermoforming, 3851
Thermogravimetric analysis, 2103, 2914
Thermogravimetric analysis (TGA), 807, 991, 2364, 2465, 2502
Thermogravimetry, 445, 3915
Thermomechanical analysis, 3088
Thermoplastic, 2980
Thermoplastics, 1389, 1657, 2848
Thermosensitive hydrogels, 1792
Thermoset, 2798
Thermosets, 27, 46, 1077, 1329, 2814
Thermostability, 445, 3915
Thickeners, 3686
Thin films, 2079, 2176
TiO_2, 3174
Tire rubber, 510
Tissue engineering, 1676
Toluene degradation, 3174
Toughness, 510, 1300, 2558
Transcrystallinity, 2980
Transfer film, 2397
Transition metal chemistry, 211, 3797
Transitions, 1309
trans-p-hydroxycinnamic acid, 445
Triarylsulfonium salt, 1904
Triazine network, 3927
Tribochemical reactions, 2397
Tripropylene glycol methyl ether, 1576
Tube model, 2601
Tubular reactor, 871, 2195
Turbidimetry, 2482
Twin-screw extruder, 2265
Two-dimensional NMR spectroscopy, 3477

Ultrasound, 1646
Uniaxial, 3421
Urethane acrylate nonionomer (UAN), 3549
Urethane-acrylate, 3162
UV radiation, 3462
UV spectrophotometry, 2729
UV–vis spectroscopy, 3693
UV-curable, 3162

van der Waals force, 678
Vernonia oil, 3835
Vinyl acetate, 1396
Vinylidene chloride (VDC), 2576, 2582
2-vinylpyridine, 666
Viscoelastic properties, 78, 670, 2427, 2548, 3009
Viscosity, 242, 288, 644, 1724, 1976, 2690, 3281, 4027
Voids, 3096, 3388, 3557
Volume strain, 1784
Vulcanization, 506, 510, 813, 1124, 1619, 2756

Wall-slip, 3239
Warp sizes, 3016
Waste foam, 110
Waste gelatin, 2313
Waste plastic, 2543
Water repellence, 1763
Water resistance, 1285
Water soluble polyurethanes, 3651
Water-soluble initiator, 3233
Water-soluble polymer, 2914, 3686
Water-soluble polymeric thickeners, 916
Water-soluble polymers, 72, 439, 936, 2966
Water-soluble sulfonated acetone–formaldehyde (SAF), 3248
Water/*tert*-butanol mixture, 4082
WAXS, 1008, 1222, 1413, 3045, 3481
Weathering, 2128
Wollastonite, 4072
Wood, 3009
Wood–plastic composites, 3667
Wood-fiber, 621
Woodflour composites, 3074
Wound dressing, 1641

XPS, 1798
X-ray, 270, 1183, 1857, 2335, 2903

Yarn, 1746
Yield stress, 1770
Yielding, 3519

Ziegler-Natta polymerization, 211